

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	168	PM _{2.5}	1
2	Agra	Poor	238	PM _{2.5}	1
3	Ahmedabad	Moderate	159	O ₃	1
4	Aizawl	Good	40	PM ₁₀	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Moderate	101	03	1
7	Amaravati	Moderate	140	PM _{2.5}	1
8	Ambala	Moderate	173	PM _{2.5}	1
9	Amritsar	Moderate	107	PM _{2.5}	1
10	Ankleshwar	Moderate	137	PM ₁₀	1
11	Asansol	Moderate	199	PM _{2.5}	1
12	Aurangabad	Moderate	102	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	atisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	46	PM ₁₀	1
14	Bahadurgarh	Poor	203	PM _{2.5}	1
15	Ballabgarh	Moderate	116	PM ₁₀	1
16	Bathinda	Moderate	105	PM ₁₀	1
17	Bengaluru	Satisfactory	68	PM ₁₀ , PM _{2.5} , O ₃	8
18	Bhiwadi	Poor	297	PM _{2.5}	1
19	Bhiwani	Moderate	131	PM ₁₀	1
20	Bhopal	Poor	282	PM _{2.5}	1
21	Brajrajnagar	Poor	256	PM _{2.5}	1
22	Bulandshahr	Poor	290	PM _{2.5}	1
23	Chandigarh	Satisfactory	76	PM ₁₀	1
24	Chandrapur	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	173	PM ₁₀	1
26	Chennai	Satisfactory	59	PM _{2.5} , PM ₁₀	5
27	Chikkaballapur	Satisfactory	57	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	54	03	1
29	Damoh	Moderate	163	PM _{2.5}	1
30	Delhi	Poor	256	PM _{2.5}	35
31	Dewas	Poor	247	PM _{2.5}	1
32	Dharuhera	Very Poor	312	PM _{2.5}	1
33	Durgapur	Moderate	146	PM ₁₀	1
34	Eloor	Good	39	PM ₁₀	1
35	Ernakulam	Moderate	136	PM _{2.5}	1
36	Faridabad	Poor	213	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Poor	217	PM _{2.5}	1
38	Gandhinagar	Satisfactory	91	PM ₁₀	1
39	Gaya	Moderate	124	PM _{2.5}	2
40	Ghaziabad	Poor	277	PM _{2.5}	3
41	Greater Noida	Poor	283	PM _{2.5}	2
42	Gurugram	Poor	241	PM _{2.5}	3
43	Guwahati	Poor	275	PM ₁₀	1
44	Gwalior	Poor	282	PM _{2.5}	2
45	Hajipur	Moderate	185	PM ₁₀	1
46	Haldia	Moderate	139	PM ₁₀	1
47	Hisar	Poor	254	PM _{2.5}	1
48	Howrah	Poor	260	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	91	PM ₁₀	1
50	Hyderabad	Moderate	125	PM _{2.5} , PM ₁₀	5
51	Indore	Poor	241	PM _{2.5}	1
52	Jabalpur	Poor	271	PM _{2.5}	1
53	Jaipur	Satisfactory	85	PM ₁₀ , PM _{2.5} , O ₃	3
54	Jalandhar	Satisfactory	84	PM _{2.5}	1
55	Jind	Poor	225	PM _{2.5}	1
56	Jodhpur	Moderate	145	PM _{2.5}	1
57	Kaithal	Satisfactory	82	PM ₁₀	1
58	Kalaburgi	Satisfactory	95	PM ₁₀	1
59	Kalyan	Moderate	129	PM ₁₀	1
60	Kannur	Satisfactory	97	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Poor	218	PM _{2.5}	2
62	Karnal	Moderate	146	PM _{2.5}	1
63	Katni	Poor	262	PM _{2.5}	1
64	Khanna	Moderate	129	PM _{2.5}	1
65	Kochi	Satisfactory	89	PM ₁₀	1
66	Kohima	Satisfactory	99	PM _{2.5}	1
67	Kolkata	Poor	258	PM _{2.5}	7
68	Kollam	Satisfactory	99	PM _{2.5}	1
69	Kota	Moderate	132	PM _{2.5}	1
70	Kozhikode	Satisfactory	82	со	1
71	Kurukshetra	Moderate	174	PM _{2.5}	1
72	Lucknow	Moderate	198	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	tisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ludhiana	Satisfactory	76	PM ₁₀	1
74	Maihar	Satisfactory	80	PM _{2.5}	1
75	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
76	Mandideep	Moderate	132	PM ₁₀	1
77	Mandikhera	Satisfactory	78	PM ₁₀	1
78	Manesar	Moderate	175	PM _{2.5}	1
79	Medikeri	Good	43	PM ₁₀	1
80	Meerut	Poor	222	PM _{2.5}	3
81	Moradabad	Poor	256	PM _{2.5}	1
82	Mumbai	Poor	205	PM _{2.5}	18
83	Muzaffarpur	Poor	240	PM _{2.5} , PM ₁₀	2
84	Mysuru	Good	35	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	110	со	1
86	Narnaul	Poor	206	PM _{2.5}	1
87	Nashik	Satisfactory	91	PM _{2.5}	1
88	Navi Mumbai	Poor	262	PM _{2.5}	3
89	Noida	Poor	267	PM _{2.5}	3
90	Pali	Satisfactory	73	03	1
91	Palwal	Moderate	106	СО	1
92	Panipat	Moderate	129	PM _{2.5}	1
93	Patiala	Satisfactory	94	PM ₁₀	1
94	Patna	Poor	274	PM _{2.5}	6
95	Pithampur	Poor	237	PM _{2.5}	1
96	Pune	Moderate	116	PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Satisfactory	76	PM ₁₀	1
98	Rajamahendravaram	Moderate	125	PM _{2.5}	1
99	Ramanagara	Good	46	PM ₁₀	1
100	Ratlam	Moderate	130	PM ₁₀	1
101	Rohtak	Poor	213	PM _{2.5}	1
102	Rupnagar	Satisfactory	64	PM _{2.5}	1
103	Sagar	Satisfactory	86	PM _{2.5}	1
104	Satna	Satisfactory	81	PM ₁₀	1
105	Shillong	Good	39	PM _{2.5}	1
106	Shivamogga	Satisfactory	92	PM ₁₀	1
107	Siliguri	Very Poor	303	PM _{2.5}	1
108	Singrauli	Poor	245	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Satisfactory	77	PM ₁₀	1
110	Solapur	Moderate	106	PM ₁₀	1
111	Sonipat	Satisfactory	87	PM _{2.5}	1
112	Talcher	Moderate	122	PM ₁₀	1
113	Thane	Moderate	155	PM ₁₀	1
114	Thiruvananthapuram	Good	50	PM ₁₀	2
115	Thoothukudi	Satisfactory	52	O ₃	1
116	Thrissur	Satisfactory	65	O ₃	1
117	Tirupati	Good	49	PM _{2.5}	1
118	Udaipur	Moderate	138	PM _{2.5}	1
119	Ujjain	Poor	248	PM _{2.5}	1
120	Vapi	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Poor	221	PM _{2.5}	1
122	Vatva	Moderate	122	PM ₁₀	1
123	Vijayapura	Satisfactory	62	PM ₁₀	1
124	Visakhapatnam	Moderate	167	PM _{2.5}	1
125	Yadgir	Satisfactory	68	PM ₁₀	1
126	Yamunanagar	Poor	280	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Chamarajanagar, Coimbatore, Hapur, Jorapokhar, Koppal, Muzaffarnagar, Nagpur, Panchkula as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.