

(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|--------------|-------------|--------------------------------------|--|
| 1 | Agartala | Moderate | 103 | PM _{2.5} | 1 |
| 2 | Agra | Severe | 437 | PM _{2.5} | 4 |
| 3 | Ahmedabad | Moderate | 148 | PM _{2.5} , PM ₁₀ | 9 |
| 4 | Aizawl | Good | 16 | со | 1 |
| 5 | Ajmer | Satisfactory | 96 | PM _{2.5} | 1 |
| 6 | Alwar | Moderate | 176 | PM _{2.5} | 1 |
| 7 | Amaravati | Moderate | 129 | PM _{2.5} | 1 |
| 8 | Ambala | Poor | 299 | PM _{2.5} | 1 |
| 9 | Amritsar | Poor | 257 | PM _{2.5} | 1 |
| 10 | Ankleshwar | Very Poor | 307 | PM _{2.5} | 1 |
| 11 | Asansol | Satisfactory | 100 | PM ₁₀ | 1 |
| 12 | Aurangabad | Satisfactory | 91 | O ₃ | 1 |

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------|--------------|-------------|--------------------------------------|--|
| 13 | Bagalkot | Good | 45 | PM ₁₀ | 1 |
| 14 | Baghpat | Severe | 437 | PM _{2.5} | 1 |
| 15 | Bahadurgarh | Very Poor | 385 | PM _{2.5} | 1 |
| 16 | Ballabgarh | Severe | 431 | PM _{2.5} | 1 |
| 17 | Bathinda | Poor | 283 | PM ₁₀ | 1 |
| 18 | Bengaluru | Satisfactory | 91 | PM _{2.5} , PM ₁₀ | 8 |
| 19 | Bhiwadi | Severe | 410 | PM ₁₀ | 1 |
| 20 | Bhiwani | Very Poor | 383 | PM _{2.5} | 1 |
| 21 | Bhopal | Poor | 264 | PM _{2.5} | 1 |
| 22 | Bidar | Moderate | 136 | PM ₁₀ | 1 |
| 23 | Bilaspur | Satisfactory | 62 | PM ₁₀ | 1 |
| 24 | Brajrajnagar | Moderate | 159 | O ₃ | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|----------------|--------------|-------------|---|--|
| 25 | Bulandshahr | Severe | 447 | PM ₁₀ | 1 |
| 26 | Chamarajanagar | Satisfactory | 67 | PM _{2.5} | 1 |
| 27 | Chandigarh | Satisfactory | 92 | PM ₁₀ | 1 |
| 28 | Chandrapur | Poor | 206 | PM _{2.5} | 2 |
| 29 | Charkhi Dadri | Very Poor | 389 | PM _{2.5} | 1 |
| 30 | Chennai | Satisfactory | 60 | PM _{2.5} , O ₃ , PM ₁₀ | 3 |
| 31 | Chikkaballapur | Moderate | 112 | PM _{2.5} | 1 |
| 32 | Chikkamagaluru | Satisfactory | 52 | PM _{2.5} | 1 |
| 33 | Coimbatore | Satisfactory | 88 | PM _{2.5} | 1 |
| 34 | Damoh | Poor | 264 | PM _{2.5} | 1 |
| 35 | Davanagere | Moderate | 117 | PM ₁₀ | 1 |
| 36 | Delhi | Severe | 411 | PM _{2.5} , PM ₁₀ | 36 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar,
 Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur,
 Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|--------------------------------------|--|
| 37 | Dewas | Satisfactory | 91 | PM ₁₀ | 1 |
| 38 | Dharuhera | Very Poor | 334 | PM _{2.5} | 1 |
| 39 | Eloor | Satisfactory | 72 | PM ₁₀ | 1 |
| 40 | Ernakulam | Satisfactory | 69 | PM ₁₀ | 1 |
| 41 | Faridabad | Severe | 412 | PM ₁₀ , PM _{2.5} | 4 |
| 42 | Fatehabad | Very Poor | 354 | PM _{2.5} | 1 |
| 43 | Firozabad | Severe | 415 | PM _{2.5} | 1 |
| 44 | Gandhinagar | Moderate | 148 | PM _{2.5} , PM ₁₀ | 3 |
| 45 | Gaya | Moderate | 145 | PM _{2.5} , PM ₁₀ | 2 |
| 46 | Ghaziabad | Severe | 461 | PM _{2.5} | 4 |
| 47 | Gorakhpur | Poor | 271 | PM _{2.5} | 1 |
| 48 | Greater Noida | Severe | 417 | PM _{2.5} , PM ₁₀ | 2 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-----------|--------------|-------------|--------------------------------------|--|
| 49 | Gurugram | Very Poor | 378 | PM _{2.5} | 3 |
| 50 | Guwahati | Satisfactory | 78 | PM _{2.5} | 1 |
| 51 | Gwalior | Very Poor | 351 | PM _{2.5} | 1 |
| 52 | Hajipur | Moderate | 188 | PM _{2.5} | 1 |
| 53 | Hapur | Severe | 427 | PM _{2.5} | 1 |
| 54 | Hassan | Satisfactory | 94 | PM _{2.5} | 1 |
| 55 | Hisar | Severe | 422 | PM _{2.5} | 1 |
| 56 | Howrah | Moderate | 172 | PM _{2.5} | 3 |
| 57 | Hubballi | Moderate | 137 | PM _{2.5} | 1 |
| 58 | Hyderabad | Moderate | 169 | PM _{2.5} , PM ₁₀ | 6 |
| 59 | Indore | Moderate | 145 | PM ₁₀ | 1 |
| 60 | Jabalpur | Very Poor | 309 | PM _{2.5} | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------|-------------|-------------|--------------------------------------|--|
| 61 | Jaipur | Moderate | 198 | PM _{2.5} , PM ₁₀ | 2 |
| 62 | Jalandhar | Poor | 272 | PM _{2.5} | 1 |
| 63 | Jind | Very Poor | 366 | PM _{2.5} | 1 |
| 64 | Jodhpur | Poor | 203 | PM _{2.5} | 1 |
| 65 | Jorapokhar | Good | 48 | PM ₁₀ | 1 |
| 66 | Kaithal | Very Poor | 350 | PM _{2.5} | 1 |
| 67 | Kalaburgi | Poor | 230 | PM _{2.5} | 1 |
| 68 | Kalyan | Moderate | 178 | PM _{2.5} | 1 |
| 69 | Kanpur | Poor | 246 | PM _{2.5} | 3 |
| 70 | Karnal | Poor | 298 | PM _{2.5} | 1 |
| 71 | Katni | Very Poor | 318 | PM _{2.5} | 1 |
| 72 | Khanna | Poor | 259 | PM _{2.5} | 1 |

Possible Health Impacts

Minimal Impact

| Good | Minimai impaci |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------------------|--------------|-------------|--------------------------------------|--|
| 73 | Kochi | Good | 42 | PM ₁₀ | 1 |
| 74 | Kohima | Satisfactory | 71 | PM ₁₀ | 1 |
| 75 | Kolkata | Moderate | 144 | PM _{2.5} , PM ₁₀ | 6 |
| 76 | Kollam | Satisfactory | 88 | PM ₁₀ | 1 |
| 77 | Koppal | Moderate | 121 | 03 | 1 |
| 78 | Kota | Moderate | 161 | PM _{2.5} | 1 |
| 79 | Kozhikode | Good | 48 | PM ₁₀ | 1 |
| 80 | Kurukshetra | Very Poor | 303 | PM _{2.5} | 1 |
| 81 | Lucknow | Poor | 205 | PM ₁₀ , PM _{2.5} | 6 |
| 82 | Ludhiana | Poor | 257 | PM _{2.5} | 1 |
| 83 | Mandi Gobindgarh | Poor | 239 | PM ₁₀ | 1 |
| 84 | Mandideep | Moderate | 200 | PM _{2.5} | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 85 | Mandikhera | Moderate | 190 | PM _{2.5} | 1 |
| 86 | Manesar | Very Poor | 399 | PM _{2.5} | 1 |
| 87 | Manglore | Moderate | 162 | PM _{2.5} | 1 |
| 88 | Medikeri | Satisfactory | 71 | PM _{2.5} | 1 |
| 89 | Meerut | Very Poor | 318 | PM _{2.5} | 3 |
| 90 | Moradabad | Very Poor | 359 | PM _{2.5} | 2 |
| 91 | Mumbai | Moderate | 174 | PM _{2.5} | 18 |
| 92 | Muzaffarnagar | Very Poor | 357 | PM _{2.5} | 1 |
| 93 | Muzaffarpur | Poor | 240 | PM _{2.5} | 2 |
| 94 | Mysuru | Satisfactory | 68 | O ₃ | 1 |
| 95 | Narnaul | Poor | 234 | PM _{2.5} | 1 |
| 96 | Nashik | Moderate | 125 | PM _{2.5} | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------|--------------|-------------|--------------------------------------|--|
| 97 | Navi Mumbai | Moderate | 184 | PM _{2.5} , PM ₁₀ | 3 |
| 98 | Noida | Severe | 434 | PM ₁₀ , PM _{2.5} | 4 |
| 99 | Pali | Moderate | 141 | PM _{2.5} | 1 |
| 100 | Palwal | Poor | 300 | PM ₁₀ | 1 |
| 101 | Panchkula | Satisfactory | 94 | PM _{2.5} | 1 |
| 102 | Panipat | Very Poor | 365 | PM _{2.5} | 1 |
| 103 | Patiala | Poor | 296 | PM _{2.5} | 1 |
| 104 | Patna | Poor | 223 | PM _{2.5} , PM ₁₀ | 5 |
| 105 | Pithampur | Moderate | 132 | PM _{2.5} | 1 |
| 106 | Prayagraj | Poor | 247 | PM _{2.5} | 3 |
| 107 | Puducherry | Satisfactory | 53 | PM _{2.5} | 1 |
| 108 | Pune | Poor | 202 | PM _{2.5} | 3 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 109 | Raichur | Moderate | 167 | PM _{2.5} | 1 |
| 110 | Rajamahendravaram | Satisfactory | 100 | PM _{2.5} | 1 |
| 111 | Ramanagara | Moderate | 108 | PM _{2.5} | 1 |
| 112 | Ratlam | Moderate | 123 | PM ₁₀ | 1 |
| 113 | Rohtak | Very Poor | 344 | PM _{2.5} | 1 |
| 114 | Rupnagar | Moderate | 161 | PM ₁₀ | 1 |
| 115 | Sagar | Moderate | 127 | PM _{2.5} | 1 |
| 116 | Satna | Satisfactory | 75 | PM ₁₀ | 1 |
| 117 | Shivamogga | Satisfactory | 58 | СО | 1 |
| 118 | Siliguri | Moderate | 119 | PM ₁₀ | 1 |
| 119 | Singrauli | Very Poor | 319 | PM _{2.5} | 1 |
| 120 | Sirsa | Poor | 295 | PM _{2.5} | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|--------------------|--------------|-------------|-----------------------|--|
| 121 | Solapur | Moderate | 186 | PM _{2.5} | 1 |
| 122 | Sonipat | Very Poor | 335 | PM _{2.5} | 1 |
| 123 | Srinagar | Moderate | 104 | PM ₁₀ | 1 |
| 124 | Thane | Poor | 235 | PM ₁₀ | 1 |
| 125 | Thiruvananthapuram | Satisfactory | 60 | PM ₁₀ , CO | 2 |
| 126 | Thoothukudi | Satisfactory | 89 | со | 1 |
| 127 | Tirupati | Satisfactory | 78 | PM _{2.5} | 1 |
| 128 | Udaipur | Moderate | 128 | PM _{2.5} | 1 |
| 129 | Ujjain | Moderate | 137 | PM ₁₀ | 1 |
| 130 | Vapi | Poor | 222 | PM _{2.5} | 1 |
| 131 | Varanasi | Poor | 293 | PM _{2.5} | 4 |
| 132 | Vatva | Moderate | 187 | PM _{2.5} | 1 |

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif, Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 133 | Vijayapura | Good | 47 | PM _{2.5} | 1 |
| 134 | Visakhapatnam | Moderate | 120 | PM _{2.5} | 1 |
| 135 | Vrindavan | Severe | 458 | PM _{2.5} | 1 |
| 136 | Yadgir | Satisfactory | 100 | PM _{2.5} | 1 |

Possible Health Impacts

| Good | Minimal Impact |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

- * AQI is not calculated for today's bulletin for Bettiah, Bihar Sharif,
 Darbhanga, Durgapur, Gadag, Gummidipoondi, Haldia, Kannur, Kolar, Maihar,
 Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Talcher, Thrissur,
 Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.