Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	354	$PM_{2.5}$	1
2	Agra	Good	49	NO_2, PM_{10}	6
3	Ahmedabad	Moderate	141	$PM_{2.5}$, NO_2	7
4	Aizawl	Good	48	PM_{10}	1
5	Ajmer	Moderate	167	$PM_{2.5}$	1
6	Alwar	Satisfactory	65	$PM_{2.5}$	1
7	Amaravati	Moderate	110	PM_{10}	1
8	Ambala	Moderate	176	$PM_{2.5}$	1
9	Amritsar	Satisfactory	93	$PM_{2.5}$	1
10	Anantapur	Moderate	155	O_3	1
11	Ankleshwar	Moderate	180	$PM_{2.5}$	1
12	Araria	Very Poor	301	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	73	$PM_{2.5}$	1
14	Arrah	Poor	202	$PM_{2.5}$	1
15	Asansol	Moderate	146	PM_{10}	1
16	Aurangabad (Bihar)	Moderate	145	PM_{10}	1
17	Aurangabad (Maharashtra)	Moderate	105	PM_{10}	1
18	Baddi	Poor	227	$PM_{2.5}$	1
19	Bagalkot	Satisfactory	60	O_3	1
20	Baghpat	Poor	264	$PM_{2.5}$	1
21	Bahadurgarh	Moderate	132	$PM_{2.5}$	1
22	Ballabgarh	Moderate	112	CO	1
23	Bareilly	Moderate	116	PM_{10}	2
24	Baripada	Moderate	117	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Moderate	111	PM_{10}	1
26	Begusarai	Very Poor	374	$PM_{2.5}$	1
27	Belgaum	Moderate	144	PM_{10}	1
28	Bengaluru	Satisfactory	81	O_3, CO	9
29	Bettiah	Poor	229	PM_{10}	1
30	Bhagalpur	Very Poor	316	$PM_{2.5}$	2
31	Bharatpur	Moderate	190	$PM_{2.5}$	1
32	Bhilai	Satisfactory	84	$PM_{2.5}$, PM_{10}	2
33	Bhiwadi	Moderate	194	PM_{10}	1
34	Bhiwani	Moderate	111	$PM_{2.5}$	1
35	Bhopal	Moderate	128	PM_{10}	2
36	Bihar Sharif	Moderate	105	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bilaspur	Satisfactory	86	PM_{10}	1
38	Bileipada	Moderate	163	$PM_{2.5}$	1
39	Brajrajnagar	Satisfactory	84	CO	1
40	Bulandshahr	Moderate	173	$PM_{2.5}$	1
41	Byrnihat	Very Poor	365	$PM_{2.5}$	1
42	Chamarajanagar	Good	43	PM_{10}	1
43	Chandigarh	Poor	229	$PM_{2.5}$	3
44	Chandrapur	Moderate	102	PM_{10}	1
45	Charkhi Dadri	Moderate	178	PM_{10}	1
46	Chennai	Moderate	101	$PM_{2.5}$	8
47	Chhapra	Very Poor	338	$PM_{2.5}$	1
48	Chikkaballapur	Moderate	118	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkamagaluru	Satisfactory	55	PM_{10}	1
50	Chittoor	Satisfactory	71	O_3	1
51	Coimbatore	Moderate	105	$PM_{2.5}$	1
52	Damoh	Good	31	PM_{10}	1
53	Delhi	Poor	242	PM_{10}, $PM_{2.5}$	38
54	Dharuhera	Poor	282	$PM_{2.5}$	1
55	Dindigul	Poor	272	NO_2	1
56	Durgapur	Good	39	CO	1
57	Eloor	Satisfactory	71	PM_{10}	1
58	Faridabad	Poor	213	$PM_{2.5}$	4
59	Firozabad	Satisfactory	94	PM_{10}, $PM_{2.5}$	2
60	Gadag	Satisfactory	69	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Moderate	102	PM_{10}	3
62	Gaya	Moderate	160	$PM_{2.5}$	3
63	Ghaziabad	Poor	204	$PM_{2.5}$, PM_{10}	4
64	Gorakhpur	Moderate	114	PM_{10}	1
65	Greater Noida	Poor	213	PM_{10}	2
66	Gummidipoondi	Moderate	174	$PM_{2.5}$	1
67	Gurugram	Poor	230	$PM_{2.5}$	4
68	Guwahati	Poor	297	$PM_{2.5}$	4
69	Gwalior	Moderate	171	PM_{10}, $PM_{2.5}$	3
70	Hajipur	Poor	257	$PM_{2.5}$	1
71	Haldia	Moderate	147	PM_{10}	1
72	Hapur	Satisfactory	68	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hassan	Satisfactory	62	PM_{10}	1
74	Haveri	Moderate	115	$PM_{2.5}$	1
75	Hisar	Moderate	168	PM_{10}	1
76	Hosur	Moderate	136	CO	1
77	Howrah	Poor	238	$PM_{2.5}$	3
78	Hubballi	Moderate	102	PM_{10}	2
79	Hyderabad	Moderate	116	$PM_{2.5}, PM_{10}$	14
80	Imphal	Moderate	121	$PM_{2.5}$	1
81	Indore	Moderate	151	PM_{10}	1
82	Jabalpur	Moderate	196	PM_{10}	1
83	Jaipur	Poor	208	$PM_{2.5}, PM_{10}$	3
84	Jalandhar	Moderate	155	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhansi	Satisfactory	98	PM_{10}	1
86	Jind	Moderate	103	$PM_{2.5}$	1
87	Jodhpur	Poor	219	$PM_{2.5}$	1
88	Jorapokhar	Moderate	134	PM_{10}	1
89	Kadapa	Poor	206	$PM_{2.5}$	1
90	Kaithal	Moderate	158	PM_{10}	1
91	Kalaburgi	Moderate	122	$PM_{2.5}$	1
92	Kalyan	Moderate	156	PM_{10}	1
93	Kanchipuram	Satisfactory	74	PM_{10}	1
94	Kannur	Satisfactory	94	$PM_{2.5}$	1
95	Kanpur	Satisfactory	90	PM_{10}, $PM_{2.5}$	3
96	Katihar	Poor	300	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Satisfactory	99	PM_{10}	1
98	Khanna	Moderate	102	PM_{10}	1
99	Khurja	Moderate	126	$PM_{2.5}$	1
100	Kishanganj	Very Poor	312	$PM_{2.5}$	1
101	Kochi	Moderate	131	$PM_{2.5}$	1
102	Kolar	Moderate	167	SO_2	1
103	Kolkata	Moderate	187	$PM_{2.5}$	7
104	Kollam	Satisfactory	71	PM_{10}	1
105	Koppal	Moderate	121	PM_{10}	1
106	Korba	Satisfactory	56	PM_{10}	2
107	Kota	Moderate	158	$PM_{2.5}$, PM_{10}	2
108	Kozhikode	Satisfactory	75	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kurukshetra	Satisfactory	98	$PM_{2.5}$	1
110	Lucknow	Moderate	144	$PM_{2.5}$	6
111	Ludhiana	Poor	207	$PM_{2.5}$	1
112	Madikeri	Good	37	$PM_{2.5}$	1
113	Maihar	Good	25	PM_{10}	1
114	Mandideep	Poor	209	PM_{10}	1
115	Mandikhera	Satisfactory	80	PM_{10}	1
116	Manesar	Moderate	157	$PM_{2.5}$	1
117	Mangalore	Moderate	140	$PM_{2.5}$	1
118	Meerut	Poor	221	$PM_{2.5}$	3
119	Moradabad	Moderate	109	$PM_{2.5}$	6
120	Motihari	Moderate	193	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mumbai	Poor	201	$PM_{2.5}$, PM_{10}	17
122	Munger	Poor	269	$PM_{2.5}$	1
123	Muzaffarnagar	Moderate	175	$PM_{2.5}$	1
124	Muzaffarpur	Very Poor	301	$PM_{2.5}$	3
125	Nagpur	Moderate	101	PM_{10}	1
126	Nalbari	Very Poor	318	$PM_{2.5}$	1
127	Nandesari	Good	23	$PM_{2.5}$	1
128	Narnaul	Moderate	159	$PM_{2.5}$	1
129	Nashik	Satisfactory	94	$PM_{2.5}$	1
130	Navi Mumbai	Poor	257	$PM_{2.5}$	3
131	Nayagarh	Moderate	152	PM_{10}	1
132	Noida	Moderate	175	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pali	Satisfactory	84	PM_{10}	1
134	Palwal	Satisfactory	61	PM_{10}	1
135	Panchkula	Satisfactory	85	$PM_{2.5}$	1
136	Panipat	Moderate	113	PM_{10}	1
137	Patiala	Moderate	107	PM_{10}	1
138	Patna	Very Poor	308	$PM_{2.5}$	6
139	Pithampur	Moderate	107	PM_{10}	1
140	Prayagraj	Satisfactory	73	PM_{10}	3
141	Puducherry	Satisfactory	71	PM_{10}	1
142	Pune	Moderate	185	$PM_{2.5}$, PM_{10}	3
143	Raichur	Moderate	110	PM_{10}	1
144	Raipur	Satisfactory	93	$PM_{2.5}$, PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rairangpur	Moderate	110	$PM_{2.5}$	1
146	Rajamahendravaram	Moderate	108	$PM_{2.5}$	1
147	Rajgir	Poor	227	$PM_{2.5}$	1
148	Ramanagara	Satisfactory	67	PM_{10}	1
149	Ramanathapuram	Good	33	PM_{10}	1
150	Ratlam	Satisfactory	99	PM_{10}	1
151	Rohtak	Moderate	123	$PM_{2.5}$	1
152	Rourkela	Moderate	130	$PM_{2.5}$	3
153	Rupnagar	Moderate	136	PM_{10}	1
154	Sagar	Satisfactory	55	PM_{10}, CO	2
155	Saharsa	Very Poor	337	$PM_{2.5}$	1
156	Salem	Satisfactory	91	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Samastipur	Very Poor	312	$PM_{2.5}$	1
158	Satna	Satisfactory	94	PM_{10}	1
159	Shillong	Moderate	169	$PM_{2.5}$	1
160	Shivamogga	Satisfactory	70	O_3	1
161	Siliguri	Moderate	113	PM_{10}	1
162	Singrauli	Moderate	180	PM_{10}	1
163	Sirsa	Moderate	157	$PM_{2.5}$	1
164	Sivasagar	Satisfactory	67	PM_{10}	1
165	Siwan	Very Poor	359	$PM_{2.5}$	1
166	Solapur	Moderate	107	PM_{10}	1
167	Suakati	Moderate	114	PM_{10}	1
168	Surat	Moderate	143	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Talcher	Poor	222	$PM_{2.5}$	1
170	Tensa	Satisfactory	74	PM_{10}	1
171	Thane	Moderate	178	PM_{10}	1
172	Thiruvananthapuram	Good	42	$PM_{2.5}$, PM_{10}	2
173	Thoothukudi	Moderate	200	O_3	1
174	Thrissur	Moderate	118	$PM_{2.5}$	1
175	Tirupati	Satisfactory	93	$PM_{2.5}$	2
176	Tirupur	Satisfactory	79	$PM_{2.5}$	1
177	Udaipur	Moderate	128	PM_{10}	1
178	Ujjain	Moderate	162	$PM_{2.5}$	1
179	Vapi	Moderate	196	$PM_{2.5}$	1
180	Varanasi	Good	49	PM_{10}, O_3	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Feb 04, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vatva	Moderate	158	$PM_{2.5}$	1
182	Vijayapura	Good	46	PM_{10}	1
183	Vijayawada	Moderate	107	O_3	1
184	Visakhapatnam	Moderate	182	$PM_{2.5}$	1
185	Vrindavan	Moderate	168	PM_{10}	1
186	Yadgir	Satisfactory	78	PM_{10}	1
187	Yamunanagar	Moderate	197	$PM_{2.5}$	1
188	vellore	Moderate	107	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Bikaner, Buxar, Chengalpattu, Chhal, Darbhanga, Davanagere, Dehradun, Dewas, Dharwad, Ernakulam, Fatehabad, Gangtok, Karnal, Katni, Kohima, Kunjemura, Mandi Gobindgarh, Manguraha, Milupara, Mysuru, Naharlagun, Ooty, Purnia, Sasaram, Silchar, Sonipat, Srinagar, Tonk, Tumakuru, Tumidih, Udupi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.