

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	99	PM _{2.5}	1
2	Agra	Satisfactory	77	PM ₁₀	6
3	Ahmedabad	Satisfactory	65	PM ₁₀ , CO	6
4	Aizawl	Good	23	со	1
5	Ajmer	Satisfactory	74	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Satisfactory	53	PM ₁₀	1
8	Ambala	Satisfactory	81	PM ₁₀	1
9	Amravati	Satisfactory	86	PM ₁₀	2
10	Amritsar	Moderate	108	PM ₁₀	1
11	Anantapur	Good	48	PM ₁₀	1
12	Ankleshwar	Moderate	119	03	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	37	NO ₂	1
14	Arrah	Moderate	139	PM ₁₀	1
15	Asansol	Satisfactory	75	O ₃	1
16	Aurangabad (Bihar)	Moderate	183	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	58	PM ₁₀	1
18	Baddi	Moderate	182	O ₃	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Moderate	153	PM ₁₀	1
21	Bahadurgarh	Moderate	112	PM ₁₀	1
22	Ballabgarh	Moderate	113	PM ₁₀	1
23	Banswara	Satisfactory	74	PM ₁₀	1
24	Bareilly	Satisfactory	80	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	77	PM ₁₀	1
26	Barmer	Satisfactory	91	PM ₁₀	1
27	Bathinda	Moderate	126	PM _{2.5}	1
28	Belgaum	Good	32	PM ₁₀	1
29	Bengaluru	Satisfactory	53	CO, PM ₁₀	12
30	Bhagalpur	Moderate	106	PM ₁₀	2
31	Bhilai	Satisfactory	51	PM ₁₀ , CO	3
32	Bhiwadi	Moderate	157	PM ₁₀	1
33	Bhiwani	Satisfactory	99	PM ₁₀	1
34	Bhopal	Satisfactory	76	PM ₁₀	3
35	Bidar	Good	45	NH ₃	1
36	Bihar Sharif	Moderate	135	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Poor	253	PM ₁₀	1
38	Bilaspur	Satisfactory	70	со	1
39	Bileipada	Moderate	167	PM ₁₀	1
40	Brajrajnagar	Moderate	108	PM ₁₀	1
41	Bulandshahr	Moderate	101	PM ₁₀	1
42	Bundi	Moderate	104	PM ₁₀	1
43	Byrnihat	Satisfactory	89	PM ₁₀	1
44	Chamarajanagar	Good	38	PM ₁₀	1
45	Chandigarh	Moderate	121	O ₃ , PM ₁₀	3
46	Chandrapur	Satisfactory	97	PM ₁₀	1
47	Charkhi Dadri	Moderate	125	PM _{2.5}	1
48	Chennai	Satisfactory	67	NO ₂ , CO	8

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	58	PM ₁₀	1
50	Chhapra	Poor	211	PM ₁₀	1
51	Chikkaballapur	Good	32	PM ₁₀	1
52	Chikkamagaluru	Good	42	PM ₁₀	1
53	Chittoor	Satisfactory	56	03	1
54	Churu	Moderate	112	PM ₁₀	1
55	Cuddalore	Good	13	PM _{2.5}	2
56	Damoh	Good	20	PM _{2.5}	1
57	Dausa	Moderate	151	PM ₁₀	1
58	Davanagere	Good	20	03	1
59	Dehradun	Satisfactory	68	PM ₁₀	1
60	Delhi	Moderate	134	PM _{2.5} , PM ₁₀	37

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not calculated for today's bulletin for Ahmednagar, Araria, Baran

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Satisfactory	92	PM ₁₀	1
62	Dharuhera	Moderate	121	PM ₁₀	1
63	Dharwad	Satisfactory	58	PM ₁₀	1
64	Dholpur	Satisfactory	99	PM ₁₀	1
65	Durgapur	Satisfactory	89	PM ₁₀	1
66	Faridabad	Satisfactory	92	PM _{2.5}	4
67	Fatehabad	Moderate	140	PM ₁₀	1
68	Firozabad	Satisfactory	90	PM ₁₀	2
69	Gandhinagar	Satisfactory	55	PM _{2.5} , PM ₁₀	3
70	Gangtok	Good	47	SO ₂	1
71	Gaya	Moderate	113	PM ₁₀ , PM _{2.5}	3
72	Ghaziabad	Moderate	132	PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	113	PM ₁₀	1
74	Greater Noida	Moderate	145	O ₃	2
75	Gummidipoondi	Satisfactory	56	PM ₁₀	1
76	Gurugram	Moderate	153	PM ₁₀	4
77	Guwahati	Good	36	O ₃ , PM ₁₀	4
78	Gwalior	Satisfactory	94	PM ₁₀	2
79	Hajipur	Moderate	111	PM ₁₀	1
80	Haldia	Good	42	PM ₁₀	1
81	Hanumangarh	Moderate	171	PM ₁₀	1
82	Hapur	Satisfactory	94	O ₃	1
83	Hassan	Good	47	PM ₁₀	1
84	Haveri	Good	36	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	70	O ₃	1
86	Hosur	Good	30	PM ₁₀	1
87	Howrah	Satisfactory	60	PM ₁₀	3
88	Hubballi	Moderate	158	со	1
89	Hyderabad	Satisfactory	70	NO ₂	12
90	Indore	Satisfactory	54	PM ₁₀	2
91	Jabalpur	Satisfactory	98	PM ₁₀	1
92	Jaipur	Moderate	115	PM ₁₀	5
93	Jaisalmer	Poor	263	PM ₁₀	1
94	Jalandhar	Moderate	133	PM ₁₀	1
95	Jhalawar	Satisfactory	59	O ₃	1
96	Jhansi	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Moderate	108	PM ₁₀	1
98	Jind	Moderate	102	СО	1
99	Jodhpur	Moderate	105	PM _{2.5}	5
100	Kadapa	Good	36	03	1
101	Kaithal	Moderate	146	PM ₁₀	1
102	Kalyan	Good	37	03	1
103	Kannur	Satisfactory	77	PM ₁₀	1
104	Kanpur	Moderate	115	PM ₁₀	3
105	Karauli	Satisfactory	74	03	1
106	Karnal	Satisfactory	93	PM ₁₀	1
107	Katihar	Moderate	102	PM ₁₀	1
108	Katni	Moderate	116	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Keonjhar	Moderate	106	PM ₁₀	1
110	Khanna	Moderate	105	PM ₁₀	1
111	Kishanganj	Satisfactory	81	PM ₁₀	1
112	Kochi	Satisfactory	73	со	1
113	Kohima	Good	39	SO ₂	1
114	Kolhapur	Good	44	03	1
115	Kolkata	Satisfactory	58	O ₃ , PM ₁₀	7
116	Kollam	Satisfactory	55	PM ₁₀	1
117	Korba	Satisfactory	74	PM ₁₀	2
118	Kota	Satisfactory	91	PM ₁₀ , PM _{2.5}	3
119	Kunjemura	Moderate	128	PM ₁₀	1
120	Kurukshetra	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Latur	Satisfactory	55	PM ₁₀	1
122	Lucknow	Moderate	134	PM _{2.5}	6
123	Ludhiana	Moderate	174	PM _{2.5}	1
124	Maihar	Good	47	PM ₁₀	1
125	Mandi Gobindgarh	Moderate	133	PM ₁₀	1
126	Mandideep	Satisfactory	88	PM ₁₀	1
127	Mandikhera	Satisfactory	59	PM ₁₀	1
128	Manesar	Satisfactory	97	PM ₁₀	1
129	Mangalore	Good	41	PM ₁₀	1
130	Meerut	Moderate	152	O ₃ , PM ₁₀	3
131	Moradabad	Moderate	121	PM ₁₀	6
132	Motihari	Moderate	111	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	85	CO, PM _{2.5}	16
134	Munger	Poor	250	PM ₁₀	1
135	Muzaffarnagar	Moderate	154	PM ₁₀	1
136	Muzaffarpur	Moderate	147	03	3
137	Mysuru	Satisfactory	69	03	1
138	Nagaon	Good	50	03	1
139	Nagaur	Moderate	107	PM ₁₀	1
140	Nagpur	Satisfactory	85	PM ₁₀	1
141	Nalbari	Satisfactory	60	PM ₁₀	1
142	Narnaul	Satisfactory	81	PM ₁₀	1
143	Nashik	Satisfactory	52	PM ₁₀	3
144	Navi Mumbai	Moderate	118	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Poor	228	PM ₁₀	1
146	Noida	Moderate	165	NO ₂ , PM ₁₀	4
147	Ooty	Good	50	SO ₂	1
148	Pali	Moderate	106	PM ₁₀	1
149	Palwal	Satisfactory	62	03	1
150	Panchkula	Satisfactory	98	PM _{2.5}	1
151	Panipat	Moderate	107	PM ₁₀	1
152	Patiala	Moderate	102	PM ₁₀	1
153	Patna	Moderate	162	PM _{2.5}	6
154	Pimpri Chinchwad	Good	46	CO, PM ₁₀	2
155	Pithampur	Satisfactory	71	PM ₁₀	1
156	Pratapgarh	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AOL is not calculated for today's bulletin for Ahmednagar, Araria, Paran

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	67	PM ₁₀	3
158	Puducherry	Satisfactory	51	O ₃	1
159	Pune	Moderate	101	NO ₂	3
160	Purnia	Satisfactory	79	PM ₁₀	1
161	Raichur	Good	39	SO ₂	1
162	Raipur	Satisfactory	87	PM ₁₀ , NO ₂	4
163	Rairangpur	Satisfactory	75	PM ₁₀	1
164	Rajamahendravaram	Satisfactory	80	PM ₁₀	1
165	Rajgir	Satisfactory	96	PM ₁₀	1
166	Rajsamand	Satisfactory	67	со	1
167	Ramanagara	Good	43	O ₃	1
168	Ramanathapuram	Satisfactory	76	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ratlam	Satisfactory	59	PM ₁₀	1
170	Rishikesh	Satisfactory	51	PM ₁₀	1
171	Rohtak	Satisfactory	55	PM _{2.5}	1
172	Rourkela	Moderate	150	PM ₁₀	2
173	Sagar	Satisfactory	82	03	1
174	Saharsa	Moderate	108	PM ₁₀	1
175	Samastipur	Moderate	141	PM ₁₀	1
176	Satna	Moderate	114	PM ₁₀	1
177	Sawai Madhopur	Satisfactory	95	PM ₁₀	1
178	Shillong	Good	26	SO ₂	1
179	Shivamogga	Satisfactory	65	O ₃	1
180	Sikar	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Silchar	Good	35	СО	1
182	Siliguri	Satisfactory	53	PM ₁₀	1
183	Singrauli	Moderate	118	PM ₁₀	1
184	Sirohi	Satisfactory	68	PM ₁₀	1
185	Sirsa	Moderate	130	PM ₁₀	1
186	Sivasagar	Good	18	PM ₁₀	1
187	Siwan	Moderate	158	PM ₁₀	1
188	Solapur	Moderate	112	PM ₁₀	2
189	Sonipat	Moderate	155	PM ₁₀	1
190	Sri Ganganagar	Moderate	179	PM ₁₀	1
191	Suakati	Moderate	107	PM ₁₀	1
192	Surat	Moderate	110	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Talcher	Satisfactory	74	PM ₁₀	1
194	Tensa	Moderate	113	PM ₁₀	1
195	Thiruvananthapuram	Good	32	со	2
196	Thoothukudi	Good	37	PM ₁₀	1
197	Thrissur	Satisfactory	52	PM _{2.5}	1
198	Tirupati	Good	48	NO ₂	2
199	Tirupur	Good	28	PM ₁₀	1
200	Tonk	Moderate	129	PM ₁₀	1
201	Tumakuru	Satisfactory	69	PM ₁₀	1
202	Udaipur	Satisfactory	93	PM ₁₀	1
203	Ujjain	Satisfactory	70	PM _{2.5}	1
204	Vapi	Good	50	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Varanasi	Satisfactory	100	PM ₁₀	4
206	Vatva	Satisfactory	63	PM _{2.5}	1
207	Vijayapura	Good	49	PM ₁₀	1
208	Vijayawada	Satisfactory	53	PM ₁₀	1
209	Visakhapatnam	Moderate	143	PM ₁₀	1
210	Vrindavan	Moderate	136	PM ₁₀	1
211	Yadgir	Good	30	со	1
212	Yamunanagar	Moderate	122	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Araria, Baran,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.