

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	157	PM <sub>2.5</sub>	2
2	Agra	Satisfactory	62	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	149	PM <sub>2.5</sub>	7
4	Ajmer	Moderate	119	PM <sub>2.5</sub>	1
5	Alwar	Satisfactory	89	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	80	PM <sub>10</sub>	1
7	Ambala	Satisfactory	65	PM <sub>10</sub>	1
8	Amritsar	Satisfactory	86	PM <sub>2.5</sub>	1
9	Anantapur	Moderate	163	03	1
10	Ankleshwar	Moderate	192	PM <sub>2.5</sub>	1
11	Araria	Poor	288	PM <sub>2.5</sub>	1
12	Ariyalur	Satisfactory	73	NO <sub>2</sub>	1

### Possible Health Impacts

### Good Minimal Impact Minor breathing discomfort to sensitive people Satisfactory Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	184	PM <sub>2.5</sub>	1
14	Asansol	Moderate	174	03	1
15	Aurangabad (Bihar)	Moderate	161	PM <sub>10</sub>	1
16	Aurangabad (Maharashtra)	Moderate	140	PM <sub>10</sub>	1
17	Baddi	Moderate	146	PM <sub>10</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Bahadurgarh	Moderate	104	PM <sub>2.5</sub>	1
20	Ballabgarh	Poor	278	PM <sub>2.5</sub>	1
21	Bareilly	Satisfactory	78	PM <sub>10</sub>	1
22	Bathinda	Moderate	147	PM <sub>10</sub>	1
23	Belgaum	Moderate	164	PM <sub>10</sub>	1
24	Bengaluru	Satisfactory	97	PM <sub>2.5</sub> , PM <sub>10</sub>	10

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Poor	234	PM <sub>2.5</sub>	1
26	Bhagalpur	Moderate	126	NO <sub>2</sub>	2
27	Bharatpur	Poor	269	PM <sub>2.5</sub>	1
28	Bhilai	Satisfactory	86	PM <sub>10</sub> , O <sub>3</sub>	2
29	Bhiwadi	Poor	279	PM <sub>10</sub>	1
30	Bhiwani	Moderate	113	PM <sub>2.5</sub>	1
31	Bhopal	Moderate	116	PM <sub>10</sub> , O <sub>3</sub>	3
32	Bihar Sharif	Satisfactory	95	PM <sub>10</sub>	1
33	Bilaspur	Satisfactory	68	PM <sub>10</sub>	1
34	Bileipada	Poor	208	PM <sub>10</sub>	1
35	Brajrajnagar	Satisfactory	88	PM <sub>10</sub>	1
36	Bulandshahr	Moderate	133	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	46	PM <sub>10</sub>	1
38	Chandigarh	Moderate	117	PM <sub>2.5</sub>	3
39	Chandrapur	Moderate	178	PM <sub>2.5</sub>	1
40	Charkhi Dadri	Poor	204	PM <sub>2.5</sub>	1
41	Chengalpattu	Moderate	128	PM <sub>10</sub>	1
42	Chennai	Moderate	111	PM <sub>2.5</sub> , PM <sub>10</sub>	8
43	Chhapra	Moderate	193	PM <sub>2.5</sub>	1
44	Chikkaballapur	Moderate	107	PM <sub>10</sub>	1
45	Chikkamagaluru	Satisfactory	53	PM <sub>2.5</sub>	1
46	Chittoor	Moderate	116	PM <sub>2.5</sub>	1
47	Damoh	Good	37	PM <sub>10</sub>	1
48	Dehradun	Satisfactory	79	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	227	PM <sub>2.5</sub>	36
50	Dewas	Moderate	171	PM <sub>10</sub>	1
51	Durgapur	Moderate	145	PM <sub>10</sub>	1
52	Eloor	Satisfactory	83	PM <sub>10</sub>	1
53	Faridabad	Poor	230	PM <sub>2.5</sub>	4
54	Firozabad	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	2
55	Gadag	Satisfactory	81	O <sub>3</sub>	1
56	Gandhinagar	Poor	216	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Gangtok	Satisfactory	68	PM <sub>2.5</sub>	1
58	Gaya	Moderate	165	PM <sub>10</sub> , PM <sub>2.5</sub>	3
59	Ghaziabad	Moderate	180	PM <sub>10</sub>	4
60	Gorakhpur	Satisfactory	96	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Moderate	198	PM <sub>10</sub>	2
62	Gummidipoondi	Moderate	120	PM <sub>2.5</sub>	1
63	Gurugram	Poor	221	PM <sub>2.5</sub>	3
64	Guwahati	Moderate	173	PM <sub>2.5</sub>	4
65	Gwalior	Poor	223	PM <sub>2.5</sub>	3
66	Hajipur	Moderate	185	PM <sub>2.5</sub>	1
67	Haldia	Satisfactory	73	PM <sub>10</sub>	1
68	Hapur	Satisfactory	58	PM <sub>10</sub>	1
69	Hassan	Satisfactory	94	PM <sub>10</sub>	1
70	Hosur	Poor	201	PM <sub>2.5</sub>	1
71	Howrah	Satisfactory	92	PM <sub>10</sub>	3
72	Hubballi	Moderate	165	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	14
74	Imphal	Moderate	135	PM <sub>2.5</sub> , SO <sub>2</sub>	2
75	Indore	Satisfactory	99	PM <sub>10</sub>	1
76	Jabalpur	Moderate	169	PM <sub>10</sub>	1
77	Jaipur	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	3
78	Jalandhar	Moderate	111	PM <sub>10</sub>	1
79	Jhansi	Moderate	102	PM <sub>10</sub>	1
80	Jind	Satisfactory	80	PM <sub>2.5</sub>	1
81	Jodhpur	Moderate	125	PM <sub>10</sub>	2
82	Jorapokhar	Moderate	137	PM <sub>10</sub>	1
83	Kadapa	Satisfactory	84	O <sub>3</sub>	1
84	Kaithal	Moderate	107	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used
  - to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	170	PM <sub>10</sub>	1
86	Kanchipuram	Satisfactory	92	PM <sub>10</sub>	1
87	Kannur	Satisfactory	64	PM <sub>2.5</sub>	1
88	Kanpur	Satisfactory	87	PM <sub>10</sub> , PM <sub>2.5</sub>	3
89	Karnal	Satisfactory	72	PM <sub>10</sub>	1
90	Kashipur	Moderate	101	PM <sub>10</sub>	1
91	Katihar	Poor	222	PM <sub>10</sub>	1
92	Katni	Moderate	182	PM <sub>10</sub>	1
93	Keonjhar	Moderate	154	PM <sub>2.5</sub>	1
94	Khanna	Satisfactory	62	PM <sub>10</sub>	1
95	Khurja	Satisfactory	97	PM <sub>2.5</sub>	1
96	Kishanganj	Poor	251	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kochi	Moderate	112	PM <sub>2.5</sub>	1
98	Kohima	Satisfactory	96	PM <sub>10</sub>	1
99	Kolkata	Satisfactory	78	PM <sub>10</sub> , PM <sub>2.5</sub>	7
100	Kollam	Satisfactory	66	PM <sub>10</sub>	1
101	Koppal	Satisfactory	98	PM <sub>10</sub>	1
102	Korba	Moderate	112	PM <sub>10</sub>	2
103	Kota	Moderate	176	PM <sub>2.5</sub>	3
104	Kozhikode	Satisfactory	75	PM <sub>2.5</sub>	1
105	Kurukshetra	Moderate	117	PM <sub>2.5</sub>	1
106	Lucknow	Moderate	104	PM <sub>10</sub>	6
107	Ludhiana	Moderate	127	PM <sub>2.5</sub>	1
108	Madikeri	Satisfactory	52	03	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Maihar	Good	41	PM <sub>10</sub>	1
110	Mandi Gobindgarh	Moderate	146	PM <sub>2.5</sub>	1
111	Mandideep	Moderate	200	PM <sub>10</sub>	1
112	Mandikhera	Satisfactory	52	PM <sub>2.5</sub>	1
113	Manesar	Poor	203	PM <sub>2.5</sub>	1
114	Mangalore	Moderate	138	PM <sub>10</sub>	1
115	Manguraha	Moderate	167	PM <sub>2.5</sub>	1
116	Meerut	Moderate	171	PM <sub>2.5</sub> , PM <sub>10</sub>	3
117	Moradabad	Moderate	138	PM <sub>2.5</sub>	6
118	Mumbai	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	17
119	Munger	Moderate	160	PM <sub>10</sub>	1
120	Muzaffarnagar	Satisfactory	92	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM

  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Muzaffarpur	Poor	231	PM <sub>2.5</sub>	3
122	Nagaon	Poor	238	PM <sub>2.5</sub>	1
123	Nagpur	Moderate	186	03	1
124	Naharlagun	Good	37	PM <sub>2.5</sub>	1
125	Nalbari	Moderate	162	PM <sub>2.5</sub>	1
126	Narnaul	Moderate	159	PM <sub>2.5</sub>	1
127	Nashik	Satisfactory	93	PM <sub>2.5</sub>	1
128	Navi Mumbai	Poor	238	PM <sub>10</sub>	2
129	Nayagarh	Poor	259	PM <sub>10</sub>	1
130	Noida	Moderate	169	PM <sub>2.5</sub>	4
131	Pali	Moderate	102	PM <sub>10</sub>	1
132	Palwal	Satisfactory	83	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Panchkula	Moderate	111	PM <sub>2.5</sub>	1
134	Panipat	Moderate	114	PM <sub>10</sub>	1
135	Patiala	Satisfactory	84	PM <sub>10</sub>	1
136	Patna	Poor	221	PM <sub>2.5</sub>	6
137	Pithampur	Moderate	124	PM <sub>10</sub>	1
138	Prayagraj	Satisfactory	85	PM <sub>10</sub>	3
139	Puducherry	Satisfactory	78	PM <sub>2.5</sub>	1
140	Pune	Moderate	146	PM <sub>2.5</sub>	2
141	Purnia	Moderate	120	PM <sub>2.5</sub>	1
142	Raichur	Moderate	130	PM <sub>10</sub>	1
143	Raipur	Moderate	108	PM <sub>2.5</sub> , NO <sub>2</sub>	4
144	Rairangpur	Moderate	148	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rajamahendravaram	Satisfactory	90	PM <sub>10</sub>	1
146	Rajgir	Moderate	130	PM <sub>10</sub>	1
147	Ramanagara	Moderate	106	PM <sub>2.5</sub>	1
148	Ramanathapuram	Satisfactory	74	PM <sub>10</sub>	1
149	Ratlam	Moderate	148	PM <sub>2.5</sub>	1
150	Rishikesh	Satisfactory	53	PM <sub>10</sub>	1
151	Rohtak	Satisfactory	90	PM <sub>2.5</sub>	1
152	Rourkela	Poor	202	PM <sub>2.5</sub>	3
153	Rupnagar	Moderate	166	PM <sub>10</sub>	1
154	Sagar	Satisfactory	69	O <sub>3</sub> , CO	2
155	Saharsa	Poor	221	PM <sub>2.5</sub>	1
156	Samastipur	Moderate	159	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sasaram	Satisfactory	98	PM <sub>10</sub>	1
158	Satna	Moderate	109	PM <sub>10</sub>	1
159	Shillong	Moderate	115	PM <sub>2.5</sub>	1
160	Shivamogga	Satisfactory	55	O <sub>3</sub>	1
161	Siliguri	Moderate	101	PM <sub>10</sub>	1
162	Singrauli	Very Poor	306	PM <sub>10</sub>	1
163	Sirsa	Moderate	104	PM <sub>10</sub>	1
164	Siwan	Poor	218	PM <sub>2.5</sub>	1
165	Solapur	Moderate	141	PM <sub>10</sub>	1
166	Sonipat	Moderate	139	PM <sub>10</sub>	1
167	Srinagar	Good	25	PM <sub>10</sub>	1
168	Suakati	Moderate	152	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Poor	204	PM <sub>2.5</sub>	1
170	Tensa	Satisfactory	100	PM <sub>10</sub>	1
171	Thane	Moderate	165	PM <sub>10</sub>	1
172	Thiruvananthapuram	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	2
173	Thoothukudi	Good	47	PM <sub>10</sub>	1
174	Thrissur	Moderate	150	PM <sub>2.5</sub>	1
175	Tirupati	Moderate	104	PM <sub>2.5</sub>	2
176	Tirupur	Satisfactory	80	PM <sub>10</sub>	1
177	Udaipur	Moderate	104	PM <sub>10</sub>	1
178	Ujjain	Moderate	128	PM <sub>10</sub>	1
179	Varanasi	Good	50	PM <sub>10</sub> , SO <sub>2</sub>	4
180	Vatva	Moderate	162	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Vijayapura	Good	46	PM <sub>10</sub>	1
182	Vijayawada	Moderate	175	O <sub>3</sub>	1
183	Visakhapatnam	Moderate	140	PM <sub>2.5</sub>	1
184	Vrindavan	Moderate	132	PM <sub>10</sub>	1
185	Yadgir	Satisfactory	98	PM <sub>10</sub>	1
186	Yamunanagar	Moderate	117	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Baghpat, Baripada, Notes: Begusarai, Bidar, Bikaner, Buxar, Byrnihat, Chhal, Churu, Coimbatore, Darbhanga, Davanagere, Dharuhera, Dharwad, Dholpur, Dindigul, Ernakulam, Fatehabad, Haveri, Hisar, Kalaburgi, Kolar, Kunjemura, Milupara, Motihari, Mysuru, Nandesari, Ooty, Salem, Silchar, Sirohi, Sivasagar, Talcher, Tonk, Tumakuru, Tumidih, Udupi, Vapi, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.