

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	94	СО	1
2	Ahmedabad	Satisfactory	53	PM ₁₀	1
3	Ajmer	Satisfactory	72	PM ₁₀	1
4	Alwar	Satisfactory	51	PM ₁₀	1
5	Amaravati	Good	33	O ₃	1
6	Ambala	Good	41	PM ₁₀	1
7	Amritsar	Satisfactory	71	PM _{2.5}	1
8	Ankleshwar	Satisfactory	58	со	1
9	Asansol	Good	49	PM ₁₀	1
10	Aurangabad	Good	50	СО	1
11	Bagalkot	Good	38	PM ₁₀	1
12	Baghpat	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	140	PM _{2.5}	1
14	Bathinda	Good	46	PM ₁₀	1
15	Bengaluru	Good	46	PM ₁₀ , CO	9
16	Bhiwadi	Satisfactory	71	PM ₁₀	1
17	Bhiwani	Satisfactory	55	O ₃	1
18	Bhopal	Good	28	PM ₁₀	1
19	Brajrajnagar	Good	44	PM _{2.5}	1
20	Bulandshahr	Good	41	PM ₁₀	1
21	Chandigarh	Good	36	PM ₁₀	1
22	Chandrapur	Good	18	СО	1
23	Charkhi Dadri	Satisfactory	64	PM _{2.5}	1
24	Chennai	Satisfactory	59	O ₃ , PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Satisfactory	56	PM ₁₀	1
26	Chikkamagaluru	Good	41	PM ₁₀	1
27	Coimbatore	Good	35	NO ₂	1
28	Damoh	Good	19	NO ₂	1
29	Delhi	Satisfactory	57	CO, NO ₂	32
30	Dewas	Good	33	со	1
31	Dharuhera	Satisfactory	54	со	1
32	Eloor	Satisfactory	63	PM ₁₀	1
33	Ernakulam	Moderate	114	со	1
34	Faridabad	Satisfactory	70	NO ₂ , PM _{2.5} , CO	3
35	Gandhinagar	Good	27	PM ₁₀	1
36	Gaya	Moderate	139	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Satisfactory	60	CO, NO ₂ , O ₃	4
38	Greater Noida	Satisfactory	68	CO, PM ₁₀	2
39	Gurugram	Good	42	PM _{2.5} , CO	4
40	Guwahati	Good	24	03	1
41	Gwalior	Good	34	со	1
42	Hajipur	Good	30	PM ₁₀	1
43	Hapur	Satisfactory	64	со	1
44	Hisar	Good	32	PM ₁₀	1
45	Howrah	Good	34	PM ₁₀ , NO ₂	3
46	Hubballi	Good	30	PM ₁₀	1
47	Hyderabad	Good	33	NO ₂ , PM ₁₀ , CO	6
48	Indore	Good	47	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh,
 Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar,
 Siliguri, Solapur, Sonipat, Yadgir as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Satisfactory	55	со	1
50	Jaipur	Good	49	PM ₁₀ , CO	3
51	Jalandhar	Good	45	PM ₁₀	1
52	Jind	Good	39	со	1
53	Jodhpur	Satisfactory	71	PM ₁₀	1
54	Jorapokhar	Satisfactory	62	O ₃	1
55	Kaithal	Good	45	PM ₁₀	1
56	Kalaburgi	Good	13	PM ₁₀	1
57	Kalyan	Good	26	PM ₁₀	1
58	Kannur	Good	30	PM _{2.5}	1
59	Kanpur	Good	50	O ₃	1
60	Karnal	Good	35	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Good	41	PM ₁₀	1
62	Khanna	Satisfactory	52	PM ₁₀	1
63	Kochi	Satisfactory	91	со	1
64	Kolkata	Good	33	PM ₁₀ , O ₃ , CO	4
65	Kollam	Satisfactory	87	СО	1
66	Kota	Good	50	PM ₁₀	1
67	Kozhikode	Satisfactory	57	PM ₁₀	1
68	Kurukshetra	Good	46	PM ₁₀	1
69	Lucknow	Satisfactory	86	PM ₁₀ , O ₃	3
70	Ludhiana	Satisfactory	64	PM ₁₀	1
71	Maihar	Good	20	PM ₁₀	1
72	Mandi Gobindgarh	Good	42	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandideep	Good	48	O ₃	1
74	Mandikhera	Satisfactory	77	NO ₂	1
75	Manesar	Satisfactory	66	PM _{2.5}	1
76	Meerut	Satisfactory	56	PM ₁₀	1
77	Mumbai	Good	33	SO ₂ , PM ₁₀ , PM _{2.5}	7
78	Muzaffarpur	Satisfactory	66	O ₃	1
79	Mysuru	Good	25	СО	1
80	Narnaul	Good	30	PM ₁₀	1
81	Nashik	Good	26	со	1
82	Navi Mumbai	Good	40	со	1
83	Noida	Satisfactory	57	CO, PM ₁₀	4
84	Pali	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Good	44	PM ₁₀	1
86	Panchkula	Satisfactory	61	со	1
87	Panipat	Satisfactory	79	PM ₁₀	1
88	Patiala	Good	42	со	1
89	Patna	Satisfactory	54	PM ₁₀ , O ₃	5
90	Pithampur	Good	43	PM ₁₀	1
91	Pune	Good	50	со	1
92	Rajamahendravaram	Good	36	03	1
93	Ramanagara	Good	26	SO ₂	1
94	Rohtak	Satisfactory	52	со	1
95	Rupnagar	Satisfactory	54	PM ₁₀	1
96	Satna	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	8	SO ₂	1
98	Singrauli	Good	33	O ₃	1
99	Sirsa	Satisfactory	57	O ₃	1
100	Talcher	Moderate	105	со	1
101	Thane	Good	43	PM ₁₀	1
102	Thiruvananthapuram	Satisfactory	51	PM ₁₀	2
103	Tirupati	Good	43	O ₃	1
104	Udaipur	Good	41	PM ₁₀	1
105	Ujjain	Good	38	PM ₁₀	1
106	Vapi	Good	34	PM ₁₀	1
107	Varanasi	Satisfactory	73	PM ₁₀	1
108	Vatva	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh, Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar, Siliguri, Solapur, Sonipat, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vijayapura	Good	36	СО	1
110	Visakhapatnam	Satisfactory	80	PM ₁₀	1
111	Yamunanagar	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bahadurgarh,
 Fatehabad, Moradabad, Muzaffarnagar, Nagpur, Nandesari, Ratlam, Sagar,
 Siliguri, Solapur, Sonipat, Yadgir as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.