

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	117	PM _{2.5}	1
2	Agra	Good	44	PM ₁₀ , NO ₂	6
3	Ahmedabad	Satisfactory	75	PM ₁₀	8
4	Ajmer	Satisfactory	54	PM ₁₀	1
5	Akola	Good	44	PM ₁₀	1
6	Alwar	Good	41	PM ₁₀	1
7	Ambala	Satisfactory	97	СО	1
8	Amravati	Good	43	PM ₁₀	2
9	Amritsar	Satisfactory	51	03	1
10	Ankleshwar	Good	45	PM ₁₀	1
11	Araria	Satisfactory	64	PM ₁₀	1
12	Ariyalur	Good	31	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Brajrajnagar, Buxar, Coimbatore, Cuddalore, Darbhanga, Dehradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Satisfactory	59	PM ₁₀	1
14	Asansol	Good	38	PM ₁₀	1
15	Aurangabad (Maharashtra)	Good	50	PM ₁₀	3
16	Baddi	Satisfactory	91	PM ₁₀	1
17	Badlapur	Good	47	PM ₁₀	1
18	Baghpat	Satisfactory	57	СО	1
19	Banswara	Satisfactory	67	PM ₁₀	1
20	Baran	Satisfactory	51	O ₃	1
21	Bareilly	Good	33	CO, SO ₂	2
22	Baripada	Good	49	PM ₁₀	1
23	Barmer	Satisfactory	84	PM ₁₀	1
24	Bathinda	Satisfactory	58	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

—Brajrajnagar, Buxar, Colmbatore, Guddalore, Darbhanga, Denradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belapur	Good	37	PM ₁₀	1
26	Belgaum	Good	48	СО	1
27	Bengaluru	Good	50	PM _{2.5} , PM ₁₀	9
28	Bettiah	Satisfactory	98	PM ₁₀	1
29	Bhagalpur	Moderate	106	PM _{2.5} , PM ₁₀	2
30	Bharatpur	Good	44	со	1
31	Bhilai	Good	27	PM ₁₀ , CO	3
32	Bhiwadi	Satisfactory	81	PM ₁₀	1
33	Bhiwani	Good	42	со	1
34	Bhopal	Good	41	со	3
35	Bidar	Good	27	со	1
36	Bihar Sharif	Good	34	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

— Brajrajnagar, Buxar, Colmbatore, Guddalore, Darbhanga, Dehradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Satisfactory	95	PM ₁₀	1
38	Bulandshahr	Good	33	со	1
39	Bundi	Satisfactory	85	03	1
40	Byrnihat	Poor	227	PM _{2.5}	1
41	Chamarajanagar	Good	47	PM ₁₀	1
42	Chandigarh	Satisfactory	55	PM _{2.5}	3
43	Chandrapur	Satisfactory	89	со	1
44	Charkhi Dadri	Satisfactory	74	PM ₁₀	1
45	Chengalpattu	Satisfactory	58	со	1
46	Chennai	Satisfactory	63	O ₃ , NO ₂	6
47	Chhal	Good	50	PM ₁₀	1
48	Chhapra	Moderate	165	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Notes: Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	41	PM ₁₀	1
50	Chikkamagaluru	Satisfactory	52	03	1
51	Chittoor	Good	41	03	1
52	Chittorgarh	Satisfactory	70	PM ₁₀	1
53	Churu	Satisfactory	57	03	1
54	Damoh	Good	23	со	1
55	Dausa	Satisfactory	76	СО	1
56	Davanagere	Good	31	PM ₁₀	1
57	Delhi	Good	45	PM _{2.5} , NO ₂	31
58	Dewas	Good	34	O ₃	1
59	Dhanbad	Moderate	141	со	1
60	Dharuhera	Good	35	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Possible Health Impacts Notes: Imphal, Ja

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Good	37	PM ₁₀	1
62	Dhule	Good	50	PM ₁₀	1
63	Durgapur	Good	46	PM ₁₀	1
64	Faridabad	Satisfactory	62	PM ₁₀ , SO ₂	3
65	Fatehabad	Satisfactory	79	PM ₁₀	1
66	Firozabad	Satisfactory	64	PM ₁₀	1
67	Gadag	Good	45	SO ₂	1
68	Gandhinagar	Good	50	PM ₁₀	2
69	Gangtok	Satisfactory	60	SO ₂	1
70	Gaya	Satisfactory	65	PM ₁₀ , PM _{2.5}	3
71	Ghaziabad	Good	34	со	2
72	Greater Noida	Satisfactory	51	со	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Brajrajnagar, Buxar, Combatore, Guddalore, Darbhanga, Dehradun, Dharw

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gummidipoondi	Satisfactory	98	PM ₁₀	1
74	Gurugram	Satisfactory	70	PM _{2.5} , CO	3
75	Guwahati	Satisfactory	72	CO, PM ₁₀	2
76	Gwalior	Good	41	O ₃ , CO	4
77	Hajipur	Satisfactory	53	PM ₁₀	1
78	Haldia	Good	36	PM ₁₀	1
79	Hanumangarh	Moderate	126	PM ₁₀	1
80	Hapur	Good	42	03	1
81	Haveri	Good	40	со	1
82	Howrah	Good	46	PM ₁₀	3
83	Hubballi	Satisfactory	54	со	2
84	Hyderabad	Satisfactory	53	NO ₂ , CO	11

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

—Brajrajnagar, Buxar, Goimbatore, Guddalore, Darbhanga, Dehradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Indore	Satisfactory	60	PM ₁₀	1
86	Jabalpur	Satisfactory	53	PM ₁₀ , CO	3
87	Jaipur	Good	49	O ₃	5
88	Jaisalmer	Moderate	110	PM ₁₀	1
89	Jalandhar	Satisfactory	58	03	1
90	Jalgaon	Satisfactory	96	PM ₁₀	1
91	Jalna	Good	45	PM ₁₀	1
92	Jhalawar	Satisfactory	53	O ₃	1
93	Jhansi	Good	43	PM ₁₀	1
94	Jhunjhunu	Satisfactory	54	O ₃	1
95	Jodhpur	Satisfactory	81	PM ₁₀	4
96	Kadapa	Good	30	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

-Brajrajnagar, Buxar, Coimbatore, Cuddalore, Darbhanga, Dehradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kaithal	Good	37	PM _{2.5}	1
98	Kalyan	Satisfactory	64	PM ₁₀	1
99	Kannur	Satisfactory	69	PM ₁₀	1
100	Kanpur	Moderate	112	O ₃ , CO	2
101	Karauli	Good	49	03	1
102	Karnal	Good	36	03	1
103	Kashipur	Moderate	103	СО	1
104	Katihar	Satisfactory	66	PM ₁₀	1
105	Katni	Good	29	O ₃	1
106	Keonjhar	Satisfactory	52	PM ₁₀	1
107	Khanna	Satisfactory	59	PM ₁₀	1
108	Khurja	Good	46	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

—Brajrajnagar, Buxar, Colmbatore, Guddalore, Darbhanga, Denradun, Dharwi

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kishanganj	Satisfactory	64	NO ₂	1
110	Kolar	Good	35	PM ₁₀	1
111	Kolhapur	Good	28	03	2
112	Kolkata	Good	41	O ₃ , PM ₁₀	7
113	Kollam	Good	50	PM ₁₀	1
114	Korba	Good	23	CO, PM ₁₀	2
115	Kota	Satisfactory	93	CO, O ₃	3
116	Kunjemura	Satisfactory	63	PM ₁₀	1
117	Kurukshetra	Good	37	PM ₁₀	1
118	Latur	Good	28	O ₃	1
119	Lucknow	Satisfactory	61	NO ₂ , CO	5
120	Ludhiana	Good	40	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Dindigul Dungarour Floor Fraskulam Gorakhnur Hassan Hisar Hosur

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur,

Notes: Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima,
Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun,
Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar,
Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih,
Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Good	40	PM _{2.5}	1
122	Mahad	Satisfactory	69	PM ₁₀	1
123	Maihar	Good	30	со	1
124	Mandi Gobindgarh	Good	47	PM _{2.5}	1
125	Mandideep	Satisfactory	72	03	1
126	Mandikhera	Good	25	SO ₂	1
127	Manesar	Satisfactory	64	PM _{2.5}	1
128	Mangalore	Satisfactory	51	со	1
129	Meerut	Good	39	03	1
130	Milupara	Good	40	PM ₁₀	1
131	Moradabad	Good	36	PM ₁₀	5
132	Motihari	Good	43	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Brajrajnagar, Buxar, Coimbatore, Cuddalore, Darbhanga, Dehradun, Dharw

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	54	PM ₁₀ , SO ₂	19
134	Munger	Satisfactory	53	PM ₁₀	1
135	Muzaffarnagar	Good	33	03	1
136	Muzaffarpur	Satisfactory	69	CO, NO ₂	3
137	Mysuru	Good	38	PM ₁₀	1
138	Nagaon	Moderate	138	03	1
139	Nagaur	Satisfactory	80	03	1
140	Nagpur	Good	37	PM ₁₀ , PM _{2.5}	4
141	Nalbari	Moderate	104	PM ₁₀	1
142	Nanded	Good	40	PM ₁₀	1
143	Narnaul	Good	45	SO ₂	1
144	Nashik	Good	30	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Satisfactory	59	O ₃ , PM ₁₀	7
146	Nayagarh	Good	39	PM _{2.5}	1
147	Noida	Good	32	со	1
148	Ooty	Good	27	PM ₁₀	1
149	Pali	Satisfactory	93	PM ₁₀	1
150	Palkalaiperur	Satisfactory	79	PM ₁₀	1
151	Panipat	Satisfactory	71	PM ₁₀	1
152	Parbhani	Satisfactory	59	PM ₁₀	1
153	Patiala	Satisfactory	60	O ₃	1
154	Patna	Satisfactory	64	PM _{2.5} , O ₃	6
155	Pimpri Chinchwad	Good	49	PM _{2.5}	3
156	Pithampur	Satisfactory	76	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Brajrajnagar, Buxar, Ceimbatere, Cuddalore, Darbhanga, Dehradun, Bharw

Notes:

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur,
Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima,
Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun,
Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar,
Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih,
Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Satisfactory	52	PM ₁₀	1
158	Prayagraj	Satisfactory	67	PM ₁₀	3
159	Puducherry	Good	44	со	1
160	Pune	Satisfactory	87	NO ₂ , PM ₁₀	5
161	Raipur	Good	30	PM ₁₀ , O ₃	3
162	Rairangpur	Satisfactory	62	PM ₁₀	1
163	Rajamahendravaram	Satisfactory	56	03	1
164	Rajgir	Satisfactory	77	03	1
165	Rajsamand	Satisfactory	90	со	1
166	Ramanagara	Good	33	PM ₁₀	1
167	Ratlam	Good	42	PM ₁₀	1
168	Rishikesh	Good	20	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Brajrajnagar, Buxar, Coimbatore, Cuddalore, Darbhanga, Dehradun, Dharwa

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	39	O ₃	1
170	Rourkela	Satisfactory	58	PM ₁₀	2
171	Sagar	Good	36	PM ₁₀	2
172	Saharsa	Moderate	184	PM ₁₀	1
173	Salem	Good	26	SO ₂	1
174	Samastipur	Good	46	PM _{2.5}	1
175	Sangli	Good	25	O ₃	1
176	Satna	Satisfactory	60	PM ₁₀	1
177	Sawai Madhopur	Satisfactory	55	со	1
178	Shillong	Good	23	PM _{2.5}	1
179	Shivamogga	Good	49	PM ₁₀	1
180	Sikar	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Notes:

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Silchar	Good	42	СО	1
182	Siliguri	Good	47	03	1
183	Singrauli	Satisfactory	79	SO ₂	1
184	Sirohi	Good	39	PM ₁₀	1
185	Sirsa	Satisfactory	71	O ₃	1
186	Sivasagar	Good	19	PM ₁₀	1
187	Solapur	Satisfactory	53	PM ₁₀	3
188	Sri Ganganagar	Satisfactory	74	PM ₁₀	1
189	Srinagar	Moderate	127	PM ₁₀	1
190	Suakati	Satisfactory	72	PM ₁₀	1
191	Tensa	Good	45	NO ₂	1
192	Thane	Good	50	PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Dindigul Dunggrour Floor Frankulom Corokhour Hosen Higgs

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	26	CO, O ₃	2
194	Thrissur	Satisfactory	59	PM ₁₀	1
195	Tirupati	Good	40	NO ₂	2
196	Tonk	Good	46	03	1
197	Tumakuru	Satisfactory	92	со	1
198	Udaipur	Satisfactory	71	PM ₁₀	1
199	Ujjain	Satisfactory	74	СО	1
200	Ulhasnagar	Satisfactory	57	PM ₁₀	1
201	Vapi	Moderate	114	со	1
202	Varanasi	Good	24	03	4
203	Vatva	Satisfactory	95	PM ₁₀	1
204	Vijayapura	Satisfactory	53	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayawada	Good	44	NO ₂	2
206	Visakhapatnam	Satisfactory	89	PM ₁₀	1
207	Vrindavan	Good	28	SO ₂	1
208	Yadgir	Good	29	со	1
209	Yamunanagar	Satisfactory	71	СО	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Coimbatore, Cuddalore, Darbhanga, Dehradun, Dharwa

Dindigul, Dungarpur, Eloor, Ernakulam, Gorakhpur, Hassan, Hisar, Hosur, Imphal, Jalore, Jind, Jorapokhar, Kalaburgi, Kanchipuram, Kochi, Kohima, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Naharlagun, Nandesari, Palwal, Panchkula, Purnia, Raichur, Ramanathapuram, Rupnagar, Sasaram, Siwan, Sonipat, Surat, Talcher, Thoothukudi, Tirupur, Tumidih, Udupi, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Amaravati, Anantapur, Aurangabad (Bihar), Bagalkot, Bahadurgarh, Ballabgarh, Begusarai, Bhilwara, Bhiwandi, Bilaspur, Bileipada, Boisar,