

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	75	PM ₁₀	6
2	Ahmedabad	Satisfactory	73	PM ₁₀	7
3	Ajmer	Satisfactory	84	PM ₁₀	1
4	Akola	Satisfactory	76	PM ₁₀	1
5	Alwar	Satisfactory	69	PM ₁₀	1
6	Amaravati	Satisfactory	53	PM ₁₀	1
7	Ambala	Satisfactory	90	СО	1
8	Amravati	Satisfactory	64	PM ₁₀	2
9	Amritsar	Moderate	164	PM _{2.5}	1
10	Anantapur	Satisfactory	63	PM ₁₀	1
11	Ariyalur	Satisfactory	56	PM ₁₀	1
12	Asansol	Satisfactory	61	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	65	PM ₁₀	3
14	Baddi	Moderate	133	PM ₁₀	1
15	Badlapur	Good	48	PM ₁₀	1
16	Baghpat	Moderate	115	PM ₁₀	1
17	Bahadurgarh	Satisfactory	77	PM ₁₀	1
18	Ballabgarh	Satisfactory	82	PM ₁₀	1
19	Banswara	Moderate	166	O ₃	1
20	Baran	Satisfactory	96	PM ₁₀	1
21	Bareilly	Satisfactory	64	PM ₁₀	2
22	Baripada	Satisfactory	80	PM ₁₀	1
23	Barmer	Satisfactory	69	PM ₁₀	1
24	Bathinda	Moderate	112	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Belapur	Satisfactory	60	PM ₁₀	1
26	Belgaum	Good	50	PM ₁₀	1
27	Bengaluru	Satisfactory	64	PM ₁₀	11
28	Bettiah	Satisfactory	61	со	1
29	Bhagalpur	Good	48	CO, PM ₁₀	2
30	Bhilai	Satisfactory	65	PM ₁₀	2
31	Bhilwara	Moderate	129	PM _{2.5}	1
32	Bhiwadi	Moderate	111	PM ₁₀	1
33	Bhiwandi	Good	46	PM ₁₀	1
34	Bhiwani	Satisfactory	88	PM ₁₀	1
35	Bhopal	Satisfactory	73	PM ₁₀	3
36	Bidar	Satisfactory	56	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Notes:

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimb

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	120	03	1
38	Bikaner	Moderate	118	PM ₁₀	1
39	Bilaspur	Satisfactory	60	со	1
40	Bileipada	Moderate	104	PM ₁₀	1
41	Bulandshahr	Satisfactory	77	PM ₁₀	1
42	Bundi	Moderate	110	PM ₁₀	1
43	Byrnihat	Moderate	170	PM _{2.5}	1
44	Chamarajanagar	Good	40	PM ₁₀	1
45	Chandigarh	Moderate	114	PM ₁₀	3
46	Chandrapur	Satisfactory	51	PM ₁₀	1
47	Charkhi Dadri	Satisfactory	77	PM ₁₀	1
48	Chennai	Satisfactory	66	PM _{2.5}	6

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatoro

Possible Health Impacts Notes: Good Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Good	39	PM ₁₀	1
50	Chhapra	Satisfactory	68	со	1
51	Chikkaballapur	Good	41	PM ₁₀	1
52	Chikkamagaluru	Good	36	03	1
53	Chittoor	Good	44	PM _{2.5}	1
54	Chittorgarh	Satisfactory	76	PM ₁₀	1
55	Churu	Satisfactory	90	PM ₁₀	1
56	Cuddalore	Moderate	150	NO ₂	2
57	Damoh	Satisfactory	59	PM ₁₀	1
58	Dausa	Moderate	125	PM ₁₀	1
59	Davanagere	Good	45	PM ₁₀	1
60	Dehradun	Satisfactory	76	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Moderate	110	PM ₁₀	32
62	Dewas	Good	42	PM ₁₀	1
63	Dhanbad	Moderate	190	со	1
64	Dharuhera	Moderate	114	PM ₁₀	1
65	Dharwad	Satisfactory	68	PM ₁₀	1
66	Dholpur	Satisfactory	55	PM ₁₀	1
67	Dhule	Satisfactory	72	PM ₁₀	1
68	Durgapur	Satisfactory	59	PM ₁₀	1
69	Eloor	Satisfactory	68	PM ₁₀	1
70	Faridabad	Moderate	101	PM ₁₀ , PM _{2.5}	4
71	Fatehabad	Moderate	117	O ₃	1
72	Firozabad	Satisfactory	80	PM ₁₀	2

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

atpur, Beisar, Brajrajnagar, Buxar, Chengalpattu, Ceimba

Notes:

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	46	SO ₂	1
74	Gandhinagar	Satisfactory	84	PM _{2.5} , PM ₁₀	3
75	Gangtok	Satisfactory	56	SO ₂	1
76	Gaya	Satisfactory	58	со	3
77	Ghaziabad	Moderate	119	PM ₁₀	4
78	Greater Noida	Moderate	150	PM ₁₀	2
79	Gummidipoondi	Moderate	124	PM ₁₀	1
80	Gurugram	Moderate	121	PM ₁₀ , PM _{2.5}	3
81	Guwahati	Good	44	SO ₂	2
82	Gwalior	Satisfactory	78	O ₃ , PM _{2.5}	4
83	Hajipur	Satisfactory	83	PM ₁₀	1
84	Haldia	Good	41	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

atpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbat

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar,

Some stations have data available at 3PM

vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	141	PM ₁₀	1
86	Hapur	Satisfactory	60	PM ₁₀	1
87	Hassan	Satisfactory	59	PM ₁₀	1
88	Haveri	Good	41	PM ₁₀	1
89	Hisar	Poor	226	PM _{2.5}	1
90	Hosur	Satisfactory	55	PM ₁₀	1
91	Howrah	Satisfactory	60	PM ₁₀	3
92	Hubballi	Good	24	PM _{2.5}	1
93	Hyderabad	Satisfactory	70	PM ₁₀	9
94	Indore	Satisfactory	99	PM ₁₀	1
95	Jabalpur	Satisfactory	72	PM ₁₀	1
96	Jaipur	Satisfactory	79	PM ₁₀	5

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

atpur, Beisar, Brajrajnagar, Buxar, Chengalpattu, Ceimba

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Moderate	122	PM ₁₀	1
98	Jalandhar	Moderate	129	PM ₁₀	1
99	Jalgaon	Satisfactory	69	PM ₁₀	1
100	Jalna	Satisfactory	68	PM ₁₀	1
101	Jhalawar	Satisfactory	80	PM ₁₀	1
102	Jhansi	Satisfactory	87	PM ₁₀	1
103	Jhunjhunu	Satisfactory	82	PM ₁₀	1
104	Jind	Satisfactory	79	PM ₁₀	1
105	Jodhpur	Moderate	102	PM ₁₀	5
106	Kadapa	Good	29	NO ₂	1
107	Kaithal	Moderate	142	PM _{2.5}	1
108	Kalaburgi	Good	36	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbe

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalyan	Satisfactory	73	PM ₁₀	1
110	Kanpur	Satisfactory	99	со	3
111	Karauli	Satisfactory	78	PM ₁₀	1
112	Karnal	Satisfactory	93	PM ₁₀	1
113	Kashipur	Satisfactory	96	PM ₁₀	1
114	Katni	Satisfactory	82	PM ₁₀	1
115	Keonjhar	Satisfactory	72	PM ₁₀	1
116	Khanna	Moderate	119	PM ₁₀	1
117	Khurja	Satisfactory	84	PM _{2.5}	1
118	Kishanganj	Good	45	со	1
119	Kolhapur	Satisfactory	72	PM ₁₀	1
120	Kolkata	Good	46	PM ₁₀	7

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbator

Good Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases
Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	79	PM ₁₀	1
122	Koppal	Good	30	SO ₂	1
123	Korba	Good	36	PM ₁₀	2
124	Kota	Satisfactory	81	PM ₁₀	3
125	Latur	Satisfactory	75	PM ₁₀	1
126	Lucknow	Satisfactory	79	PM ₁₀ , PM _{2.5}	5
127	Ludhiana	Satisfactory	94	PM ₁₀	1
128	Madikeri	Good	38	PM ₁₀	1
129	Mahad	Good	44	PM ₁₀	1
130	Maihar	Good	42	со	1
131	Mandi Gobindgarh	Poor	261	PM _{2.5}	1
132	Mandideep	Satisfactory	56	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Satisfactory	74	PM ₁₀	1
134	Manesar	Satisfactory	76	PM ₁₀	1
135	Mangalore	Satisfactory	69	NO ₂	1
136	Meerut	Moderate	115	PM ₁₀	3
137	Moradabad	Moderate	110	PM ₁₀	6
138	Motihari	Satisfactory	51	PM ₁₀	1
139	Mumbai	Satisfactory	71	CO, PM ₁₀	18
140	Munger	Good	43	PM ₁₀	1
141	Muzaffarnagar	Moderate	124	PM ₁₀	1
142	Muzaffarpur	Satisfactory	71	NO ₂	3
143	Mysuru	Satisfactory	54	PM ₁₀	1
144	Nagaon	Good	37	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimb

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaur	Satisfactory	73	PM ₁₀	1
146	Nagpur	Satisfactory	64	PM ₁₀	4
147	Nalbari	Satisfactory	60	со	1
148	Nanded	Satisfactory	56	PM ₁₀	1
149	Narnaul	Satisfactory	81	PM ₁₀	1
150	Nashik	Satisfactory	52	PM ₁₀	3
151	Navi Mumbai	Satisfactory	64	PM ₁₀	7
152	Nayagarh	Satisfactory	67	NO ₂	1
153	Noida	Moderate	130	СО	3
154	Ooty	Satisfactory	57	PM ₁₀	1
155	Pali	Moderate	179	PM ₁₀	1
156	Palkalaiperur	Satisfactory	66	SO ₂	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimb

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram,

Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palwal	Good	40	PM ₁₀	1
158	Panchkula	Moderate	118	PM _{2.5}	1
159	Panipat	Moderate	108	PM ₁₀	1
160	Parbhani	Satisfactory	65	PM ₁₀	1
161	Patiala	Moderate	111	PM ₁₀	1
162	Patna	Satisfactory	80	PM ₁₀ , NO ₂	6
163	Pimpri Chinchwad	Satisfactory	69	PM ₁₀	3
164	Pithampur	Satisfactory	78	PM ₁₀	1
165	Pratapgarh	Satisfactory	84	PM ₁₀	1
166	Prayagraj	Satisfactory	75	PM ₁₀	3
167	Puducherry	Satisfactory	52	O ₃	1
168	Pune	Moderate	115	NO ₂ , PM _{2.5}	4

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbate

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Good	41	PM ₁₀	3
170	Rajamahendravaram	Satisfactory	73	PM ₁₀	1
171	Rajsamand	Satisfactory	82	PM ₁₀	1
172	Ramanagara	Good	50	PM ₁₀	1
173	Ramanathapuram	Good	21	со	1
174	Ratlam	Satisfactory	67	PM ₁₀	1
175	Rishikesh	Satisfactory	57	PM ₁₀	1
176	Rohtak	Good	42	NO ₂	1
177	Rourkela	Satisfactory	90	PM ₁₀	2
178	Rupnagar	Moderate	120	PM ₁₀	1
179	Sagar	Satisfactory	63	PM ₁₀	1
180	Saharsa	Moderate	142	со	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbator

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Satisfactory	67	PM ₁₀	1
182	Sangli	Good	35	PM ₁₀	1
183	Sasaram	Satisfactory	51	PM ₁₀	1
184	Satna	Satisfactory	53	PM ₁₀	1
185	Sawai Madhopur	Satisfactory	96	PM ₁₀	1
186	Shillong	Good	19	SO ₂	1
187	Shivamogga	Satisfactory	79	PM ₁₀	1
188	Sikar	Satisfactory	90	PM ₁₀	1
189	Silchar	Good	30	со	1
190	Siliguri	Good	37	PM ₁₀	1
191	Singrauli	Satisfactory	87	NO ₂	1
192	Sirohi	Satisfactory	59	PM ₁₀	1

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar,

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram,

atpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbat

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	9	03	1
194	Siwan	Satisfactory	77	PM ₁₀	1
195	Solapur	Satisfactory	69	PM ₁₀	3
196	Sri Ganganagar	Moderate	200	PM ₁₀	1
197	Suakati	Satisfactory	74	PM ₁₀	1
198	Talcher	Good	33	PM ₁₀	1
199	Thane	Satisfactory	56	PM ₁₀ , CO	2
200	Thiruvananthapuram	Good	36	со	2
201	Thoothukudi	Satisfactory	57	PM ₁₀	1
202	Thrissur	Good	39	O ₃	1
203	Tirupati	Satisfactory	57	PM ₁₀	1
204	Tonk	Moderate	152	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dindigul, Ernakulam, Gorakhpur, Imphal, Jorapokhar, Kanchipuram, Kannur, Katihar, Kochi, Kohima, Kolar, Kozhikode, Kunjemura, Kurukshetra, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Purnia, Raichur, Rairangpur, Rajgir, Salem, Sirsa, Sonipat, Srinagar, Surat, Tensa, Tirupur, Tumakuru, Tumidih, Udupi, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Udaipur	Satisfactory	72	PM ₁₀	1
206	Ujjain	Satisfactory	85	PM ₁₀	1
207	Ulhasnagar	Satisfactory	67	PM ₁₀	1
208	Vapi	Satisfactory	75	со	1
209	Varanasi	Good	35	со	4
210	Vatva	Satisfactory	97	PM ₁₀	1
211	Vijayapura	Good	46	PM ₁₀	1
212	Vijayawada	Good	46	PM ₁₀	1
213	Visakhapatnam	Moderate	135	PM ₁₀	1
214	Vrindavan	Good	33	PM ₁₀	1
215	Yadgir	Good	35	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ankleshwar, Araria, Arrah, Aurangabad (Bihar), Bagalkot, Begusarai,

Bharatpur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.