

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	102	PM <sub>10</sub>	6
2	Ahmedabad	Satisfactory	88	CO, PM <sub>2.5</sub>	8
3	Akola	Satisfactory	94	PM <sub>10</sub>	1
4	Alwar	Satisfactory	71	PM <sub>10</sub>	1
5	Amaravati	Good	41	03	1
6	Ambala	Satisfactory	97	со	1
7	Amravati	Satisfactory	76	PM <sub>10</sub>	2
8	Amritsar	Satisfactory	65	PM <sub>10</sub>	1
9	Anantapur	Good	46	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	59	PM <sub>10</sub>	1
11	Araria	Satisfactory	98	PM <sub>10</sub>	1
12	Arrah	Satisfactory	71	со	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

#### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

#### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	66	PM <sub>2.5</sub>	1
14	Aurangabad (Bihar)	Good	46	03	1
15	Aurangabad (Maharashtra)	Satisfactory	52	PM <sub>10</sub>	3
16	Baddi	Moderate	132	PM <sub>10</sub>	1
17	Badlapur	Satisfactory	94	PM <sub>10</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Moderate	135	PM <sub>10</sub>	1
20	Bahadurgarh	Moderate	119	PM <sub>10</sub>	1
21	Ballabgarh	Moderate	102	PM <sub>10</sub>	1
22	Banswara	Moderate	111	PM <sub>10</sub>	1
23	Baran	Satisfactory	84	PM <sub>10</sub>	1
24	Bareilly	Satisfactory	74	PM <sub>10</sub>	2

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu,
Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,
Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal,
Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar,
Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur,
Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih,
Udupi, Virar, Visakhapatnam, vellore as data was not available.
# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	59	PM <sub>10</sub>	1
26	Barmer	Satisfactory	80	PM <sub>10</sub>	1
27	Bathinda	Moderate	112	PM <sub>10</sub>	1
28	Belgaum	Satisfactory	54	PM <sub>10</sub>	1
29	Bengaluru	Satisfactory	68	PM <sub>10</sub>	8
30	Bettiah	Satisfactory	100	PM <sub>10</sub>	1
31	Bhagalpur	Satisfactory	57	PM <sub>10</sub>	2
32	Bharatpur	Moderate	164	PM <sub>10</sub>	1
33	Bhilai	Good	23	PM <sub>10</sub> , CO	3
34	Bhilwara	Moderate	114	PM <sub>10</sub>	1
35	Bhiwadi	Moderate	168	PM <sub>10</sub>	1
36	Bhiwandi	Satisfactory	72	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam, Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Rairangpur,

Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	57	PM <sub>10</sub>	1
38	Bhopal	Satisfactory	98	PM <sub>10</sub>	3
39	Bidar	Good	29	со	1
40	Bihar Sharif	Good	26	03	1
41	Bikaner	Satisfactory	94	PM <sub>10</sub>	1
42	Bileipada	Satisfactory	99	PM <sub>10</sub>	1
43	Bulandshahr	Moderate	136	PM <sub>10</sub>	1
44	Chamarajanagar	Good	40	PM <sub>10</sub>	1
45	Chandigarh	Moderate	122	PM <sub>10</sub>	3
46	Chandrapur	Satisfactory	92	со	1
47	Charkhi Dadri	Satisfactory	91	PM <sub>10</sub>	1
48	Chennai	Satisfactory	53	NO <sub>2</sub> , O <sub>3</sub>	7

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhapra	Satisfactory	65	PM <sub>10</sub>	1
50	Chikkaballapur	Good	48	PM <sub>10</sub>	1
51	Chikkamagaluru	Satisfactory	53	PM <sub>10</sub>	1
52	Chittoor	Good	31	PM <sub>2.5</sub>	1
53	Chittorgarh	Satisfactory	83	PM <sub>10</sub>	1
54	Cuddalore	Good	20	PM <sub>2.5</sub>	1
55	Damoh	Good	22	PM <sub>2.5</sub>	1
56	Davanagere	Satisfactory	51	PM <sub>10</sub>	1
57	Dehradun	Satisfactory	91	СО	1
58	Delhi	Moderate	136	PM <sub>10</sub>	35
59	Dewas	Satisfactory	65	PM <sub>10</sub>	1
60	Dharwad	Satisfactory	84	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

### Notes:

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam, Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dholpur	Satisfactory	75	PM <sub>10</sub>	1
62	Dhule	Satisfactory	94	PM <sub>10</sub>	1
63	Durgapur	Satisfactory	58	PM <sub>10</sub>	1
64	Eloor	Satisfactory	58	PM <sub>10</sub>	1
65	Faridabad	Satisfactory	64	PM <sub>10</sub> , PM <sub>2.5</sub>	2
66	Fatehabad	Moderate	120	O <sub>3</sub>	1
67	Firozabad	Moderate	104	PM <sub>10</sub>	2
68	Gandhinagar	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	2
69	Gangtok	Satisfactory	61	SO <sub>2</sub>	1
70	Gaya	Good	38	PM <sub>10</sub>	1
71	Ghaziabad	Moderate	137	PM <sub>10</sub>	4
72	Gorakhpur	Satisfactory	56	SO <sub>2</sub>	1

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Notes:

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Moderate	166	PM <sub>10</sub>	2
74	Gummidipoondi	Satisfactory	85	PM <sub>10</sub>	1
75	Gurugram	Moderate	181	PM <sub>2.5</sub> , CO	3
76	Guwahati	Satisfactory	90	CO, PM <sub>10</sub>	3
77	Gwalior	Satisfactory	81	O <sub>3</sub> , PM <sub>10</sub>	3
78	Hajipur	Good	43	PM <sub>10</sub>	1
79	Haldia	Good	34	со	1
80	Hanumangarh	Moderate	131	PM <sub>10</sub>	1
81	Hapur	Satisfactory	71	PM <sub>10</sub>	1
82	Haveri	Good	39	со	1
83	Hisar	Moderate	109	PM <sub>10</sub>	1
84	Hosur	Satisfactory	66	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Howrah	Satisfactory	51	PM <sub>10</sub>	3
86	Hubballi	Satisfactory	68	PM <sub>10</sub> , CO	2
87	Hyderabad	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	9
88	Indore	Moderate	101	PM <sub>10</sub>	1
89	Jabalpur	Moderate	115	PM <sub>10</sub>	3
90	Jaipur	Satisfactory	94	PM <sub>10</sub>	6
91	Jaisalmer	Satisfactory	82	PM <sub>10</sub>	1
92	Jalandhar	Satisfactory	66	PM <sub>10</sub>	1
93	Jalgaon	Satisfactory	76	PM <sub>2.5</sub>	1
94	Jalna	Satisfactory	56	O <sub>3</sub>	1
95	Jhalawar	Satisfactory	81	PM <sub>10</sub>	1
96	Jhansi	Satisfactory	86	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

### Notes: (

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam, Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur,

Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhunjhunu	Satisfactory	81	PM <sub>10</sub>	1
98	Jind	Moderate	103	PM <sub>10</sub>	1
99	Jodhpur	Satisfactory	68	PM <sub>10</sub>	5
100	Kadapa	Good	35	PM <sub>2.5</sub>	1
101	Kaithal	Moderate	123	PM <sub>2.5</sub>	1
102	Kalyan	Satisfactory	85	PM <sub>10</sub>	1
103	Kannur	Satisfactory	70	PM <sub>10</sub>	1
104	Kanpur	Satisfactory	72	PM <sub>10</sub>	3
105	Karauli	Satisfactory	59	03	1
106	Kashipur	Moderate	120	PM <sub>10</sub>	1
107	Katihar	Moderate	108	со	1
108	Katni	Moderate	111	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu,
Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	97	PM <sub>10</sub>	1
110	Khurja	Moderate	114	PM <sub>2.5</sub>	1
111	Kishanganj	Satisfactory	86	PM <sub>10</sub>	1
112	Kochi	Satisfactory	73	со	1
113	Kohima	Satisfactory	55	SO <sub>2</sub>	1
114	Kolar	Satisfactory	60	PM <sub>10</sub>	1
115	Kolhapur	Satisfactory	54	PM <sub>10</sub>	2
116	Kolkata	Good	42	O <sub>3</sub> , PM <sub>10</sub>	7
117	Kollam	Satisfactory	53	PM <sub>10</sub>	1
118	Korba	Good	32	PM <sub>10</sub>	1
119	Kota	Satisfactory	77	PM <sub>10</sub> , PM <sub>2.5</sub>	3
120	Kunjemura	Good	24	со	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes: G

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Moderate	109	PM <sub>10</sub>	1
122	Latur	Good	42	со	1
123	Lucknow	Moderate	113	PM <sub>2.5</sub>	6
124	Ludhiana	Satisfactory	74	PM <sub>10</sub>	1
125	Madikeri	Satisfactory	59	PM <sub>10</sub>	1
126	Maihar	Satisfactory	57	PM <sub>10</sub>	1
127	Mandi Gobindgarh	Moderate	149	PM <sub>2.5</sub>	1
128	Mandideep	Satisfactory	86	PM <sub>10</sub>	1
129	Mandikhera	Satisfactory	70	PM <sub>10</sub>	1
130	Manesar	Satisfactory	65	PM <sub>2.5</sub>	1
131	Mangalore	Satisfactory	80	PM <sub>10</sub>	1
132	Manguraha	Satisfactory	58	NO <sub>2</sub>	1

Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Meerut	Moderate	135	PM <sub>10</sub>	2
134	Moradabad	Moderate	120	PM <sub>10</sub>	6
135	Motihari	Satisfactory	76	PM <sub>10</sub>	1
136	Mumbai	Satisfactory	86	PM <sub>2.5</sub> , CO	18
137	Munger	Satisfactory	81	PM <sub>10</sub>	1
138	Muzaffarpur	Satisfactory	89	CO, NO <sub>2</sub>	3
139	Mysuru	Satisfactory	64	PM <sub>10</sub>	1
140	Nagaon	Very Poor	312	PM <sub>2.5</sub>	1
141	Nagaur	Satisfactory	85	PM <sub>10</sub>	1
142	Nagpur	Satisfactory	51	CO, PM <sub>10</sub>	4
143	Nanded	Satisfactory	77	O <sub>3</sub>	1
144	Nandesari	Good	50	со	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Narnaul	Moderate	113	PM <sub>10</sub>	1
146	Nashik	Good	40	PM <sub>10</sub>	3
147	Navi Mumbai	Satisfactory	74	PM <sub>10</sub>	6
148	Nayagarh	Satisfactory	54	PM <sub>10</sub>	1
149	Noida	Moderate	142	со	4
150	Ooty	Good	26	PM <sub>10</sub>	1
151	Pali	Satisfactory	94	PM <sub>10</sub>	1
152	Palwal	Good	40	PM <sub>10</sub>	1
153	Panchkula	Moderate	150	PM <sub>2.5</sub>	1
154	Panipat	Moderate	125	PM <sub>2.5</sub>	1
155	Parbhani	Satisfactory	59	O <sub>3</sub>	1
156	Patiala	Satisfactory	98	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Satisfactory	60	PM <sub>10</sub>	5
158	Pimpri Chinchwad	Satisfactory	57	PM <sub>2.5</sub>	3
159	Pithampur	Moderate	102	PM <sub>10</sub>	1
160	Pratapgarh	Moderate	114	PM <sub>10</sub>	1
161	Prayagraj	Moderate	128	PM <sub>10</sub>	2
162	Puducherry	Good	49	СО	1
163	Pune	Satisfactory	77	PM <sub>2.5</sub> , PM <sub>10</sub>	5
164	Purnia	Satisfactory	88	PM <sub>2.5</sub>	1
165	Raipur	Good	47	PM <sub>10</sub> , CO	3
166	Rajamahendravaram	Satisfactory	78	03	1
167	Rajgir	Good	44	O <sub>3</sub>	1
168	Rajsamand	Good	35	O <sub>3</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam, Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Satisfactory	66	PM <sub>10</sub>	1
170	Ratlam	Satisfactory	92	PM <sub>10</sub>	1
171	Rishikesh	Satisfactory	52	PM <sub>10</sub>	1
172	Rohtak	Satisfactory	52	PM <sub>2.5</sub>	1
173	Rourkela	Moderate	106	03	1
174	Rupnagar	Poor	201	PM <sub>10</sub>	1
175	Sagar	Satisfactory	97	PM <sub>10</sub>	1
176	Saharsa	Moderate	108	PM <sub>10</sub>	1
177	Sangli	Good	32	PM <sub>10</sub>	1
178	Sasaram	Satisfactory	54	PM <sub>2.5</sub>	1
179	Satna	Satisfactory	99	PM <sub>10</sub>	1
180	Sawai Madhopur	Satisfactory	72	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Shillong	Good	32	PM <sub>10</sub> , PM <sub>2.5</sub>	2
182	Shivamogga	Satisfactory	62	03	1
183	Silchar	Good	29	со	1
184	Siliguri	Satisfactory	55	03	1
185	Singrauli	Satisfactory	98	PM <sub>10</sub>	1
186	Sirohi	Satisfactory	59	PM <sub>10</sub>	1
187	Sirsa	Satisfactory	77	PM <sub>10</sub>	1
188	Sivasagar	Good	34	PM <sub>10</sub>	1
189	Solapur	Satisfactory	56	PM <sub>10</sub>	3
190	Sonipat	Moderate	144	PM <sub>10</sub>	1
191	Sri Ganganagar	Moderate	104	PM <sub>10</sub>	1
192	Srinagar	Satisfactory	89	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

### Notes:

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu, Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Suakati	Satisfactory	89	PM <sub>10</sub>	1
194	Talcher	Good	40	SO <sub>2</sub>	1
195	Thane	Satisfactory	90	PM <sub>10</sub>	2
196	Thiruvananthapuram	Good	28	со	2
197	Thoothukudi	Good	27	PM <sub>10</sub>	1
198	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
199	Tirupati	Good	32	PM <sub>10</sub>	2
200	Tirupur	Good	31	PM <sub>10</sub>	1
201	Tonk	Satisfactory	88	PM <sub>10</sub>	1
202	Tumakuru	Satisfactory	73	со	1
203	Udaipur	Satisfactory	57	PM <sub>10</sub>	1
204	Ujjain	Satisfactory	83	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar,

Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Ch

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Ulhasnagar	Satisfactory	82	PM <sub>10</sub>	1
206	Vapi	Moderate	107	СО	1
207	Varanasi	Good	40	PM <sub>10</sub> , O <sub>3</sub>	4
208	Vatva	Satisfactory	96	PM <sub>10</sub>	1
209	Vijayapura	Satisfactory	53	PM <sub>10</sub>	1
210	Vijayawada	Satisfactory	56	NO <sub>2</sub> , PM <sub>10</sub>	2
211	Vrindavan	Good	45	PM <sub>10</sub>	1
212	Yadgir	Good	34	PM <sub>2.5</sub>	1
213	Yamunanagar	Moderate	102	PM <sub>2.5</sub>	1

#### \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Ariyalur, Begusarai, Belapur, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chhal, Churu,

### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	ate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

# Coimbatore, Darbhanga, Dausa, Dhanbad, Dharuhera, Dindigul, Ernakulam, Gadag, Hassan, Imphal, Jorapokhar, Kalaburgi, Kanchipuram, Karnal, Keonjhar, Koppal, Kozhikode, Mahad, Malegaon, Milupara, Mira-Bhayandar, Muzaffarnagar, Naharlagun, Nalbari, Palkalaiperur, Raichur, Rairangpur,

Muzanarnagar, Nananagun, Naiban, Paikalaiperur, Raichur, Rairangpur, Ramanathapuram, Salem, Samastipur, Sikar, Siwan, Surat, Tensa, Tumidih, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.