

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	260	PM _{2.5}	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Moderate	190	PM ₁₀	1
4	Aizawl	Satisfactory	69	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Amaravati	Satisfactory	91	PM _{2.5}	1
7	Ambala	Moderate	130	PM _{2.5}	1
8	Amritsar	Moderate	168	PM _{2.5}	1
9	Ankleshwar	Moderate	183	PM _{2.5}	1
10	Asansol	Poor	244	PM _{2.5}	1
11	Aurangabad	Moderate	115	PM ₁₀	1
12	Bagalkot	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	302	PM _{2.5}	1
14	Bahadurgarh	Poor	292	PM _{2.5}	1
15	Ballabgarh	Poor	248	PM _{2.5}	1
16	Bathinda	Moderate	157	PM _{2.5}	1
17	Bengaluru	Moderate	101	PM ₁₀ , PM _{2.5}	9
18	Bhiwadi	Very Poor	328	PM ₁₀	1
19	Bhiwani	Moderate	138	PM ₁₀	1
20	Bhopal	Moderate	152	PM ₁₀	1
21	Brajrajnagar	Moderate	174	PM ₁₀	1
22	Bulandshahr	Poor	300	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	89	PM ₁₀	1
24	Chandigarh	Moderate	119	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	128	PM _{2.5}	1
26	Charkhi Dadri	Poor	212	PM ₁₀	1
27	Chennai	Satisfactory	95	PM _{2.5} , PM ₁₀	7
28	Chikkaballapur	Satisfactory	83	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	66	PM _{2.5}	1
30	Damoh	Satisfactory	87	PM _{2.5}	1
31	Davanagere	Satisfactory	79	PM ₁₀	1
32	Delhi	Very Poor	330	PM _{2.5}	37
33	Dewas	Satisfactory	89	03	1
34	Dharuhera	Poor	247	PM ₁₀	1
35	Durgapur	Poor	226	PM ₁₀	1
36	Eloor	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Moderate	108	PM _{2.5}	1
38	Faridabad	Poor	290	PM ₁₀ , PM _{2.5}	3
39	Gandhinagar	Satisfactory	96	PM ₁₀	1
40	Gaya	Poor	212	PM _{2.5} , O ₃	2
41	Ghaziabad	Very Poor	345	PM _{2.5}	4
42	Greater Noida	Very Poor	358	PM ₁₀	1
43	Gummidipoondi	Moderate	172	PM _{2.5}	1
44	Gurugram	Poor	294	PM _{2.5}	4
45	Guwahati	Poor	242	PM _{2.5}	2
46	Gwalior	Poor	211	PM _{2.5}	2
47	Hajipur	Very Poor	305	PM ₁₀	1
48	Hapur	Moderate	124	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	derate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Very Poor	309	PM _{2.5}	1
50	Howrah	Poor	268	PM _{2.5}	3
51	Hubballi	Moderate	133	PM ₁₀	1
52	Hyderabad	Moderate	129	PM _{2.5} , PM ₁₀	6
53	Indore	Poor	220	PM ₁₀	1
54	Jabalpur	Poor	209	PM ₁₀	1
55	Jaipur	Moderate	108	PM ₁₀	2
56	Jalandhar	Moderate	122	PM ₁₀	1
57	Jind	Poor	280	PM _{2.5}	1
58	Jodhpur	Moderate	148	PM ₁₀	1
59	Kaithal	Moderate	110	PM ₁₀	1
60	Kalaburgi	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	274	PM _{2.5}	1
62	Kannur	Moderate	113	PM _{2.5}	1
63	Kanpur	Poor	290	PM _{2.5}	2
64	Karnal	Moderate	143	PM _{2.5}	1
65	Katni	Moderate	168	PM _{2.5}	1
66	Khanna	Satisfactory	76	PM ₁₀	1
67	Kochi	Moderate	155	PM _{2.5}	1
68	Kohima	Satisfactory	99	PM ₁₀	1
69	Kolar	Satisfactory	79	03	1
70	Kolkata	Poor	239	PM _{2.5}	5
71	Kollam	Moderate	129	PM _{2.5}	1
72	Koppal	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kota	Moderate	151	PM _{2.5}	1
74	Kozhikode	Satisfactory	83	PM ₁₀	1
75	Kurukshetra	Poor	244	PM _{2.5}	1
76	Lucknow	Very Poor	338	PM ₁₀ , PM _{2.5}	4
77	Ludhiana	Satisfactory	94	PM ₁₀	1
78	Maihar	Satisfactory	71	PM ₁₀	1
79	Mandi Gobindgarh	Satisfactory	93	PM _{2.5}	1
80	Mandideep	Moderate	180	PM ₁₀	1
81	Mandikhera	Moderate	110	PM _{2.5}	1
82	Manesar	Poor	284	PM _{2.5}	1
83	Manglore	Moderate	110	PM _{2.5}	1
84	Medikeri	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Very Poor	313	PM ₁₀ , PM _{2.5}	2
86	Moradabad	Severe	413	PM _{2.5}	1
87	Mumbai	Poor	245	PM _{2.5} , PM ₁₀	20
88	Muzaffarpur	Very Poor	342	PM _{2.5}	2
89	Mysuru	Satisfactory	92	03	1
90	Nagpur	Satisfactory	78	PM _{2.5}	1
91	Nandesari	Moderate	105	со	1
92	Narnaul	Poor	293	PM ₁₀	1
93	Nashik	Satisfactory	93	PM _{2.5}	1
94	Navi Mumbai	Very Poor	336	PM _{2.5}	2
95	Noida	Very Poor	313	PM _{2.5} , PM ₁₀	4
96	Pali	Moderate	168	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	73	PM _{2.5}	1
98	Panipat	Poor	217	PM ₁₀	1
99	Patiala	Moderate	122	PM ₁₀	1
100	Patna	Very Poor	326	PM _{2.5} , PM ₁₀	6
101	Pithampur	Moderate	163	PM _{2.5}	1
102	Puducherry	Satisfactory	64	03	1
103	Pune	Moderate	135	PM _{2.5} , PM ₁₀	8
104	Raichur	Moderate	167	PM ₁₀	1
105	Rajamahendravaram	Moderate	117	PM ₁₀	1
106	Ramanagara	Moderate	164	03	1
107	Ratlam	Moderate	147	PM ₁₀	1
108	Rohtak	Very Poor	304	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	71	PM ₁₀	1
110	Sagar	Moderate	112	PM _{2.5}	1
111	Satna	Satisfactory	89	PM ₁₀	1
112	Siliguri	Very Poor	302	PM _{2.5}	1
113	Singrauli	Poor	278	PM ₁₀	1
114	Sirsa	Moderate	154	PM ₁₀	1
115	Solapur	Moderate	140	PM ₁₀	1
116	Sonipat	Moderate	188	PM ₁₀	1
117	Talcher	Moderate	172	PM ₁₀	1
118	Thane	Very Poor	345	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	88	PM _{2.5}	1
120	Thoothukudi	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thrissur	Moderate	162	O ₃	1
122	Tirupati	Satisfactory	93	PM _{2.5}	1
123	Udaipur	Moderate	134	PM _{2.5}	1
124	Udupi	Moderate	184	O ₃	1
125	Ujjain	Moderate	184	PM _{2.5}	1
126	Vapi	Moderate	169	PM ₁₀	1
127	Varanasi	Poor	289	PM _{2.5}	1
128	Vatva	Poor	268	PM ₁₀	1
129	Vijayapura	Good	45	PM _{2.5}	1
130	Yadgir	Satisfactory	89	PM ₁₀	1
131	Yamunanagar	Poor	252	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Alwar, Bidar, Coimbatore, Fatehabad, Gadag, Haldia, Jorapokhar, Muzaffarnagar, Palwal, Shillong, Shivamogga, Srinagar, Visakhapatnam as data was not available.
- # Some stations have data available at 3PM
 * In case of a city with multiple monitoring locations, average value is used
- to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.