

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	110	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	79	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	76	PM <sub>10</sub>	7
4	Akola	Satisfactory	63	PM <sub>10</sub>	1
5	Alwar	Satisfactory	57	PM <sub>10</sub>	1
6	Amaravati	Satisfactory	58	PM <sub>10</sub>	1
7	Ambala	Satisfactory	98	СО	1
8	Amravati	Satisfactory	56	PM <sub>10</sub>	2
9	Amritsar	Satisfactory	58	03	1
10	Anantapur	Satisfactory	77	PM <sub>10</sub>	1
11	Ankleshwar	Satisfactory	97	NO <sub>2</sub>	1
12	Araria	Satisfactory	79	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadag

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	117	PM <sub>10</sub>	1
14	Asansol	Good	39	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Good	44	PM <sub>10</sub>	2
16	Baddi	Moderate	153	PM <sub>10</sub>	1
17	Badlapur	Good	36	PM <sub>2.5</sub>	1
18	Bagalkot	Good	42	PM <sub>10</sub>	1
19	Baghpat	Satisfactory	98	O <sub>3</sub>	1
20	Bahadurgarh	Satisfactory	96	PM <sub>2.5</sub>	1
21	Ballabgarh	Satisfactory	61	SO <sub>2</sub>	1
22	Banswara	Good	50	СО	1
23	Baran	Satisfactory	66	PM <sub>2.5</sub>	1
24	Bareilly	Good	34	PM <sub>2.5</sub> , CO	2

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	54	PM <sub>10</sub>	1
26	Barmer	Moderate	110	PM <sub>10</sub>	1
27	Bathinda	Good	33	PM <sub>10</sub>	1
28	Belapur	Good	40	PM <sub>10</sub>	1
29	Belgaum	Good	48	со	1
30	Bengaluru	Satisfactory	59	PM <sub>10</sub>	9
31	Bettiah	Moderate	112	PM <sub>10</sub>	1
32	Bhagalpur	Moderate	115	PM <sub>2.5</sub>	2
33	Bharatpur	Moderate	103	PM <sub>10</sub>	1
34	Bhilai	Good	42	PM <sub>10</sub> , O <sub>3</sub>	2
35	Bhilwara	Satisfactory	86	PM <sub>10</sub>	1
36	Bhiwadi	Satisfactory	94	PM <sub>2.5</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	51	PM <sub>10</sub>	1
38	Bhiwani	Satisfactory	72	PM <sub>2.5</sub>	1
39	Bhopal	Good	37	PM <sub>10</sub> , CO	2
40	Bidar	Good	23	со	1
41	Bihar Sharif	Good	30	PM <sub>10</sub>	1
42	Bikaner	Moderate	108	PM <sub>10</sub>	1
43	Bilaspur	Good	46	PM <sub>10</sub>	1
44	Bileipada	Satisfactory	84	PM <sub>10</sub>	1
45	Bulandshahr	Satisfactory	51	PM <sub>10</sub>	1
46	Bundi	Satisfactory	66	03	1
47	Byrnihat	Moderate	148	PM <sub>2.5</sub>	1
48	Chamarajanagar	Good	42	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Satisfactory	96	PM <sub>10</sub>	3
50	Chandrapur	Good	50	03	1
51	Charkhi Dadri	Moderate	106	PM <sub>2.5</sub>	1
52	Chennai	Satisfactory	65	CO, PM <sub>2.5</sub>	7
53	Chhal	Good	40	03	1
54	Chikkamagaluru	Good	40	PM <sub>10</sub>	1
55	Chittoor	Good	38	PM <sub>2.5</sub>	1
56	Chittorgarh	Good	45	PM <sub>10</sub>	1
57	Churu	Satisfactory	57	O <sub>3</sub>	1
58	Cuddalore	Good	28	PM <sub>2.5</sub>	1
59	Damoh	Good	28	PM <sub>10</sub>	1
60	Dausa	Satisfactory	79	PM <sub>10</sub>	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

# - Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	38	PM <sub>10</sub>	1
62	Dehradun	Satisfactory	88	со	1
63	Delhi	Satisfactory	91	O <sub>3</sub> , PM <sub>10</sub>	29
64	Dewas	Good	37	PM <sub>10</sub>	1
65	Dhanbad	Moderate	190	со	1
66	Dharuhera	Satisfactory	75	PM <sub>10</sub>	1
67	Dharwad	Moderate	129	PM <sub>10</sub>	1
68	Dholpur	Moderate	103	PM <sub>2.5</sub>	1
69	Dhule	Satisfactory	63	PM <sub>10</sub>	1
70	Durgapur	Good	44	PM <sub>10</sub>	1
71	Faridabad	Satisfactory	99	PM <sub>2.5</sub>	3
72	Fatehabad	Moderate	165	03	1

Notes:

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	52	PM <sub>10</sub>	2
74	Gandhinagar	Satisfactory	52	PM <sub>2.5</sub>	2
75	Gangtok	Satisfactory	60	SO <sub>2</sub>	1
76	Gaya	Satisfactory	64	СО	3
77	Ghaziabad	Satisfactory	81	PM <sub>10</sub>	4
78	Gorakhpur	Satisfactory	71	PM <sub>10</sub>	1
79	Greater Noida	Moderate	130	O <sub>3</sub> , PM <sub>10</sub>	2
80	Gummidipoondi	Satisfactory	97	PM <sub>10</sub>	1
81	Gurugram	Moderate	125	PM <sub>2.5</sub>	3
82	Guwahati	Satisfactory	74	CO, SO <sub>2</sub>	3
83	Gwalior	Satisfactory	62	PM <sub>2.5</sub>	4
84	Hajipur	Satisfactory	64	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Satisfactory	97	PM <sub>10</sub>	1
86	Hapur	Good	47	PM <sub>10</sub>	1
87	Haveri	Good	41	со	1
88	Hisar	Moderate	108	со	1
89	Hosur	Satisfactory	54	PM <sub>10</sub>	1
90	Howrah	Satisfactory	59	PM <sub>10</sub>	3
91	Hubballi	Satisfactory	90	PM <sub>10</sub>	1
92	Hyderabad	Satisfactory	72	PM <sub>10</sub> , O <sub>3</sub>	9
93	Indore	Satisfactory	62	PM <sub>10</sub>	1
94	Jabalpur	Good	46	PM <sub>10</sub>	2
95	Jaipur	Satisfactory	68	PM <sub>2.5</sub> , O <sub>3</sub>	4
96	Jaisalmer	Satisfactory	80	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	69	PM <sub>10</sub>	1
98	Jalgaon	Satisfactory	60	PM <sub>10</sub>	1
99	Jalna	Good	37	NO <sub>2</sub>	1
100	Jhalawar	Good	45	PM <sub>10</sub>	1
101	Jhansi	Satisfactory	77	PM <sub>10</sub>	1
102	Jhunjhunu	Moderate	122	03	1
103	Jind	Satisfactory	63	PM <sub>2.5</sub>	1
104	Jodhpur	Satisfactory	87	PM <sub>10</sub>	4
105	Kaithal	Satisfactory	56	PM <sub>2.5</sub>	1
106	Kalyan	Satisfactory	63	СО	1
107	Kanchipuram	Good	39	PM <sub>10</sub>	1
108	Kanpur	Satisfactory	65	со	4

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	69	PM <sub>10</sub>	1
110	Karnal	Good	48	PM <sub>10</sub>	1
111	Kashipur	Satisfactory	57	PM <sub>10</sub>	1
112	Katni	Satisfactory	53	PM <sub>10</sub>	1
113	Keonjhar	Satisfactory	58	PM <sub>10</sub>	1
114	Khanna	Satisfactory	94	PM <sub>10</sub>	1
115	Khurja	Satisfactory	88	PM <sub>2.5</sub>	1
116	Kochi	Satisfactory	58	со	1
117	Kohima	Satisfactory	54	SO <sub>2</sub>	1
118	Kolhapur	Good	40	PM <sub>10</sub>	2
119	Kolkata	Satisfactory	62	PM <sub>10</sub>	7
120	Kollam	Satisfactory	67	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Good	35	SO <sub>2</sub>	1
122	Korba	Good	35	PM <sub>10</sub>	1
123	Kota	Satisfactory	70	PM <sub>2.5</sub>	3
124	Kunjemura	Satisfactory	54	PM <sub>10</sub>	1
125	Lucknow	Satisfactory	63	PM <sub>2.5</sub> , CO	5
126	Ludhiana	Satisfactory	72	PM <sub>10</sub>	1
127	Madikeri	Good	34	PM <sub>10</sub>	1
128	Mahad	Good	33	PM <sub>10</sub>	1
129	Maihar	Good	29	PM <sub>10</sub>	1
130	Mandi Gobindgarh	Good	49	PM <sub>10</sub>	1
131	Mandideep	Good	42	O <sub>3</sub>	1
132	Mandikhera	Satisfactory	94	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

#### Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra,

Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mangalore	Good	50	PM <sub>10</sub>	1
134	Manguraha	Good	26	PM <sub>10</sub>	1
135	Meerut	Satisfactory	62	PM <sub>10</sub> , CO	3
136	Moradabad	Satisfactory	71	PM <sub>10</sub>	5
137	Motihari	Satisfactory	98	PM <sub>10</sub>	1
138	Mumbai	Satisfactory	51	CO, PM <sub>10</sub>	17
139	Munger	Moderate	106	PM <sub>10</sub>	1
140	Muzaffarnagar	Satisfactory	70	PM <sub>2.5</sub>	1
141	Muzaffarpur	Satisfactory	94	CO, NO <sub>2</sub>	2
142	Mysuru	Satisfactory	53	PM <sub>10</sub>	1
143	Nagaon	Good	48	O <sub>3</sub>	1
144	Nagaur	Satisfactory	90	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	54	CO, PM <sub>10</sub>	4
146	Nalbari	Satisfactory	92	PM <sub>10</sub>	1
147	Narnaul	Good	49	PM <sub>2.5</sub>	1
148	Nashik	Good	42	PM <sub>10</sub>	1
149	Navi Mumbai	Satisfactory	56	PM <sub>10</sub>	7
150	Noida	Moderate	113	O <sub>3</sub> , CO	3
151	Pali	Satisfactory	86	PM <sub>2.5</sub>	1
152	Palwal	Good	40	PM <sub>10</sub>	1
153	Panchkula	Satisfactory	65	PM <sub>2.5</sub>	1
154	Panipat	Moderate	128	PM <sub>2.5</sub>	1
155	Parbhani	Satisfactory	70	O <sub>3</sub>	1
156	Patiala	Good	50	03	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patna	Satisfactory	99	PM <sub>10</sub> , NO <sub>2</sub>	6
158	Pimpri Chinchwad	Good	44	PM <sub>2.5</sub>	3
159	Pithampur	Satisfactory	69	PM <sub>10</sub>	1
160	Pratapgarh	Good	45	PM <sub>10</sub>	1
161	Prayagraj	Satisfactory	94	PM <sub>10</sub>	3
162	Puducherry	Satisfactory	52	PM <sub>10</sub>	1
163	Pune	Satisfactory	71	PM <sub>2.5</sub> , PM <sub>10</sub>	5
164	Purnia	Moderate	130	PM <sub>2.5</sub>	1
165	Raipur	Good	30	PM <sub>2.5</sub> , NO <sub>2</sub>	4
166	Rajamahendravaram	Satisfactory	55	PM <sub>10</sub>	1
167	Rajgir	Good	43	O <sub>3</sub>	1
168	Rajsamand	Satisfactory	79	PM <sub>10</sub>	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa,

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ramanagara	Good	50	NO <sub>2</sub>	1
170	Ramanathapuram	Good	34	PM <sub>10</sub>	1
171	Ratlam	Good	21	SO <sub>2</sub>	1
172	Rohtak	Satisfactory	53	PM <sub>2.5</sub>	1
173	Rourkela	Good	50	PM <sub>10</sub>	1
174	Rupnagar	Moderate	130	PM <sub>10</sub>	1
175	Sagar	Good	32	O <sub>3</sub>	1
176	Saharsa	Satisfactory	99	PM <sub>10</sub>	1
177	Salem	Satisfactory	80	SO <sub>2</sub>	1
178	Samastipur	Satisfactory	95	PM <sub>10</sub>	1
179	Sangli	Good	35	PM <sub>10</sub>	1
180	Sasaram	Satisfactory	86	со	1

Notes:

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra, Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sawai Madhopur	Satisfactory	87	PM <sub>2.5</sub>	1
182	Shillong	Good	36	PM <sub>2.5</sub>	2
183	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
184	Sikar	Moderate	103	03	1
185	Siliguri	Good	42	PM <sub>10</sub>	1
186	Singrauli	Satisfactory	61	NO <sub>2</sub>	1
187	Sirohi	Satisfactory	53	PM <sub>10</sub>	1
188	Sirsa	Good	25	PM <sub>10</sub>	1
189	Sivasagar	Good	19	PM <sub>10</sub>	1
190	Siwan	Moderate	110	PM <sub>10</sub>	1
191	Solapur	Satisfactory	61	PM <sub>10</sub>	3
192	Sonipat	Satisfactory	89	PM <sub>10</sub>	1

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh,

Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jerapokhar, Kadapa Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra,

Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not

#### Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# available. # Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sri Ganganagar	Moderate	122	PM <sub>10</sub>	1
194	Suakati	Satisfactory	83	PM <sub>10</sub>	1
195	Talcher	Good	48	со	1
196	Thane	Satisfactory	52	PM <sub>10</sub>	3
197	Thiruvananthapuram	Good	49	03	1
198	Thoothukudi	Satisfactory	52	PM <sub>10</sub>	1
199	Tirupati	Good	50	PM <sub>10</sub>	2
200	Tonk	Moderate	127	PM <sub>2.5</sub>	1
201	Tumakuru	Good	36	СО	1
202	Tumidih	Good	29	PM <sub>10</sub>	1
203	Udaipur	Satisfactory	53	PM <sub>10</sub>	1
204	Ujjain	Satisfactory	55	со	1

# \* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,

## Eloor, Ernakulam, Cadag, Haldia, Hassan, Imphal, Jorapokhar, Ke

Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra,

Notes:
Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded,
Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh,
Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi,
Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not
available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vapi	Satisfactory	69	СО	1
206	Varanasi	Good	39	PM <sub>10</sub>	4
207	Vatva	Satisfactory	91	PM <sub>10</sub>	1
208	Vijayapura	Good	46	PM <sub>10</sub>	1
209	Vijayawada	Satisfactory	52	PM <sub>10</sub>	1
210	Visakhapatnam	Satisfactory	88	PM <sub>10</sub>	1
211	Yadgir	Good	36	PM <sub>10</sub>	1

## Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Eloor, Ernakulam, Gadag, Haldia, Hassan, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kannur, Katihar, Kishanganj, Kolar, Kozhikode, Kurukshetra,

Latur, Malegaon, Manesar, Milupara, Mira-Bhayandar, Naharlagun, Nanded, Nandesari, Nayagarh, Ooty, Palkalaiperur, Raichur, Rairangpur, Rishikesh, Satna, Silchar, Srinagar, Surat, Tensa, Thrissur, Tirupur, Udupi, Ulhasnagar, Virar, Vrindavan, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ajmer, Ariyalur, Aurangabad (Bihar), Begusarai, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhapra, Chikkaballapur, Coimbatore, Darbhanga, Dindigul,