



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	246	PM _{2.5}	1
2	Agra	Poor	292	PM _{2.5}	1
3	Ahmedabad	Moderate	167	PM ₁₀	1
4	Aizawl	Satisfactory	77	PM _{2.5}	1
5	Ajmer	Moderate	129	PM _{2.5}	1
6	Alwar	Moderate	111	PM ₁₀	1
7	Ambala	Moderate	170	PM _{2.5}	1
8	Amritsar	Satisfactory	88	PM ₁₀	1
9	Aurangabad	Moderate	119	PM _{2.5}	1
10	Bagalkot	Satisfactory	67	PM ₁₀	1
11	Baghpat	Very Poor	335	PM _{2.5}	1
12	Bahadurgarh	Poor	292	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Very Poor	303	PM _{2.5}	1
14	Bathinda	Moderate	142	PM _{2.5}	1
15	Bengaluru	Satisfactory	94	PM ₁₀ , O ₃ , PM _{2.5}	4
16	Bhiwadi	Very Poor	338	PM _{2.5}	1
17	Bidar	Moderate	106	PM ₁₀	1
18	Brajrajnagar	Moderate	169	PM _{2.5}	1
19	Chandigarh	Moderate	115	PM ₁₀	1
20	Chandrapur	Moderate	187	PM _{2.5}	1
21	Charkhi Dadri	Poor	297	PM _{2.5}	1
22	Chennai	Satisfactory	75	PM ₁₀ , CO, PM _{2.5}	6
23	Chikkaballapur	Satisfactory	74	PM ₁₀	1
24	Damoh	Moderate	129	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikmagalur, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Very Poor	364	PM _{2.5}	35
26	Dewas	Moderate	178	PM ₁₀	1
27	Faridabad	Very Poor	353	PM ₁₀	1
28	Fatehabad	Poor	272	PM _{2.5}	1
29	Gandhinagar	Moderate	113	PM ₁₀	1
30	Gaya	Moderate	139	PM _{2.5}	1
31	Ghaziabad	Very Poor	390	PM _{2.5}	3
32	Greater Noida	Very Poor	388	PM _{2.5}	1
33	Gurugram	Poor	300	PM _{2.5}	3
34	Guwahati	Poor	270	PM _{2.5}	2
35	Gwalior	Very Poor	327	PM _{2.5}	1
36	Haldia	Moderate	172	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Very Poor	321	PM _{2.5}	1
38	Howrah	Poor	279	PM _{2.5} , PM ₁₀	3
39	Hyderabad	Moderate	120	PM _{2.5} , PM ₁₀	4
40	Indore	Moderate	157	PM ₁₀	1
41	Jabalpur	Moderate	140	PM ₁₀	1
42	Jaipur	Moderate	192	PM _{2.5} , PM ₁₀	2
43	Jalandhar	Moderate	108	PM _{2.5}	1
44	Jind	Very Poor	320	PM _{2.5}	1
45	Jodhpur	Poor	253	PM _{2.5}	1
46	Kalyan	Poor	255	PM _{2.5}	1
47	Kannur	Moderate	103	PM ₁₀	1
48	Kanpur	Very Poor	319	PM _{2.5}	2

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Poor	202	PM ₁₀	1
50	Khanna	Moderate	127	PM _{2.5}	1
51	Kohima	Moderate	128	PM _{2.5}	1
52	Kolkata	Poor	268	PM _{2.5} , PM ₁₀	6
53	Kollam	Satisfactory	80	PM ₁₀	1
54	Kota	Moderate	199	PM _{2.5}	1
55	Kozhikode	Very Poor	326	PM ₁₀	1
56	Kurukshetra	Poor	263	PM _{2.5}	1
57	Lucknow	Very Poor	306	PM _{2.5} , PM ₁₀	3
58	Maihar	Satisfactory	100	PM _{2.5}	1
59	Manesar	Poor	270	PM _{2.5}	1
60	Manglore	Moderate	102	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Medikeri	Satisfactory	66	PM ₁₀	1
62	Meerut	Very Poor	354	PM _{2.5}	1
63	Mumbai	Moderate	198	PM _{2.5}	16
64	Muzaffarpur	Very Poor	333	PM _{2.5}	1
65	Nashik	Moderate	110	PM _{2.5}	1
66	Navi Mumbai	Poor	273	PM _{2.5} , O ₃	3
67	Noida	Very Poor	322	PM _{2.5} , PM ₁₀	2
68	Pali	Poor	275	PM ₁₀	1
69	Palwal	Moderate	121	PM ₁₀	1
70	Panchkula	Poor	221	PM _{2.5}	1
71	Patiala	Moderate	154	PM _{2.5}	1
72	Patna	Poor	238	PM _{2.5} , PM ₁₀	6

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pithampur	Moderate	130	PM _{2.5}	1
74	Puducherry	Satisfactory	54	PM ₁₀	1
75	Pune	Moderate	112	PM ₁₀ , PM _{2.5}	2
76	Raichur	Moderate	145	PM ₁₀	1
77	Rajamahendravaram	Moderate	152	PM _{2.5}	1
78	Satna	Satisfactory	90	PM ₁₀	1
79	Siliguri	Moderate	165	PM _{2.5}	1
80	Singrauli	Poor	274	PM ₁₀	1
81	Sirsa	Satisfactory	100	PM _{2.5}	1
82	Solapur	Moderate	200	PM ₁₀	1
83	Talcher	Moderate	131	PM _{2.5}	1
84	Thane	Poor	211	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jan 24, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Satisfactory	58	PM ₁₀	2
86	Thoothukudi	Satisfactory	56	O ₃	1
87	Thrissur	Satisfactory	74	PM _{2.5}	1
88	Tirupati	Satisfactory	66	PM _{2.5}	1
89	Udaipur	Poor	206	PM _{2.5}	1
90	Ujjain	Moderate	181	PM ₁₀	1
91	Vapi	Moderate	162	PM ₁₀	1
92	Varanasi	Poor	296	PM _{2.5}	1
93	Vatva	Poor	253	PM ₁₀	1
94	Vijayapura	Satisfactory	62	CO	1
95	Visakhapatnam	Moderate	189	PM _{2.5}	1
96	Yadgir	Satisfactory	88	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amaravati, Ankleshwar, Asansol, Bhiwani, Bhopal, Bulandshahr, Chamarajanagar, Chikkamagaluru, Coimbatore, Davanagere, Dharuhera, Durgapur, Eloor, Ernakulam, Gadag, Gummidipoondi, Hajipur, Hapur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Karnal, Kochi, Kolar, Koppal, Ludhiana, Mandi Gobindgarh, Mandideep, Mandikhera, Moradabad, Muzaffarnagar, Mysuru, Nagpur, Nandesari, Narnaul, Panipat, Ramanagara, Ratlam, Rohtak, Rupnagar, Sagar, Shillong, Shivamogga, Sonapat, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes: