

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	46	O <sub>3</sub>	1
2	Agra	Satisfactory	94	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	193	O <sub>3</sub>	1
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	87	03	1
6	Alwar	Satisfactory	77	PM <sub>10</sub>	1
7	Amaravati	Good	18	03	1
8	Ambala	Satisfactory	86	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	99	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	105	PM <sub>10</sub>	1
11	Asansol	Satisfactory	63	PM <sub>10</sub>	1
12	Aurangabad	Satisfactory	84	PM <sub>10</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	45	со	1
14	Baghpat	Moderate	159	PM <sub>10</sub>	1
15	Bahadurgarh	Moderate	111	PM <sub>10</sub>	1
16	Bathinda	Satisfactory	57	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	51	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	8
18	Bhiwadi	Moderate	162	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	116	PM <sub>10</sub>	1
20	Bhopal	Satisfactory	91	03	1
21	Bulandshahr	Poor	230	03	1
22	Chamarajanagar	Satisfactory	59	PM <sub>10</sub>	1
23	Chandigarh	Satisfactory	67	PM <sub>10</sub>	1
24	Chandrapur	Good	46	PM <sub>10</sub> , PM <sub>2.5</sub>	2

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	101	PM <sub>10</sub>	1
26	Chennai	Satisfactory	56	O <sub>3</sub> , CO, SO <sub>2</sub>	8
27	Chikkaballapur	Good	34	со	1
28	Chikkamagaluru	Satisfactory	58	O <sub>3</sub>	1
29	Damoh	Good	30	PM <sub>2.5</sub>	1
30	Delhi	Moderate	166	O <sub>3</sub>	30
31	Dewas	Moderate	103	PM <sub>10</sub>	1
32	Dharuhera	Moderate	137	PM <sub>10</sub>	1
33	Durgapur	Moderate	116	PM <sub>10</sub>	1
34	Eloor	Good	46	со	1
35	Ernakulam	Good	31	со	1
36	Faridabad	Moderate	176	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	4

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	179	PM <sub>10</sub>	1
38	Gandhinagar	Satisfactory	84	PM <sub>10</sub>	1
39	Gaya	Satisfactory	85	O <sub>3</sub> , PM <sub>10</sub>	2
40	Ghaziabad	Poor	240	03	2
41	Greater Noida	Moderate	136	PM <sub>10</sub>	2
42	Gummidipoondi	Satisfactory	68	PM <sub>10</sub>	1
43	Gurugram	Moderate	114	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	3
44	Guwahati	Satisfactory	63	PM <sub>10</sub>	1
45	Gwalior	Moderate	110	O <sub>3</sub>	1
46	Hajipur	Moderate	112	PM <sub>10</sub>	1
47	Haldia	Moderate	155	PM <sub>10</sub>	1
48	Hapur	Moderate	156	O <sub>3</sub>	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	74	PM <sub>10</sub>	1
50	Hisar	Poor	209	PM <sub>2.5</sub>	1
51	Howrah	Good	46	PM <sub>10</sub> , PM <sub>2.5</sub>	3
52	Hubballi	Satisfactory	59	PM <sub>10</sub>	1
53	Hyderabad	Satisfactory	51	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
54	Indore	Moderate	137	PM <sub>10</sub>	1
55	Jabalpur	Satisfactory	75	O <sub>3</sub>	1
56	Jaipur	Moderate	108	PM <sub>2.5</sub> , PM <sub>10</sub>	3
57	Jalandhar	Moderate	120	PM <sub>10</sub>	1
58	Jind	Moderate	198	PM <sub>2.5</sub>	1
59	Jodhpur	Moderate	177	PM <sub>2.5</sub>	1
60	Kaithal	Moderate	120	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	86	PM <sub>10</sub>	1
62	Kanpur	Satisfactory	61	PM <sub>2.5</sub> , O <sub>3</sub>	2
63	Karnal	Satisfactory	83	PM <sub>10</sub>	1
64	Katni	Satisfactory	85	03	1
65	Khanna	Moderate	109	PM <sub>10</sub>	1
66	Kohima	Good	48	PM <sub>10</sub>	1
67	Kolkata	Good	49	PM <sub>10</sub> , O <sub>3</sub>	7
68	Kollam	Satisfactory	53	PM <sub>10</sub>	1
69	Koppal	Satisfactory	58	со	1
70	Kota	Moderate	149	PM <sub>2.5</sub>	1
71	Kozhikode	Good	44	PM <sub>10</sub>	1
72	Kurukshetra	Moderate	120	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar,
  Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan,
  Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga,
  Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not
  available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	129	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Ludhiana	Moderate	120	PM <sub>10</sub>	1
75	Mandi Gobindgarh	Moderate	106	PM <sub>10</sub>	1
76	Mandideep	Good	44	PM <sub>2.5</sub>	1
77	Mandikhera	Satisfactory	79	со	1
78	Manesar	Moderate	164	PM <sub>2.5</sub>	1
79	Manglore	Good	38	PM <sub>2.5</sub>	1
80	Medikeri	Good	28	со	1
81	Meerut	Moderate	124	PM <sub>10</sub>	2
82	Mumbai	Satisfactory	78	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	12
83	Muzaffarnagar	Moderate	124	PM <sub>10</sub>	1
84	Muzaffarpur	Satisfactory	75	CO, PM <sub>2.5</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	54	PM <sub>10</sub>	1
86	Naharlagun	Satisfactory	53	PM <sub>10</sub>	1
87	Nandesari	Satisfactory	100	СО	1
88	Narnaul	Moderate	153	PM <sub>10</sub>	1
89	Nashik	Satisfactory	75	PM <sub>2.5</sub>	1
90	Navi Mumbai	Satisfactory	82	PM <sub>10</sub>	1
91	Noida	Moderate	131	PM <sub>10</sub>	3
92	Pali	Moderate	144	PM <sub>2.5</sub>	1
93	Palwal	Moderate	123	PM <sub>10</sub>	1
94	Panchkula	Good	43	PM <sub>2.5</sub>	1
95	Panipat	Moderate	142	PM <sub>10</sub>	1
96	Patiala	Satisfactory	93	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	95	PM <sub>10</sub> , O <sub>3</sub> , PM <sub>2.5</sub>	6
98	Pithampur	Satisfactory	94	PM <sub>10</sub>	1
99	Puducherry	Good	29	PM <sub>2.5</sub>	1
100	Pune	Satisfactory	63	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	7
101	Raichur	Satisfactory	63	PM <sub>10</sub>	1
102	Rajamahendravaram	Good	27	со	1
103	Ratlam	Moderate	121	PM <sub>10</sub>	1
104	Rupnagar	Satisfactory	98	PM <sub>10</sub>	1
105	Sagar	Satisfactory	69	PM <sub>2.5</sub>	1
106	Satna	Satisfactory	68	PM <sub>10</sub>	1
107	Shillong	Good	22	PM <sub>2.5</sub>	1
108	Siliguri	Satisfactory	62	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Singrauli	Moderate	102	PM <sub>10</sub>	1
110	Sirsa	Moderate	111	PM <sub>10</sub>	1
111	Sonipat	Poor	202	PM <sub>10</sub>	1
112	Srinagar	Satisfactory	87	PM <sub>10</sub>	1
113	Talcher	Satisfactory	82	со	1
114	Thane	Very Poor	313	NO <sub>2</sub>	1
115	Thiruvananthapuram	Good	45	PM <sub>10</sub> , O <sub>3</sub>	2
116	Tirupati	Good	26	O <sub>3</sub>	1
117	Udaipur	Moderate	126	PM <sub>10</sub>	1
118	Ujjain	Moderate	127	PM <sub>10</sub>	1
119	Vapi	Satisfactory	68	PM <sub>10</sub>	1
120	Varanasi	Satisfactory	79	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vatva	Moderate	155	PM <sub>10</sub>	1
122	Visakhapatnam	Good	36	PM <sub>10</sub>	1
123	Yadgir	Good	45	O <sub>3</sub>	1
124	Yamunanagar	Moderate	108	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ballabgarh, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Mysuru, Ramanagara, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.