

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	166	PM _{2.5}	1
2	Agra	Satisfactory	91	PM ₁₀	6
3	Ahmedabad	Satisfactory	76	CO, PM ₁₀	4
4	Ajmer	Moderate	115	PM ₁₀	1
5	Akola	Moderate	115	PM ₁₀	1
6	Alwar	Satisfactory	85	PM ₁₀	1
7	Amaravati	Satisfactory	51	PM ₁₀	1
8	Ambala	Satisfactory	90	со	1
9	Amravati	Moderate	126	PM ₁₀	2
10	Amritsar	Satisfactory	53	O ₃	1
11	Anantapur	Good	48	PM ₁₀	1
12	Ankleshwar	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Moderate	108	PM ₁₀	1
14	Arrah	Moderate	137	PM ₁₀	1
15	Asansol	Moderate	119	PM _{2.5}	1
16	Aurangabad (Bihar)	Moderate	103	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	52	PM ₁₀	3
18	Baddi	Satisfactory	72	O ₃	1
19	Badlapur	Satisfactory	69	PM ₁₀	1
20	Bagalkot	Good	42	PM ₁₀	1
21	Baghpat	Moderate	148	PM ₁₀	1
22	Bahadurgarh	Moderate	124	PM ₁₀	1
23	Ballabgarh	Moderate	121	PM ₁₀	1
24	Banswara	Satisfactory	97	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Moderate	110	PM _{2.5}	1
26	Bareilly	Satisfactory	62	PM ₁₀	1
27	Baripada	Poor	202	PM ₁₀	1
28	Barmer	Moderate	101	PM ₁₀	1
29	Bathinda	Moderate	145	PM ₁₀	1
30	Belapur	Good	44	PM ₁₀	1
31	Belgaum	Good	46	СО	1
32	Bengaluru	Satisfactory	69	PM _{2.5} , PM ₁₀	12
33	Bettiah	Moderate	135	PM ₁₀	1
34	Bhagalpur	Moderate	161	PM ₁₀	2
35	Bharatpur	Moderate	116	PM ₁₀	1
36	Bhilai	Moderate	136	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilwara	Moderate	128	PM ₁₀	1
38	Bhiwandi	Satisfactory	64	PM ₁₀	1
39	Bhiwani	Satisfactory	60	СО	1
40	Bhopal	Moderate	111	PM ₁₀	3
41	Bidar	Good	33	PM ₁₀	1
42	Bihar Sharif	Good	44	PM ₁₀	1
43	Bikaner	Moderate	128	PM ₁₀	1
44	Bilaspur	Moderate	134	со	1
45	Bileipada	Moderate	185	PM ₁₀	1
46	Brajrajnagar	Satisfactory	90	PM ₁₀	1
47	Bulandshahr	Moderate	124	PM ₁₀	1
48	Bundi	Moderate	128	PM ₁₀	1

Possible Health Impacts Notes: Coimb

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

AOL is not calculated for today's bulletin for Ahmednagar, Aizawl

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Byrnihat	Moderate	147	PM ₁₀	1
50	Chamarajanagar	Good	41	PM ₁₀	1
51	Chandigarh	Satisfactory	75	PM ₁₀	3
52	Chandrapur	Satisfactory	75	PM ₁₀	1
53	Charkhi Dadri	Moderate	130	PM _{2.5}	1
54	Chennai	Satisfactory	66	со	6
55	Chhal	Satisfactory	100	PM ₁₀	1
56	Chhapra	Moderate	199	PM ₁₀	1
57	Chikkaballapur	Good	39	PM ₁₀	1
58	Chittoor	Good	36	O ₃	1
59	Chittorgarh	Moderate	112	PM ₁₀	1
60	Churu	Satisfactory	61	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal,
Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode,
Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty,
Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar,
vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Cuddalore	Good	30	PM _{2.5}	1
62	Damoh	Satisfactory	99	PM ₁₀	1
63	Dausa	Satisfactory	71	со	1
64	Davanagere	Good	27	PM ₁₀	1
65	Dehradun	Satisfactory	98	со	1
66	Delhi	Moderate	162	PM ₁₀ , PM _{2.5}	34
67	Dewas	Satisfactory	56	PM ₁₀	1
68	Dhanbad	Moderate	197	СО	1
69	Dholpur	Satisfactory	75	PM ₁₀	1
70	Dhule	Moderate	103	PM ₁₀	1
71	Durgapur	Moderate	125	PM _{2.5}	1
72	Eloor	Good	48	СО	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQL is not coloulated for today's bulletin for Ahmednagar Aizawl

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Faridabad	Moderate	106	PM ₁₀ , PM _{2.5}	4
74	Fatehabad	Moderate	104	O ₃	1
75	Firozabad	Moderate	104	PM ₁₀	1
76	Gadag	Good	49	SO ₂	1
77	Gandhinagar	Satisfactory	75	PM _{2.5} , PM ₁₀	2
78	Gangtok	Satisfactory	59	SO ₂	1
79	Gaya	Satisfactory	97	PM ₁₀ , CO	3
80	Ghaziabad	Moderate	155	O ₃	4
81	Gorakhpur	Satisfactory	89	PM _{2.5}	1
82	Greater Noida	Moderate	175	PM ₁₀	1
83	Gummidipoondi	Moderate	107	PM ₁₀	1
84	Gurugram	Moderate	179	PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal,
Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode,
Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty,
Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar,
vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Satisfactory	83	CO, PM ₁₀	3
86	Gwalior	Satisfactory	92	PM ₁₀ , PM _{2.5}	4
87	Hajipur	Moderate	159	PM ₁₀	1
88	Haldia	Moderate	164	PM ₁₀	1
89	Hanumangarh	Moderate	143	PM ₁₀	1
90	Hapur	Satisfactory	74	PM ₁₀	1
91	Hassan	Good	44	PM ₁₀	1
92	Haveri	Good	37	СО	1
93	Hisar	Moderate	145	PM ₁₀	1
94	Hosur	Satisfactory	59	PM ₁₀	1
95	Howrah	Moderate	184	PM ₁₀	3
96	Hubballi	Good	49	СО	2

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Hyderabad	Satisfactory	74	PM _{2.5} , PM ₁₀	9
98	Indore	Moderate	109	PM ₁₀	1
99	Jabalpur	Moderate	138	PM ₁₀	2
100	Jaipur	Moderate	120	PM ₁₀	5
101	Jaisalmer	Moderate	106	PM ₁₀	1
102	Jalandhar	Satisfactory	78	PM ₁₀	1
103	Jalgaon	Satisfactory	59	PM ₁₀	1
104	Jhalawar	Satisfactory	89	PM ₁₀	1
105	Jhansi	Satisfactory	100	PM ₁₀	1
106	Jhunjhunu	Moderate	112	PM ₁₀	1
107	Jind	Moderate	107	PM ₁₀	1
108	Jodhpur	Satisfactory	72	PM ₁₀	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes: Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty, Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kadapa	Good	30	PM _{2.5}	1
110	Kaithal	Satisfactory	68	PM _{2.5}	1
111	Kalaburgi	Satisfactory	56	PM ₁₀	1
112	Kannur	Satisfactory	69	PM ₁₀	1
113	Kanpur	Satisfactory	66	со	4
114	Karnal	Satisfactory	62	SO ₂	1
115	Kashipur	Satisfactory	78	PM ₁₀	1
116	Katihar	Moderate	173	PM ₁₀	1
117	Katni	Moderate	125	PM ₁₀	1
118	Keonjhar	Moderate	132	PM ₁₀	1
119	Khanna	Satisfactory	56	PM ₁₀	1
120	Khurja	Moderate	102	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes: Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty, Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kishanganj	Moderate	121	PM ₁₀	1
122	Kohima	Satisfactory	83	PM ₁₀	1
123	Kolar	Good	47	PM ₁₀	1
124	Kolhapur	Good	44	CO, PM ₁₀	2
125	Kolkata	Moderate	180	PM ₁₀ , PM _{2.5}	6
126	Kollam	Good	47	PM ₁₀	1
127	Korba	Satisfactory	80	PM ₁₀	2
128	Kota	Satisfactory	92	PM ₁₀	3
129	Kunjemura	Moderate	146	PM ₁₀	1
130	Kurukshetra	Satisfactory	57	PM ₁₀	1
131	Latur	Good	46	PM ₁₀	1
132	Lucknow	Satisfactory	92	PM ₁₀ , PM _{2.5}	6

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ludhiana	Satisfactory	74	PM ₁₀	1
134	Madikeri	Good	30	PM ₁₀	1
135	Mahad	Good	30	SO ₂	1
136	Maihar	Satisfactory	86	PM ₁₀	1
137	Mandi Gobindgarh	Satisfactory	61	PM ₁₀	1
138	Mandideep	Satisfactory	97	PM ₁₀	1
139	Mandikhera	Satisfactory	84	PM ₁₀	1
140	Manesar	Good	25	O ₃	1
141	Mangalore	Satisfactory	62	PM ₁₀	1
142	Meerut	Moderate	111	PM ₁₀ , PM _{2.5}	3
143	Milupara	Moderate	102	PM ₁₀	1
144	Moradabad	Moderate	110	PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Motihari	Moderate	140	PM ₁₀	1
146	Mumbai	Satisfactory	64	PM ₁₀ , PM _{2.5}	19
147	Munger	Poor	222	PM _{2.5}	1
148	Muzaffarnagar	Satisfactory	57	PM _{2.5}	1
149	Muzaffarpur	Moderate	148	O ₃ , CO	2
150	Mysuru	Satisfactory	56	PM ₁₀	1
151	Nagaur	Moderate	117	PM ₁₀	1
152	Nagpur	Moderate	126	PM ₁₀	3
153	Nalbari	Moderate	126	PM ₁₀	1
154	Nanded	Moderate	116	PM ₁₀	1
155	Nandesari	Good	50	со	1
156	Narnaul	Moderate	153	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nashik	Good	40	PM ₁₀	4
158	Navi Mumbai	Good	50	PM _{2.5} , CO	6
159	Nayagarh	Moderate	182	PM ₁₀	1
160	Noida	Moderate	122	PM ₁₀ , CO	4
161	Pali	Satisfactory	94	PM ₁₀	1
162	Palwal	Good	49	PM _{2.5}	1
163	Panchkula	Satisfactory	84	SO ₂	1
164	Panipat	Moderate	135	PM _{2.5}	1
165	Parbhani	Satisfactory	76	PM ₁₀	1
166	Patiala	Satisfactory	68	O ₃	1
167	Patna	Moderate	175	PM ₁₀ , NO ₂	6
168	Pimpri Chinchwad	Good	46	PM _{2.5}	3

Ariyalur, Begusarai, Bhiwadi, Bojsar, Buxar, Che

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AOL is not calculated for today's bulletin for Ahmednagar, Aizawl

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Moderate	111	PM ₁₀	1
170	Pratapgarh	Moderate	109	PM ₁₀	1
171	Prayagraj	Moderate	130	PM ₁₀	3
172	Puducherry	Satisfactory	53	со	1
173	Pune	Satisfactory	83	NO ₂ , PM _{2.5}	7
174	Purnia	Satisfactory	92	PM _{2.5}	1
175	Raichur	Satisfactory	51	SO ₂	1
176	Raipur	Moderate	105	PM ₁₀	2
177	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
178	Rajgir	Moderate	138	PM ₁₀	1
179	Rajsamand	Moderate	195	PM ₁₀	1
180	Ramanagara	Good	37	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes: Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty, Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Ramanathapuram	Good	20	СО	1
182	Ratlam	Satisfactory	94	PM ₁₀	1
183	Rishikesh	Good	50	03	1
184	Rohtak	Satisfactory	64	PM _{2.5}	1
185	Rourkela	Moderate	110	PM ₁₀	2
186	Rupnagar	Moderate	143	PM ₁₀	1
187	Sagar	Moderate	108	PM ₁₀	1
188	Saharsa	Poor	281	PM ₁₀	1
189	Samastipur	Moderate	113	PM ₁₀	1
190	Sangli	Good	25	PM ₁₀	1
191	Sasaram	Moderate	156	PM _{2.5}	1
192	Satna	Moderate	129	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sawai Madhopur	Moderate	102	PM ₁₀	1
194	Shillong	Satisfactory	88	PM ₁₀ , PM _{2.5}	2
195	Shivamogga	Satisfactory	62	PM ₁₀	1
196	Sikar	Moderate	103	PM ₁₀	1
197	Silchar	Good	21	со	1
198	Siliguri	Satisfactory	58	PM ₁₀	1
199	Singrauli	Moderate	110	PM ₁₀	1
200	Sirohi	Satisfactory	85	PM ₁₀	1
201	Sivasagar	Good	30	PM ₁₀	1
202	Siwan	Moderate	150	PM ₁₀	1
203	Solapur	Good	49	PM ₁₀	2
204	Sonipat	Poor	202	PM ₁₀	1

Possible Health Impacts Notes:

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Sri Ganganagar	Moderate	102	PM ₁₀	1
206	Srinagar	Satisfactory	90	PM ₁₀	1
207	Suakati	Moderate	187	PM ₁₀	1
208	Talcher	Satisfactory	100	PM ₁₀	1
209	Tensa	Moderate	107	PM ₁₀	1
210	Thane	Satisfactory	62	PM ₁₀	1
211	Thiruvananthapuram	Good	24	CO, NO ₂	2
212	Thoothukudi	Satisfactory	52	PM ₁₀	1
213	Thrissur	Satisfactory	59	PM ₁₀	1
214	Tirupati	Good	43	NO ₂	1
215	Tirupur	Good	35	PM ₁₀	1
216	Tonk	Moderate	136	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Tumakuru	Good	45	СО	1
218	Tumidih	Satisfactory	81	PM ₁₀	1
219	Udaipur	Satisfactory	80	PM ₁₀	1
220	Ujjain	Satisfactory	86	PM ₁₀	1
221	Ulhasnagar	Satisfactory	68	PM ₁₀	1
222	Vapi	Moderate	108	со	1
223	Varanasi	Satisfactory	64	PM ₁₀	4
224	Vatva	Moderate	101	PM ₁₀	1
225	Vijayapura	Good	49	PM ₁₀	1
226	Visakhapatnam	Moderate	138	PM ₁₀	1
227	Vrindavan	Good	42	PM ₁₀	1
228	Yadgir	Good	28	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

Notes:

Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal,
Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode,
Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty,
Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar,
vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
229	Yamunanagar	Good	44	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Ariyalur, Begusarai, Bhiwadi, Boisar, Buxar, Chengalpattu, Chikkamagaluru, Coimbatore, Darbhanga, Dharuhera, Dharwad, Dindigul, Ernakulam, Imphal, Jalna, Jorapokhar, Kalyan, Kanchipuram, Karauli, Kochi, Koppal, Kozhikode, Malegaon, Manguraha, Mira-Bhayandar, Nagaon, Naharlagun, Ooty, Palkalaiperur, Rairangpur, Salem, Sirsa, Surat, Udupi, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

Notes:

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.