

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	34	PM _{2.5} , PM ₁₀	2
2	Agra	Good	48	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	61	SO ₂ , PM ₁₀	2
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	62	PM ₁₀	1
6	Alwar	Satisfactory	92	PM ₁₀	1
7	Amaravati	Good	36	03	1
8	Ambala	Satisfactory	86	PM ₁₀	1
9	Amritsar	Satisfactory	72	NO ₂	1
10	Anantapur	Good	49	PM _{2.5}	1
11	Ankleshwar	Satisfactory	70	PM ₁₀	1
12	Arrah	Satisfactory	70	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	144	PM ₁₀	1
14	Aurangabad (Bihar)	Satisfactory	88	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	84	PM ₁₀	1
16	Baddi	Moderate	110	PM ₁₀	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Bahadurgarh	Satisfactory	77	PM ₁₀	1
19	Ballabgarh	Moderate	121	PM ₁₀	1
20	Bareilly	Satisfactory	98	PM ₁₀	2
21	Bathinda	Satisfactory	51	PM ₁₀	1
22	Begusarai	Satisfactory	52	PM ₁₀	1
23	Bengaluru	Satisfactory	57	CO, PM ₁₀	5
24	Bhagalpur	Satisfactory	78	NO ₂ , O ₃	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwadi	Moderate	147	NO ₂	1
26	Bhiwani	Satisfactory	75	O ₃	1
27	Bhopal	Satisfactory	63	PM ₁₀	1
28	Bihar Sharif	Satisfactory	67	PM ₁₀	1
29	Bilaspur	Satisfactory	67	PM ₁₀	1
30	Bulandshahr	Moderate	115	PM ₁₀	1
31	Buxar	Poor	270	PM ₁₀	1
32	Chamarajanagar	Good	41	PM ₁₀	1
33	Chandigarh	Satisfactory	75	O ₃ , PM ₁₀	3
34	Chandrapur	Satisfactory	51	PM ₁₀ , NO ₂	2
35	Chennai	Satisfactory	57	CO, PM _{2.5} , PM ₁₀	8
36	Chhapra	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Good	32	03	1
38	Chikkamagaluru	Good	32	PM ₁₀	1
39	Coimbatore	Satisfactory	68	PM _{2.5}	1
40	Darbhanga	Satisfactory	70	PM ₁₀	1
41	Davanagere	Good	20	PM ₁₀	1
42	Delhi	Moderate	119	PM ₁₀ , PM _{2.5}	34
43	Dewas	Satisfactory	56	PM ₁₀	1
44	Durgapur	Satisfactory	83	PM ₁₀	1
45	Eloor	Satisfactory	55	PM ₁₀	1
46	Ernakulam	Good	47	со	1
47	Faridabad	Moderate	139	PM ₁₀ , O ₃	4
48	Fatehabad	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	147	O ₃ , PM _{2.5}	2
50	Gadag	Good	27	O ₃	1
51	Gandhinagar	Good	50	PM ₁₀	1
52	Gangtok	Good	23	03	1
53	Gaya	Moderate	131	PM _{2.5} , PM ₁₀	3
54	Ghaziabad	Moderate	122	PM ₁₀	4
55	Gorakhpur	Satisfactory	58	PM _{2.5}	1
56	Greater Noida	Moderate	134	PM ₁₀	2
57	Gurugram	Moderate	122	PM ₁₀	3
58	Guwahati	Satisfactory	76	PM ₁₀ , PM _{2.5}	2
59	Gwalior	Satisfactory	64	O ₃	1
60	Hajipur	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	113	PM ₁₀	1
62	Hassan	Good	29	NO ₂	1
63	Haveri	Satisfactory	61	со	1
64	Hisar	Satisfactory	83	PM ₁₀	1
65	Howrah	Satisfactory	58	PM ₁₀ , CO	2
66	Hubballi	Satisfactory	51	со	1
67	Hyderabad	Satisfactory	63	CO, PM ₁₀ , PM _{2.5}	14
68	Imphal	Satisfactory	70	O ₃ , PM ₁₀	2
69	Indore	Satisfactory	76	PM ₁₀	1
70	Jabalpur	Satisfactory	87	PM ₁₀	1
71	Jaipur	Moderate	114	PM _{2.5}	2
72	Jalandhar	Satisfactory	59	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jhansi	Good	45	PM ₁₀	1
74	Jind	Satisfactory	70	PM ₁₀	1
75	Jodhpur	Satisfactory	99	PM ₁₀	1
76	Kaithal	Satisfactory	84	PM ₁₀	1
77	Kalaburgi	Good	28	SO ₂	1
78	Kalyan	Satisfactory	90	PM ₁₀	1
79	Kannur	Satisfactory	53	PM _{2.5}	1
80	Kanpur	Satisfactory	54	PM ₁₀ , PM _{2.5}	3
81	Karnal	Satisfactory	93	PM ₁₀	1
82	Katihar	Moderate	192	СО	1
83	Katni	Satisfactory	91	PM ₁₀	1
84	Khanna	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Satisfactory	99	PM _{2.5}	1
86	Kochi	Moderate	173	PM _{2.5}	1
87	Kohima	Satisfactory	59	SO ₂	1
88	Kolkata	Satisfactory	57	PM ₁₀ , O ₃ , PM _{2.5}	6
89	Kollam	Satisfactory	64	PM ₁₀	1
90	Koppal	Good	49	O ₃	1
91	Kota	Satisfactory	76	PM ₁₀	1
92	Kozhikode	Satisfactory	70	PM ₁₀	1
93	Kurukshetra	Satisfactory	83	PM ₁₀	1
94	Lucknow	Satisfactory	82	NO ₂ , PM ₁₀	6
95	Ludhiana	Good	50	PM ₁₀	1
96	Madikeri	Good	16	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Maihar	Good	38	со	1
98	Mandideep	Good	45	03	1
99	Mandikhera	Good	47	PM ₁₀	1
100	Manesar	Satisfactory	99	PM ₁₀	1
101	Manglore	Good	48	со	1
102	Manguraha	Good	48	PM ₁₀	1
103	Meerut	Moderate	124	PM ₁₀	3
104	Moradabad	Satisfactory	92	PM ₁₀ , CO	6
105	Mumbai	Satisfactory	59	CO, PM _{2.5} , NO ₂	17
106	Muzaffarnagar	Satisfactory	98	PM ₁₀	1
107	Muzaffarpur	Satisfactory	77	PM ₁₀ , PM _{2.5}	3
108	Mysuru	Good	40	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nagpur	Satisfactory	88	СО	1
110	Nandesari	Moderate	106	СО	1
111	Narnaul	Good	31	PM _{2.5}	1
112	Nashik	Good	45	03	1
113	Navi Mumbai	Satisfactory	84	PM _{2.5} , PM ₁₀	2
114	Noida	Moderate	123	PM ₁₀	4
115	Ooty	Good	47	SO ₂	1
116	Pali	Moderate	104	PM ₁₀	1
117	Palwal	Satisfactory	93	PM ₁₀	1
118	Patiala	Satisfactory	88	PM ₁₀	1
119	Patna	Moderate	102	PM ₁₀ , PM _{2.5}	6
120	Pithampur	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Satisfactory	60	PM _{2.5} , PM ₁₀	2
122	Puducherry	Good	45	PM ₁₀	1
123	Purnia	Satisfactory	80	со	1
124	Raichur	Satisfactory	64	со	1
125	Rajamahendravaram	Good	28	PM ₁₀	1
126	Rajgir	Satisfactory	81	со	1
127	Ramanagara	Good	46	03	1
128	Ramanathapuram	Good	22	PM ₁₀	1
129	Ratlam	Satisfactory	58	PM ₁₀	1
130	Rupnagar	Satisfactory	90	PM ₁₀	1
131	Sagar	Satisfactory	66	со	1
132	Samastipur	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sasaram	Satisfactory	62	NO ₂	1
134	Satna	Good	27	PM ₁₀	1
135	Shillong	Good	46	PM _{2.5} , PM ₁₀	2
136	Shivamogga	Good	44	PM ₁₀	1
137	Singrauli	Satisfactory	100	PM _{2.5}	1
138	Sirsa	Satisfactory	76	PM ₁₀	1
139	Siwan	Satisfactory	76	PM ₁₀	1
140	Solapur	Satisfactory	74	PM ₁₀	1
141	Sonipat	Moderate	111	PM ₁₀	1
142	Srinagar	Good	44	PM ₁₀	1
143	Talcher	Satisfactory	65	PM ₁₀	1
144	Thane	Satisfactory	68	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Good	33	CO, NO ₂	2
146	Thoothukudi	Good	35	PM ₁₀	1
147	Thrissur	Good	47	PM ₁₀	1
148	Tirupati	Good	48	PM _{2.5}	1
149	Tiruppur	Moderate	124	PM ₁₀	1
150	Udaipur	Satisfactory	85	PM ₁₀	1
151	Udupi	Satisfactory	78	03	1
152	Ujjain	Satisfactory	81	PM ₁₀	1
153	Varanasi	Satisfactory	66	PM ₁₀	4
154	Vatva	Good	48	PM _{2.5}	1
155	Vijayapura	Good	40	PM ₁₀	1
156	Visakhapatnam	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Vrindavan	Satisfactory	55	SO ₂	1
158	Yadgir	Good	28	СО	1
159	Yamunanagar	Moderate	154	PM _{2.5}	1
160	vellore	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Araria, Baghpat, Belgaum, Bettiah, Bhilai, Bidar, Brajrajnagar, Charkhi Dadri, Chengalpattu, Damoh, Dehradun, Dharuhera, Gummidipoondi, Haldia, Hosur, Jorapokhar, Kishanganj, Kolar, Mandi Gobindgarh, Motihari, Munger, Naharlagun, Panchkula, Panipat, Pune, Rohtak, Saharsa, Salem, Siliguri, Vapi as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.