

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	PM _{2.5}	1
2	Agra	Satisfactory	100	PM ₁₀ , PM _{2.5}	4
3	Ahmedabad	Satisfactory	80	CO, PM ₁₀ , O ₃	7
4	Aizawl	Good	30	PM ₁₀	1
5	Ajmer	Good	50	PM ₁₀	1
6	Alwar	Satisfactory	83	PM ₁₀	1
7	Amaravati	Good	41	03	1
8	Ambala	Satisfactory	82	PM ₁₀	1
9	Amritsar	Moderate	120	PM _{2.5}	1
10	Ankleshwar	Satisfactory	77	PM ₁₀	1
11	Asansol	Good	49	PM ₁₀	1
12	Bagalkot	Good	28	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	174	PM ₁₀	1
14	Bahadurgarh	Moderate	184	PM _{2.5}	1
15	Ballabgarh	Moderate	135	PM ₁₀	1
16	Bathinda	Good	38	PM ₁₀	1
17	Bengaluru	Good	41	CO, NO ₂ , PM ₁₀	7
18	Bhiwadi	Poor	255	PM _{2.5}	1
19	Bhiwani	Moderate	131	PM ₁₀	1
20	Bhopal	Satisfactory	98	O ₃	1
21	Brajrajnagar	Satisfactory	94	NO ₂	1
22	Bulandshahr	Moderate	103	PM ₁₀	1
23	Chamarajanagar	Satisfactory	56	PM ₁₀	1
24	Chandigarh	Satisfactory	67	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	58	PM ₁₀	1
26	Charkhi Dadri	Moderate	191	PM _{2.5}	1
27	Chennai	Satisfactory	56	PM ₁₀	6
28	Chikkaballapur	Good	29	NO ₂	1
29	Chikkamagaluru	Good	30	PM ₁₀	1
30	Damoh	Good	43	СО	1
31	Davanagere	Good	27	PM ₁₀	1
32	Delhi	Moderate	168	O ₃ , PM _{2.5} , PM ₁₀	35
33	Dewas	Satisfactory	60	PM ₁₀	1
34	Dharuhera	Moderate	181	PM ₁₀	1
35	Durgapur	Satisfactory	91	PM ₁₀	1
36	Eloor	Satisfactory	75	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Good	33	PM ₁₀	1
38	Faridabad	Moderate	167	PM _{2.5} , PM ₁₀ , O ₃	3
39	Fatehabad	Moderate	175	O ₃	1
40	Gandhinagar	Satisfactory	91	PM _{2.5} , PM ₁₀	3
41	Gaya	Good	38	PM _{2.5} , CO	2
42	Ghaziabad	Moderate	184	PM ₁₀	2
43	Greater Noida	Moderate	138	O ₃ , PM _{2.5}	2
44	Gurugram	Moderate	165	PM ₁₀ , O ₃ , PM _{2.5}	4
45	Guwahati	Good	44	SO ₂ , PM ₁₀	2
46	Gwalior	Satisfactory	88	03	1
47	Haldia	Good	48	PM ₁₀	1
48	Hapur	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Good	37	PM ₁₀	1
50	Hisar	Moderate	180	PM ₁₀	1
51	Howrah	Good	47	PM ₁₀	3
52	Hubballi	Good	43	PM ₁₀	1
53	Hyderabad	Good	47	NO ₂ , PM _{2.5} , PM ₁₀	4
54	Indore	Satisfactory	73	PM ₁₀	1
55	Jabalpur	Satisfactory	91	PM ₁₀	1
56	Jaipur	Moderate	117	PM ₁₀	3
57	Jalandhar	Moderate	107	PM ₁₀	1
58	Jind	Moderate	113	PM ₁₀	1
59	Jodhpur	Moderate	108	PM ₁₀	1
60	Kaithal	Moderate	113	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalaburgi	Good	23	PM ₁₀	1
62	Kanpur	Satisfactory	54	PM _{2.5}	1
63	Karnal	Moderate	194	O ₃	1
64	Katni	Satisfactory	67	PM ₁₀	1
65	Khanna	Satisfactory	67	PM ₁₀	1
66	Kochi	Good	35	со	1
67	Kohima	Good	43	PM ₁₀	1
68	Kolkata	Satisfactory	51	PM ₁₀	7
69	Kollam	Satisfactory	99	СО	1
70	Koppal	Satisfactory	65	со	1
71	Kota	Satisfactory	70	PM ₁₀	1
72	Kozhikode	Good	46	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	109	PM ₁₀	1
74	Lucknow	Satisfactory	66	PM ₁₀ , O ₃ , PM _{2.5}	5
75	Ludhiana	Satisfactory	75	PM ₁₀	1
76	Mandi Gobindgarh	Satisfactory	78	PM _{2.5}	1
77	Mandikhera	Moderate	120	PM ₁₀	1
78	Medikeri	Good	23	03	1
79	Meerut	Moderate	148	O ₃ , PM ₁₀	3
80	Mumbai	Satisfactory	66	PM ₁₀ , CO, PM _{2.5}	17
81	Muzaffarnagar	Moderate	115	PM ₁₀	1
82	Muzaffarpur	Satisfactory	63	PM _{2.5}	1
83	Mysuru	Good	40	O ₃	1
84	Nagpur	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Satisfactory	78	PM _{2.5}	1
86	Narnaul	Satisfactory	72	PM _{2.5}	1
87	Nashik	Good	37	NO ₂	1
88	Navi Mumbai	Good	37	PM _{2.5}	1
89	Noida	Moderate	167	PM ₁₀	4
90	Pali	Satisfactory	75	PM ₁₀	1
91	Panchkula	Good	50	PM _{2.5}	1
92	Panipat	Moderate	148	PM ₁₀	1
93	Patiala	Satisfactory	80	PM ₁₀	1
94	Patna	Satisfactory	62	CO, PM ₁₀	5
95	Pithampur	Satisfactory	61	PM _{2.5}	1
96	Prayagraj	Good	42	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Good	30	O ₃	1
98	Pune	Satisfactory	64	CO, PM _{2.5}	4
99	Raichur	Good	28	PM ₁₀	1
100	Rajamahendravaram	Satisfactory	52	PM ₁₀	1
101	Ramanagara	Good	29	03	1
102	Rohtak	Moderate	123	03	1
103	Rupnagar	Satisfactory	91	PM ₁₀	1
104	Sagar	Good	38	PM _{2.5}	1
105	Satna	Satisfactory	95	PM ₁₀	1
106	Shivamogga	Good	36	03	1
107	Siliguri	Satisfactory	66	PM _{2.5}	1
108	Singrauli	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	115	PM ₁₀	1
110	Solapur	Good	39	O ₃	1
111	Sonipat	Poor	275	PM ₁₀	1
112	Srinagar	Satisfactory	61	PM _{2.5}	1
113	Talcher	Satisfactory	99	со	1
114	Thane	Satisfactory	84	PM ₁₀	1
115	Thiruvananthapuram	Satisfactory	66	CO, PM ₁₀	2
116	Thoothukudi	Satisfactory	75	PM ₁₀	1
117	Thrissur	Good	41	PM ₁₀	1
118	Tirupati	Good	31	PM ₁₀	1
119	Udaipur	Satisfactory	81	PM ₁₀	1
120	Ujjain	Satisfactory	93	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Satisfactory	56	PM ₁₀	1
122	Varanasi	Good	35	PM ₁₀ , CO, NO ₂	3
123	Vatva	Satisfactory	97	PM ₁₀	1
124	Vijayapura	Good	9	PM _{2.5}	1
125	Visakhapatnam	Moderate	104	PM ₁₀	1
126	Yadgir	Good	21	PM ₁₀	1
127	Yamunanagar	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Coimbatore, Gadag, Gummidipoondi, Hajipur, Jorapokhar, Kalyan, Kannur, Kolar, Maihar, Mandideep, Manesar, Manglore, Moradabad, Naharlagun, Palwal, Ratlam, Shillong, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.