



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	131	PM _{2.5}	1
2	Ahmedabad	Moderate	125	PM _{2.5}	1
3	Ajmer	Moderate	116	PM ₁₀	1
4	Alwar	Satisfactory	84	PM ₁₀	1
5	Amaravati	Satisfactory	75	PM _{2.5}	1
6	Ambala	Moderate	135	PM _{2.5}	1
7	Amritsar	Moderate	140	PM ₁₀	1
8	Ankleshwar	Moderate	162	PM _{2.5}	1
9	Asanol	Moderate	154	PM _{2.5}	1
10	Bagalkot	Moderate	117	PM ₁₀	1
11	Bahadurgarh	Moderate	168	PM _{2.5}	1
12	Ballabgarh	Poor	270	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonipat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	128	PM ₁₀	1
14	Bengaluru	Moderate	110	O ₃ , PM _{2.5} , PM ₁₀	8
15	Bhiwadi	Poor	221	PM _{2.5}	1
16	Bhiwani	Moderate	165	O ₃	1
17	Bhopal	Moderate	144	PM ₁₀	1
18	Brajrajnagar	Moderate	108	PM ₁₀	1
19	Bulandshahr	Poor	262	PM _{2.5}	1
20	Chandigarh	Satisfactory	99	PM ₁₀	1
21	Chandrapur	Satisfactory	84	PM _{2.5} , O ₃	2
22	Chennai	Satisfactory	76	PM _{2.5} , PM ₁₀	4
23	Chikkamagaluru	Satisfactory	93	O ₃	1
24	Damoh	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonapat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	247	PM _{2.5}	35
26	Dewas	Satisfactory	99	CO	1
27	Dharuhera	Poor	204	PM ₁₀	1
28	Eloor	Satisfactory	82	PM ₁₀	1
29	Faridabad	Poor	215	O ₃	1
30	Fatehabad	Moderate	130	PM _{2.5}	1
31	GandhiNagar	Satisfactory	93	PM ₁₀	1
32	Gaya	Moderate	118	PM _{2.5}	1
33	Ghaziabad	Poor	278	PM _{2.5}	4
34	Greater_Noida	Poor	232	PM _{2.5}	2
35	Gurugram	Poor	276	O ₃	1
36	Guwahati	Very Poor	369	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonipat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Moderate	170	O ₃ , PM _{2.5}	2
38	Hapur	Moderate	110	PM ₁₀	1
39	Hisar	Moderate	152	PM _{2.5}	1
40	Howrah	Poor	231	PM ₁₀ , PM _{2.5}	3
41	Hubballi	Moderate	121	PM ₁₀	1
42	Hyderabad	Moderate	135	PM _{2.5} , PM ₁₀	5
43	Indore	Satisfactory	92	PM ₁₀	1
44	Jabalpur	Moderate	164	PM ₁₀	1
45	Jaipur	Moderate	110	PM ₁₀	3
46	Jalandhar	Moderate	192	PM _{2.5}	1
47	Jind	Moderate	178	PM _{2.5}	1
48	Jodhpur	Poor	238	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonipat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	117	PM ₁₀	1
50	Kaithal	Satisfactory	95	PM ₁₀	1
51	Kalaburgi	Moderate	122	PM _{2.5}	1
52	Kalyan	Moderate	172	PM ₁₀	1
53	Kannur	Moderate	144	PM _{2.5}	1
54	Kanpur	Poor	201	PM _{2.5}	1
55	Karnal	Moderate	154	PM _{2.5}	1
56	Katni	Moderate	188	PM ₁₀	1
57	Khanna	Moderate	110	PM ₁₀	1
58	Kochi	Moderate	109	PM ₁₀	1
59	Kolkata	Poor	220	PM ₁₀ , PM _{2.5} , O ₃	7
60	Kota	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonipat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	93	PM ₁₀	1
62	Kurukshetra	Moderate	132	PM _{2.5}	1
63	Lucknow	Poor	207	PM _{2.5}	4
64	Ludhiana	Moderate	105	PM ₁₀	1
65	Maihar	Good	50	PM ₁₀	1
66	Mandi Gobindgarh	Moderate	149	PM ₁₀	1
67	Mandideep	Moderate	122	PM ₁₀	1
68	Mandikhera	Moderate	101	PM ₁₀	1
69	Manesar	Moderate	108	PM ₁₀	1
70	Meerut	Poor	263	PM _{2.5}	2
71	Mumbai	Moderate	150	O ₃ , PM ₁₀	10
72	Muzaffarnagar	Poor	234	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonapat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarpur	Poor	275	PM _{2.5}	1
74	Narnaul	Satisfactory	96	PM ₁₀	1
75	Nashik	Moderate	180	O ₃	1
76	Navi Mumbai	Moderate	163	O ₃ , CO	3
77	Noida	Poor	242	PM _{2.5}	4
78	Pali	Moderate	115	PM ₁₀	1
79	Palwal	Moderate	151	PM _{2.5}	1
80	Panchkula	Satisfactory	92	PM _{2.5}	1
81	Panipat	Moderate	194	PM ₁₀	1
82	Patiala	Satisfactory	88	PM ₁₀	1
83	Patna	Moderate	174	PM _{2.5} , PM ₁₀	3
84	Pithampur	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonapat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	116	PM _{2.5}	1
86	Rajamahendravaram	Satisfactory	99	O ₃	1
87	Ramanagara	Satisfactory	94	PM ₁₀	1
88	Ratlam	Moderate	132	PM _{2.5}	1
89	Rohtak	Moderate	160	PM _{2.5}	1
90	Rupnagar	Satisfactory	97	PM ₁₀	1
91	Sagar	Satisfactory	94	PM ₁₀	1
92	Satna	Moderate	122	PM ₁₀	1
93	Siliguri	Very Poor	345	PM _{2.5}	1
94	Singrauli	Moderate	172	PM ₁₀	1
95	Sirsa	Moderate	113	PM ₁₀	1
96	Solapur	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonapat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



Air Quality Index on Feb 16, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Talcher	Poor	297	PM _{2.5}	1
98	Thane	Moderate	117	PM ₁₀	1
99	Thiruvananthapuram	Satisfactory	75	PM _{2.5}	1
100	Tirupati	Satisfactory	80	NO ₂	1
101	Udaipur	Moderate	114	PM _{2.5}	1
102	Ujjain	Moderate	108	PM ₁₀	1
103	Vapi	Poor	249	PM _{2.5}	1
104	Varanasi	Moderate	192	O ₃	1
105	Vatva	Moderate	184	PM ₁₀	1
106	Visakhapatnam	Moderate	115	PM ₁₀	1
107	Yamunanagar	Moderate	168	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Aurangabad, Chikkaballapur, Coimbatore, Ernakulam, Haldia, Moradabad, Mysuru, Nagpur, Shillong, Sonipat, Vijayapura, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.