

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	155	PM _{2.5}	1
2	Agra	Poor	203	PM _{2.5}	5
3	Ahmedabad	Moderate	112	PM _{2.5} , PM ₁₀ , CO	9
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Satisfactory	93	PM ₁₀	1
6	Alwar	Satisfactory	82	PM ₁₀	1
7	Amaravati	Moderate	115	PM _{2.5}	1
8	Ambala	Poor	250	PM _{2.5}	1
9	Amritsar	Moderate	128	PM ₁₀	1
10	Ankleshwar	Poor	270	PM _{2.5}	1
11	Asansol	Moderate	188	PM _{2.5}	1
12	Aurangabad	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	47	PM ₁₀	1
14	Baghpat	Poor	259	PM _{2.5}	1
15	Bahadurgarh	Very Poor	318	PM _{2.5}	1
16	Ballabgarh	Very Poor	317	PM _{2.5}	1
17	Bathinda	Moderate	125	PM ₁₀	1
18	Bengaluru	Satisfactory	54	PM ₁₀ , PM _{2.5} , NO ₂	7
19	Bettiah	Very Poor	354	PM ₁₀	1
20	Bhagalpur	Very Poor	366	PM _{2.5}	2
21	Bhilai	Satisfactory	75	PM ₁₀	1
22	Bhiwadi	Poor	268	PM _{2.5}	1
23	Bhiwani	Moderate	178	PM ₁₀	1
24	Bhopal	Moderate	131	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Severe	421	PM ₁₀	1
26	Bilaspur	Satisfactory	93	PM ₁₀	1
27	Brajrajnagar	Moderate	153	03	1
28	Bulandshahr	Poor	292	PM _{2.5}	1
29	Chamarajanagar	Good	31	PM ₁₀	1
30	Chandigarh	Moderate	136	PM _{2.5} , PM ₁₀	2
31	Chandrapur	Moderate	139	O ₃ , PM ₁₀	2
32	Charkhi Dadri	Poor	240	PM _{2.5}	1
33	Chennai	Good	47	O ₃ , PM _{2.5} , CO	6
34	Chhapra	Very Poor	361	PM _{2.5}	1
35	Chikkaballapur	Good	29	со	1
36	Chikkamagaluru	Good	30	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	70	NO ₂	1
38	Damoh	Moderate	124	PM ₁₀	1
39	Darbhanga	Very Poor	390	PM _{2.5}	1
40	Delhi	Very Poor	328	PM _{2.5} , PM ₁₀	34
41	Dewas	Satisfactory	71	PM ₁₀	1
42	Eloor	Satisfactory	78	PM ₁₀	1
43	Ernakulam	Satisfactory	55	со	1
44	Faridabad	Very Poor	331	PM ₁₀ , PM _{2.5}	4
45	Fatehabad	Poor	207	PM _{2.5}	1
46	Firozabad	Poor	278	PM _{2.5}	1
47	Gandhinagar	Satisfactory	75	PM ₁₀ , PM _{2.5}	3
48	Gaya	Poor	253	PM _{2.5}	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Poor	287	PM _{2.5}	4
50	Gorakhpur	Moderate	142	PM _{2.5}	1
51	Greater Noida	Poor	254	PM _{2.5}	2
52	Gurugram	Very Poor	332	PM _{2.5}	4
53	Guwahati	Moderate	148	PM _{2.5}	2
54	Gwalior	Moderate	174	PM _{2.5}	2
55	Hajipur	Poor	232	PM _{2.5}	1
56	Haldia	Poor	222	PM _{2.5}	1
57	Hapur	Poor	286	PM _{2.5}	1
58	Hisar	Very Poor	338	PM _{2.5}	1
59	Howrah	Poor	208	PM _{2.5}	3
60	Hyderabad	Moderate	132	PM _{2.5} , PM ₁₀	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Indore	Moderate	104	PM ₁₀	1
62	Jabalpur	Moderate	178	PM ₁₀	1
63	Jaipur	Moderate	163	PM _{2.5}	3
64	Jalandhar	Moderate	146	PM _{2.5}	1
65	Jind	Poor	285	PM _{2.5}	1
66	Jodhpur	Moderate	146	PM _{2.5}	1
67	Kaithal	Poor	203	PM ₁₀	1
68	Kalyan	Moderate	199	со	1
69	Kannur	Good	46	PM ₁₀	1
70	Kanpur	Poor	224	PM _{2.5}	3
71	Karnal	Moderate	163	PM _{2.5}	1
72	Katni	Poor	300	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Khanna	Poor	202	PM _{2.5}	1
74	Kishanganj	Poor	240	PM _{2.5}	1
75	Kochi	Satisfactory	64	PM _{2.5}	1
76	Kohima	Satisfactory	89	PM ₁₀	1
77	Kolar	Good	40	SO ₂	1
78	Kolkata	Moderate	168	PM _{2.5} , PM ₁₀	6
79	Kollam	Satisfactory	65	PM ₁₀	1
80	Kota	Poor	227	PM _{2.5}	1
81	Kozhikode	Satisfactory	54	PM ₁₀	1
82	Kurukshetra	Poor	228	PM _{2.5}	1
83	Lucknow	Poor	232	PM _{2.5}	6
84	Ludhiana	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Maihar	Satisfactory	94	PM _{2.5}	1
86	Mandideep	Moderate	152	PM ₁₀	1
87	Mandikhera	Satisfactory	63	со	1
88	Manesar	Very Poor	306	PM _{2.5}	1
89	Medikeri	Good	22	03	1
90	Meerut	Poor	229	PM _{2.5}	3
91	Moradabad	Poor	238	PM _{2.5}	2
92	Motihari	Very Poor	376	PM _{2.5}	1
93	Mumbai	Moderate	150	PM _{2.5} , PM ₁₀	19
94	Muzaffarnagar	Poor	237	PM _{2.5}	1
95	Muzaffarpur	Very Poor	339	PM _{2.5}	2
96	Mysuru	Good	29	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nagpur	Satisfactory	91	PM ₁₀	1
98	Narnaul	Moderate	174	PM _{2.5}	1
99	Nashik	Moderate	143	PM _{2.5}	1
100	Navi Mumbai	Moderate	157	PM _{2.5} , PM ₁₀	3
101	Noida	Poor	291	PM ₁₀ , PM _{2.5}	4
102	Pali	Satisfactory	87	PM ₁₀	1
103	Palwal	Moderate	145	PM ₁₀	1
104	Panchkula	Moderate	188	PM _{2.5}	1
105	Panipat	Satisfactory	100	СО	1
106	Patiala	Moderate	138	PM _{2.5}	1
107	Patna	Poor	292	PM _{2.5}	2
108	Pithampur	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Prayagraj	Poor	210	PM _{2.5}	2
110	Puducherry	Good	37	со	1
111	Pune	Moderate	115	PM _{2.5} , PM ₁₀	4
112	Purnia	Very Poor	366	PM _{2.5}	1
113	Rajamahendravaram	Poor	222	03	1
114	Rajgir	Very Poor	332	PM _{2.5}	1
115	Ramanagara	Good	39	O ₃	1
116	Ratlam	Moderate	116	PM ₁₀	1
117	Rohtak	Poor	219	PM _{2.5}	1
118	Rupnagar	Poor	238	PM _{2.5}	1
119	Sagar	Moderate	144	PM _{2.5}	1
120	Sasaram	Very Poor	361	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Satna	Satisfactory	70	PM ₁₀	1
122	Shivamogga	Satisfactory	51	PM ₁₀	1
123	Siliguri	Satisfactory	93	PM ₁₀	1
124	Singrauli	Poor	300	PM _{2.5}	1
125	Sirsa	Moderate	196	PM _{2.5}	1
126	Siwan	Very Poor	342	PM _{2.5}	1
127	Sonipat	Moderate	158	PM _{2.5}	1
128	Srinagar	Satisfactory	59	PM _{2.5}	1
129	Talcher	Moderate	132	PM _{2.5}	1
130	Thane	Moderate	167	PM ₁₀	1
131	Thiruvananthapuram	Good	37	PM ₁₀ , NO ₂	2
132	Thoothukudi	Good	16	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thrissur	Good	34	NO ₂	1
134	Tirupati	Good	45	со	1
135	Udaipur	Moderate	172	PM _{2.5}	1
136	Ujjain	Moderate	124	PM ₁₀	1
137	Vapi	Moderate	178	PM _{2.5}	1
138	Varanasi	Moderate	142	PM _{2.5} , PM ₁₀	4
139	Vijayapura	Good	46	PM ₁₀	1
140	Visakhapatnam	Moderate	117	PM _{2.5}	1
141	Vrindavan	Moderate	184	PM _{2.5}	1
142	Yadgir	Moderate	113	PM _{2.5}	1
143	Yamunanagar	Poor	246	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Bidar, Buxar, Davanagere, Dharuhera, Durgapur, Gadag, Gummidipoondi, Hassan, Hubballi, Jorapokhar, Kalaburgi, Katihar, Koppal, Mandi Gobindgarh, Manglore, Munger, Naharlagun, Nandesari, Raichur, Saharsa, Shillong, Solapur, Udupi, Vatva as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.