

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	81	PM _{2.5} , PM ₁₀	2
2	Agra	Satisfactory	85	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	70	O ₃ , PM ₁₀	2
4	Aizawl	Good	27	со	1
5	Ajmer	Satisfactory	79	PM _{2.5}	1
6	Alwar	Satisfactory	67	PM ₁₀	1
7	Amaravati	Good	45	O ₃	1
8	Amritsar	Satisfactory	56	03	1
9	Anantapur	Satisfactory	61	PM _{2.5}	1
10	Arrah	Satisfactory	84	03	1
11	Asansol	Moderate	124	PM ₁₀	1
12	Aurangabad (Maharashtra)	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	65	PM ₁₀	1
14	Bagalkot	Good	38	со	1
15	Baghpat	Moderate	103	PM ₁₀	1
16	Ballabgarh	Moderate	138	PM ₁₀	1
17	Bareilly	Moderate	128	PM _{2.5} , PM ₁₀	2
18	Bathinda	Moderate	140	PM ₁₀	1
19	Belgaum	Good	50	PM _{2.5}	1
20	Bengaluru	Good	42	PM ₁₀ , O ₃	5
21	Bhagalpur	Satisfactory	84	NO ₂ , PM ₁₀	2
22	Bhiwadi	Poor	216	PM ₁₀	1
23	Bhiwani	Satisfactory	91	PM _{2.5}	1
24	Bhopal	Moderate	145	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Satisfactory	92	СО	1
26	Bilaspur	Satisfactory	61	PM ₁₀	1
27	Bulandshahr	Moderate	136	PM ₁₀	1
28	Buxar	Satisfactory	79	PM ₁₀	1
29	Chamarajanagar	Good	38	PM ₁₀	1
30	Chandigarh	Satisfactory	76	O ₃ , PM ₁₀	3
31	Chandrapur	Satisfactory	54	PM ₁₀	2
32	Charkhi Dadri	Moderate	113	PM ₁₀	1
33	Chengalpattu	Satisfactory	86	PM ₁₀	1
34	Chennai	Satisfactory	83	PM _{2.5} , CO, PM ₁₀	9
35	Chhapra	Moderate	130	PM ₁₀	1
36	Chikkaballapur	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	27	O ₃	1
38	Coimbatore	Good	38	PM _{2.5} , SO ₂	2
39	Damoh	Satisfactory	74	PM _{2.5}	1
40	Darbhanga	Satisfactory	90	PM ₁₀	1
41	Delhi	Moderate	151	PM ₁₀ , PM _{2.5}	31
42	Dewas	Satisfactory	72	PM ₁₀	1
43	Dharuhera	Poor	220	PM ₁₀	1
44	Dindigul	Good	45	SO ₂	1
45	Durgapur	Moderate	132	PM ₁₀	1
46	Eloor	Satisfactory	62	PM ₁₀	1
47	Ernakulam	Satisfactory	70	со	1
48	Faridabad	Moderate	167	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Satisfactory	91	PM ₁₀	1
50	Firozabad	Moderate	111	PM _{2.5} , PM ₁₀	2
51	Gadag	Good	32	PM ₁₀	1
52	Gandhinagar	Satisfactory	61	PM ₁₀	1
53	Gangtok	Good	26	03	1
54	Gaya	Moderate	118	PM ₁₀ , PM _{2.5}	2
55	Ghaziabad	Moderate	166	PM _{2.5} , PM ₁₀	4
56	Gorakhpur	Satisfactory	71	PM _{2.5}	1
57	Greater Noida	Moderate	183	PM ₁₀	2
58	Gurugram	Moderate	190	PM _{2.5} , PM ₁₀	3
59	Guwahati	Satisfactory	66	PM ₁₀ , PM _{2.5}	3
60	Gwalior	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hajipur	Moderate	125	PM ₁₀	1
62	Haldia	Satisfactory	64	PM ₁₀	1
63	Hapur	Moderate	114	PM _{2.5}	1
64	Hassan	Good	28	NO ₂	1
65	Haveri	Good	38	03	1
66	Hisar	Moderate	104	PM ₁₀	1
67	Hosur	Satisfactory	91	СО	1
68	Howrah	Moderate	107	PM _{2.5} , PM ₁₀	3
69	Hubballi	Satisfactory	54	со	1
70	Hyderabad	Satisfactory	68	CO, PM _{2.5} , PM ₁₀	11
71	Imphal	Satisfactory	84	O ₃ , SO ₂	2
72	Jabalpur	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jaipur	Satisfactory	95	PM _{2.5} , PM ₁₀	3
74	Jalandhar	Satisfactory	66	PM _{2.5}	1
75	Jhansi	Satisfactory	100	PM ₁₀	1
76	Jind	Satisfactory	85	PM _{2.5}	1
77	Jodhpur	Satisfactory	75	PM ₁₀	1
78	Kaithal	Satisfactory	78	PM ₁₀	1
79	Kalaburgi	Good	36	PM _{2.5}	1
80	Kannur	Satisfactory	66	PM ₁₀	1
81	Kanpur	Satisfactory	93	PM ₁₀ , PM _{2.5}	4
82	Katihar	Moderate	151	PM ₁₀	1
83	Katni	Moderate	128	PM ₁₀	1
84	Khanna	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Khurja	Moderate	172	PM _{2.5}	1
86	Kishanganj	Satisfactory	82	O ₃	1
87	Kochi	Moderate	118	PM _{2.5}	1
88	Kohima	Satisfactory	58	PM ₁₀	1
89	Kolkata	Satisfactory	87	PM _{2.5} , PM ₁₀	6
90	Kollam	Satisfactory	62	PM ₁₀	1
91	Koppal	Satisfactory	89	O ₃	1
92	Kota	Satisfactory	76	PM ₁₀	1
93	Kozhikode	Satisfactory	76	PM ₁₀	1
94	Kurukshetra	Moderate	108	PM _{2.5}	1
95	Lucknow	Moderate	113	PM ₁₀	6
96	Ludhiana	Moderate	116	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Madikeri	Good	20	O ₃	1
98	Maihar	Good	30	PM ₁₀	1
99	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
100	Mandideep	Moderate	101	PM ₁₀	1
101	Mandikhera	Good	30	PM ₁₀	1
102	Manesar	Moderate	111	PM ₁₀	1
103	Manglore	Satisfactory	58	со	1
104	Manguraha	Good	41	со	1
105	Meerut	Moderate	137	PM ₁₀	3
106	Moradabad	Satisfactory	88	PM ₁₀ , PM _{2.5}	6
107	Motihari	Moderate	171	со	1
108	Mumbai	Satisfactory	73	PM ₁₀ , NO ₂ , PM _{2.5}	13

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Munger	Moderate	108	PM ₁₀	1
110	Muzaffarnagar	Moderate	121	PM _{2.5}	1
111	Muzaffarpur	Moderate	103	PM _{2.5} , PM ₁₀	3
112	Mysuru	Good	40	PM ₁₀	1
113	Nagpur	Satisfactory	78	03	1
114	Nandesari	Moderate	193	PM _{2.5}	1
115	Narnaul	Satisfactory	84	PM ₁₀	1
116	Nashik	Satisfactory	61	PM ₁₀	1
117	Navi Mumbai	Moderate	123	PM _{2.5} , PM ₁₀	3
118	Noida	Moderate	147	PM ₁₀ , PM _{2.5}	4
119	Ooty	Satisfactory	57	PM ₁₀	1
120	Pali	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Palwal	Moderate	123	PM ₁₀	1
122	Panchkula	Good	48	PM _{2.5}	1
123	Panipat	Moderate	126	PM ₁₀	1
124	Patiala	Satisfactory	68	PM ₁₀	1
125	Patna	Satisfactory	94	PM _{2.5} , PM ₁₀	6
126	Pithampur	Moderate	120	PM ₁₀	1
127	Prayagraj	Moderate	103	PM ₁₀ , PM _{2.5}	3
128	Puducherry	Satisfactory	62	PM ₁₀	1
129	Purnia	Moderate	112	PM ₁₀	1
130	Rajamahendravaram	Good	21	PM ₁₀	1
131	Rajgir	Satisfactory	59	со	1
132	Ramanagara	Good	39	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ramanathapuram	Good	47	PM ₁₀	1
134	Ratlam	Satisfactory	64	PM ₁₀	1
135	Rohtak	Satisfactory	82	PM _{2.5}	1
136	Rupnagar	Satisfactory	89	PM _{2.5}	1
137	Sagar	Satisfactory	61	со	1
138	Samastipur	Moderate	107	PM ₁₀	1
139	Sasaram	Satisfactory	66	PM ₁₀	1
140	Satna	Good	43	PM ₁₀	1
141	Shillong	Good	28	PM _{2.5}	1
142	Shivamogga	Good	44	PM ₁₀	1
143	Siliguri	Satisfactory	51	PM ₁₀	1
144	Singrauli	Satisfactory	97	NO ₂	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Sirsa	Satisfactory	78	O ₃	1
146	Siwan	Satisfactory	89	PM ₁₀	1
147	Solapur	Satisfactory	68	PM ₁₀	1
148	Sonipat	Moderate	108	PM ₁₀	1
149	Srinagar	Good	47	PM ₁₀	1
150	Talcher	Good	46	PM ₁₀	1
151	Thane	Moderate	157	O ₃	1
152	Thiruvananthapuram	Satisfactory	62	CO, PM ₁₀	2
153	Thoothukudi	Satisfactory	52	PM ₁₀	1
154	Tirupati	Good	44	со	1
155	Tiruppur	Poor	225	PM ₁₀	1
156	Udaipur	Satisfactory	65	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ujjain	Satisfactory	99	PM ₁₀	1
158	Vapi	Moderate	116	PM _{2.5}	1
159	Varanasi	Satisfactory	88	PM ₁₀	4
160	Vatva	Satisfactory	83	PM ₁₀	1
161	Vijayapura	Good	40	PM ₁₀	1
162	Visakhapatnam	Satisfactory	100	PM ₁₀	1
163	Vrindavan	Satisfactory	73	PM ₁₀	1
164	Yadgir	Good	45	PM _{2.5}	1
165	Yamunanagar	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar,
 Araria, Aurangabad (Bihar), Bahadurgarh, Begusarai, Bettiah, Bhilai, Bidar,
 Brajrajnagar, Davanagere, Dehradun, Gummidipoondi, Indore, Jorapokhar,
 Kalyan, Karnal, Kolar, Naharlagun, Pune, Raichur, Saharsa, Salem, Thrissur,
 Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.