

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	PM ₁₀	1
2	Agra	Satisfactory	56	PM ₁₀	4
3	Ahmedabad	Satisfactory	67	NO ₂ , O ₃ , CO	8
4	Aizawl	Good	22	SO ₂	1
5	Ajmer	Satisfactory	56	PM ₁₀	1
6	Alwar	Satisfactory	75	PM ₁₀	1
7	Amaravati	Good	26	со	1
8	Ambala	Satisfactory	64	PM ₁₀	1
9	Amritsar	Satisfactory	70	PM ₁₀	1
10	Ankleshwar	Satisfactory	79	PM ₁₀	1
11	Asansol	Satisfactory	55	PM _{2.5}	1
12	Bagalkot	Good	28	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	77	PM ₁₀	1
14	Bahadurgarh	Satisfactory	85	PM _{2.5}	1
15	Ballabgarh	Satisfactory	79	PM ₁₀	1
16	Bengaluru	Good	40	O ₃ , CO, PM ₁₀	9
17	Bhiwadi	Satisfactory	86	PM ₁₀	1
18	Bhiwani	Satisfactory	71	PM ₁₀	1
19	Bhopal	Good	47	O ₃	1
20	Brajrajnagar	Good	44	со	1
21	Bulandshahr	Moderate	168	PM ₁₀	1
22	Chamarajanagar	Good	39	PM ₁₀	1
23	Chandigarh	Satisfactory	68	O ₃ , PM ₁₀	2
24	Chandrapur	Good	43	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	90	PM ₁₀	1
26	Chennai	Satisfactory	51	CO, PM ₁₀ , O ₃	6
27	Chikkaballapur	Good	44	NO ₂	1
28	Chikkamagaluru	Good	27	03	1
29	Damoh	Good	34	PM _{2.5}	1
30	Delhi	Moderate	122	PM ₁₀ , PM _{2.5}	32
31	Dewas	Good	43	PM ₁₀	1
32	Dharuhera	Satisfactory	96	со	1
33	Durgapur	Satisfactory	92	PM _{2.5}	1
34	Eloor	Satisfactory	70	со	1
35	Ernakulam	Good	31	со	1
36	Faridabad	Moderate	119	PM _{2.5} , PM ₁₀ , O ₃	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Satisfactory	61	03	1
38	Firozabad	Satisfactory	54	PM _{2.5}	1
39	Gadag	Good	20	со	1
40	Gandhinagar	Good	50	CO, PM ₁₀ , PM _{2.5}	3
41	Gaya	Moderate	102	PM _{2.5} , CO	2
42	Ghaziabad	Moderate	158	PM _{2.5}	4
43	Gorakhpur	Good	39	PM _{2.5}	1
44	Greater Noida	Moderate	122	PM ₁₀	2
45	Gummidipoondi	Satisfactory	56	PM ₁₀	1
46	Gurugram	Satisfactory	94	PM _{2.5} , PM ₁₀	3
47	Guwahati	Satisfactory	89	SO ₂	1
48	Gwalior	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	28	O ₃	1
50	Hapur	Satisfactory	80	PM ₁₀	1
51	Hassan	Good	45	PM ₁₀	1
52	Hisar	Satisfactory	83	PM ₁₀	1
53	Howrah	Good	46	NO ₂ , CO, PM ₁₀	3
54	Hubballi	Good	24	PM ₁₀	1
55	Hyderabad	Good	38	NO ₂ , SO ₂ , CO	6
56	Indore	Satisfactory	52	PM ₁₀	1
57	Jabalpur	Satisfactory	53	PM ₁₀	1
58	Jaipur	Satisfactory	58	O ₃	2
59	Jalandhar	Satisfactory	77	PM _{2.5}	1
60	Jind	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Satisfactory	75	PM ₁₀	1
62	Kaithal	Moderate	105	O ₃	1
63	Kanpur	Satisfactory	59	PM ₁₀ , PM _{2.5}	4
64	Karnal	Satisfactory	63	PM _{2.5}	1
65	Katni	Satisfactory	89	PM ₁₀	1
66	Khanna	Satisfactory	66	PM ₁₀	1
67	Kochi	Good	42	СО	1
68	Kohima	Good	39	PM ₁₀	1
69	Kolkata	Good	32	PM ₁₀ , CO	5
70	Kollam	Satisfactory	99	со	1
71	Koppal	Satisfactory	56	со	1
72	Kota	Satisfactory	53	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	58	СО	1
74	Kurukshetra	Satisfactory	66	PM _{2.5}	1
75	Lucknow	Satisfactory	78	PM ₁₀ , CO, PM _{2.5}	6
76	Ludhiana	Satisfactory	60	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	123	PM _{2.5}	1
78	Mandideep	Satisfactory	55	PM ₁₀	1
79	Manesar	Satisfactory	91	PM ₁₀	1
80	Medikeri	Good	29	03	1
81	Meerut	Moderate	109	NO ₂ , PM ₁₀	3
82	Mumbai	Satisfactory	64	CO, PM ₁₀	17
83	Muzaffarnagar	Moderate	140	PM _{2.5}	1
84	Muzaffarpur	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Good	49	со	1
86	Nandesari	Moderate	142	PM _{2.5}	1
87	Narnaul	Satisfactory	85	PM _{2.5}	1
88	Navi Mumbai	Satisfactory	52	PM _{2.5} , CO, PM ₁₀	3
89	Noida	Moderate	119	PM ₁₀ , PM _{2.5}	3
90	Pali	Satisfactory	59	PM ₁₀	1
91	Palwal	Satisfactory	80	PM ₁₀	1
92	Panchkula	Satisfactory	70	PM _{2.5}	1
93	Panipat	Satisfactory	91	PM ₁₀	1
94	Patiala	Good	45	PM ₁₀	1
95	Patna	Moderate	109	PM _{2.5} , PM ₁₀	5
96	Pithampur	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Prayagraj	Moderate	138	PM _{2.5}	3
98	Puducherry	Good	36	03	1
99	Pune	Satisfactory	51	NO ₂ , CO, PM _{2.5}	6
100	Raichur	Good	21	PM ₁₀	1
101	Rajamahendravaram	Good	21	03	1
102	Ramanagara	Good	32	03	1
103	Ratlam	Satisfactory	51	PM _{2.5}	1
104	Rohtak	Moderate	130	со	1
105	Sagar	Good	25	со	1
106	Satna	Good	48	PM ₁₀	1
107	Shillong	Good	16	SO ₂	1
108	Shivamogga	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	59	PM ₁₀	1
110	Singrauli	Moderate	133	PM ₁₀	1
111	Sonipat	Moderate	103	PM ₁₀	1
112	Srinagar	Moderate	119	PM ₁₀	1
113	Talcher	Good	50	со	1
114	Thiruvananthapuram	Satisfactory	87	PM _{2.5} , O ₃	2
115	Thoothukudi	Good	44	СО	1
116	Thrissur	Satisfactory	60	O ₃	1
117	Tirupati	Good	38	со	1
118	Udaipur	Satisfactory	56	PM ₁₀	1
119	Ujjain	Satisfactory	71	PM ₁₀	1
120	Vapi	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Satisfactory	80	PM ₁₀	4
122	Vatva	Satisfactory	66	PM ₁₀	1
123	Vijayapura	Satisfactory	76	со	1
124	Visakhapatnam	Good	48	NO ₂	1
125	Vrindavan	Good	48	PM ₁₀	1
126	Yadgir	Good	17	PM ₁₀	1
127	Yamunanagar	Moderate	121	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bathinda, Bettiah, Bidar, Bihar Sharif, Coimbatore, Darbhanga, Davanagere, Hajipur, Jorapokhar, Kalaburgi, Kalyan, Kannur, Kolar, Maihar, Mandikhera, Manglore, Moradabad, Motihari, Mysuru, Naharlagun, Nashik, Rupnagar, Sirsa, Solapur, Thane, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.