

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	108	PM _{2.5}	1
2	Ahmedabad	Moderate	117	NO ₂	1
3	Ajmer	Satisfactory	80	PM ₁₀	1
4	Alwar	Satisfactory	78	OZONE	1
5	Amaravati	Moderate	181	PM _{2.5}	1
6	Ambala	Poor	289	PM _{2.5}	1
7	Amritsar	Poor	222	PM ₁₀	1
8	Ankleshwar	Poor	222	PM _{2.5}	1
9	Asanol	Poor	235	PM _{2.5}	1
10	Baghpat	Very Poor	323	PM _{2.5}	1
11	Bahadurgarh	Poor	214	PM _{2.5}	1
12	Ballabgarh	Poor	205	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Poor	281	PM _{2.5}	1
14	Bengaluru	Satisfactory	60	CO, PM ₁₀	9
15	Bhiwadi	Very Poor	338	PM _{2.5}	1
16	Bhiwani	Poor	228	PM _{2.5}	1
17	Bhopal	Moderate	171	PM ₁₀	1
18	Brajrajnagar	Moderate	126	PM ₁₀	1
19	Bulandshahr	Poor	281	PM _{2.5}	1
20	Chandigarh	Poor	220	PM _{2.5}	1
21	Chandrapur	Moderate	126	PM _{2.5} , PM ₁₀	2
22	Chennai	Good	35	PM _{2.5}	3
23	Chikkaballapur	Good	48	PM ₁₀	1
24	Coimbatore	Satisfactory	69	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	104	PM ₁₀	1
26	Delhi	Very Poor	301	PM _{2.5}	31
27	Dewas	Moderate	154	OZONE	1
28	Dharuhera	Poor	256	PM _{2.5}	1
29	Eloor	Good	46	со	1
30	Faridabad	Poor	273	PM _{2.5}	1
31	Fatehabad	Poor	253	PM ₁₀	1
32	GandhiNagar	Satisfactory	63	PM ₁₀	1
33	Gaya	Poor	204	PM _{2.5}	1
34	Ghaziabad	Very Poor	366	PM _{2.5}	4
35	Greater_Noida	Very Poor	340	PM _{2.5}	2
36	Gurugram	Poor	221	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	106	PM _{2.5}	1
38	Haldia	Satisfactory	98	PM ₁₀	1
39	Hapur	Poor	278	PM ₁₀	1
40	Hisar	Very Poor	314	PM _{2.5}	1
41	Howrah	Poor	247	PM _{2.5}	3
42	Hubballi	Satisfactory	91	PM ₁₀	1
43	Hyderabad	Moderate	182	PM _{2.5}	5
44	Indore	Moderate	157	PM ₁₀	1
45	Jabalpur	Poor	244	PM _{2.5}	1
46	Jaipur	Satisfactory	100	PM ₁₀ , OZONE	3
47	Jalandhar	Poor	231	PM _{2.5}	1
48	Jind	Poor	298	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	138	PM ₁₀	1
50	Jorapokhar	Poor	218	PM _{2.5}	1
51	Kaithal	Poor	237	PM ₁₀	1
52	Kalyan	Moderate	191	PM _{2.5}	1
53	Kanpur	Very Poor	346	PM _{2.5}	1
54	Karnal	Poor	270	PM _{2.5}	1
55	Katni	Poor	205	PM _{2.5}	1
56	Khanna	Moderate	172	PM _{2.5}	1
57	Kolkata	Poor	205	PM ₁₀ , PM _{2.5} , OZONE	7
58	Kota	Moderate	165	PM _{2.5}	1
59	Kurukshetra	Very Poor	305	PM _{2.5}	1
60	Lucknow	Very Poor	301	PM _{2.5}	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Ludhiana	Moderate	180	PM _{2.5}	1
62	Maihar	Satisfactory	62	PM ₁₀	1
63	Mandi Gobindgarh	Poor	205	PM _{2.5}	1
64	Mandideep	Poor	230	PM ₁₀	1
65	Mandikhera	Moderate	112	PM _{2.5}	1
66	Manesar	Poor	205	PM _{2.5}	1
67	Meerut	Very Poor	313	PM _{2.5}	3
68	Moradabad	Very Poor	327	PM _{2.5}	1
69	Mumbai	Poor	207	PM _{2.5} , OZONE	10
70	Muzaffarpur	Very Poor	313	PM _{2.5}	1
71	Mysuru	Satisfactory	71	PM ₁₀	1
72	Nagpur	Moderate	131	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	132	PM _{2.5}	1
74	Nashik	Moderate	139	PM _{2.5}	1
75	Navi Mumbai	Poor	236	PM _{2.5} , OZONE	2
76	Noida	Very Poor	320	PM _{2.5}	4
77	Pali	Satisfactory	91	PM _{2.5}	1
78	Palwal	Poor	272	PM _{2.5}	1
79	Panchkula	Moderate	116	PM _{2.5}	1
80	Panipat	Very Poor	334	PM ₁₀	1
81	Patiala	Moderate	168	PM _{2.5}	1
82	Patna	Very Poor	327	PM _{2.5}	1
83	Pithampur	Moderate	170	PM _{2.5}	1
84	Pune	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Moderate	167	PM _{2.5}	1
86	Ramanagara	Satisfactory	51	PM ₁₀	1
87	Ratlam	Moderate	179	PM ₁₀	1
88	Rohtak	Poor	258	PM _{2.5}	1
89	Rupnagar	Poor	213	PM _{2.5}	1
90	Satna	Moderate	107	PM ₁₀	1
91	Siliguri	Poor	238	PM _{2.5}	1
92	Singrauli	Poor	238	PM ₁₀	1
93	Sirsa	Poor	280	PM ₁₀	1
94	Solapur	Moderate	151	PM ₁₀	1
95	Sonipat	Moderate	157	PM _{2.5}	1
96	Talcher	Moderate	158	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Moderate	104	PM ₁₀	1
98	Thiruvananthapuram	Good	49	PM ₁₀	1
99	Tirupati	Good	36	PM ₁₀	1
100	Udaipur	Moderate	131	PM _{2.5}	1
101	Ujjain	Moderate	171	OZONE	1
102	Vapi	Poor	250	PM _{2.5}	1
103	Varanasi	Poor	233	PM _{2.5}	1
104	Vatva	Moderate	145	PM ₁₀	1
105	Visakhapatnam	Moderate	153	PM _{2.5}	1
106	Yadgir	Moderate	103	PM _{2.5}	1
107	Yamunanagar	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Kalaburagi, Muzaffarnagar, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.