

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	239	PM _{2.5}	2
2	Agra	Moderate	124	PM _{2.5}	6
3	Ahmedabad	Satisfactory	99	NO ₂	1
4	Aizawl	Good	29	PM ₁₀	1
5	Ajmer	Moderate	117	PM ₁₀	1
6	Alwar	Moderate	105	PM _{2.5}	1
7	Amaravati	Satisfactory	67	PM ₁₀	1
8	Amritsar	Moderate	188	PM _{2.5}	1
9	Anantapur	Good	31	03	1
10	Ankleshwar	Poor	285	PM _{2.5}	1
11	Araria	Poor	270	PM _{2.5}	1
12	Asansol	Very Poor	318	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Bihar)	Very Poor	357	PM _{2.5}	1
14	Baddi	Poor	261	PM _{2.5}	1
15	Bagalkot	Good	42	PM ₁₀	1
16	Baghpat	Poor	215	PM _{2.5}	1
17	Bahadurgarh	Poor	262	PM _{2.5}	1
18	Ballabgarh	Poor	296	PM _{2.5}	1
19	Bareilly	Moderate	181	PM _{2.5}	2
20	Baripada	Poor	288	PM _{2.5}	1
21	Begusarai	Severe	418	PM _{2.5}	1
22	Belgaum	Satisfactory	81	PM ₁₀	1
23	Bengaluru	Satisfactory	68	PM _{2.5} , PM ₁₀	9
24	Bettiah	Severe	427	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Very Poor	310	PM _{2.5}	2
26	Bhiwadi	Poor	248	PM ₁₀	1
27	Bhiwani	Poor	276	PM _{2.5}	1
28	Bhopal	Poor	243	PM _{2.5}	2
29	Bidar	Satisfactory	71	со	1
30	Bihar Sharif	Very Poor	364	PM _{2.5}	1
31	Bilaspur	Satisfactory	91	PM ₁₀	1
32	Bileipada	Moderate	196	PM _{2.5}	1
33	Brajrajnagar	Moderate	107	PM ₁₀	1
34	Bulandshahr	Poor	265	PM _{2.5}	1
35	Chamarajanagar	Good	40	PM ₁₀	1
36	Chandigarh	Poor	220	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Poor	300	PM _{2.5}	1
38	Charkhi Dadri	Poor	286	PM _{2.5}	1
39	Chennai	Good	50	со	7
40	Chhapra	Very Poor	375	PM _{2.5}	1
41	Chikkaballapur	Satisfactory	69	PM ₁₀	1
42	Chikkamagaluru	Good	39	PM ₁₀	1
43	Chittoor	Good	21	03	1
44	Damoh	Moderate	131	PM _{2.5}	1
45	Darbhanga	Severe	407	PM ₁₀	1
46	Davanagere	Satisfactory	66	PM ₁₀	1
47	Delhi	Very Poor	370	PM _{2.5}	36
48	Dewas	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Durgapur	Moderate	170	PM ₁₀	1
50	Eloor	Satisfactory	67	PM ₁₀	1
51	Faridabad	Very Poor	349	PM _{2.5}	4
52	Fatehabad	Poor	221	PM _{2.5}	1
53	Firozabad	Moderate	137	PM _{2.5}	2
54	Gadag	Good	39	PM ₁₀	1
55	Gandhinagar	Satisfactory	83	PM ₁₀	1
56	Gangtok	Good	31	03	1
57	Gaya	Very Poor	331	PM _{2.5}	3
58	Ghaziabad	Very Poor	353	PM _{2.5}	4
59	Gorakhpur	Moderate	116	PM ₁₀	1
60	Greater Noida	Very Poor	366	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Poor	300	PM _{2.5}	4
62	Guwahati	Moderate	160	PM _{2.5}	3
63	Gwalior	Poor	294	PM _{2.5}	2
64	Hajipur	Very Poor	302	PM _{2.5}	1
65	Haldia	Moderate	132	PM ₁₀	1
66	Hapur	Poor	209	PM _{2.5}	1
67	Hassan	Good	46	PM _{2.5}	1
68	Haveri	Satisfactory	80	PM ₁₀	1
69	Hisar	Poor	213	PM ₁₀	1
70	Hosur	Satisfactory	74	СО	1
71	Howrah	Poor	256	PM _{2.5}	3
72	Hubballi	Satisfactory	82	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hyderabad	Satisfactory	96	PM _{2.5} , PM ₁₀	12
74	Imphal	Satisfactory	89	PM _{2.5}	2
75	Indore	Moderate	140	PM ₁₀	1
76	Jabalpur	Poor	269	PM _{2.5}	1
77	Jaipur	Moderate	168	PM _{2.5} , PM ₁₀	3
78	Jalandhar	Moderate	133	PM ₁₀	1
79	Jhansi	Poor	239	PM _{2.5}	1
80	Jind	Very Poor	328	PM _{2.5}	1
81	Jodhpur	Moderate	175	PM ₁₀	1
82	Kaithal	Very Poor	309	PM _{2.5}	1
83	Kalyan	Very Poor	355	NO ₂	1
84	Kanchipuram	Satisfactory	56	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kannur	Satisfactory	70	PM ₁₀	1
86	Kanpur	Poor	206	PM _{2.5}	3
87	Karnal	Very Poor	308	PM _{2.5}	1
88	Katihar	Very Poor	359	PM _{2.5}	1
89	Katni	Poor	265	PM _{2.5}	1
90	Khanna	Moderate	130	PM ₁₀	1
91	Khurja	Satisfactory	74	PM ₁₀	1
92	Kishanganj	Poor	232	PM _{2.5}	1
93	Kochi	Poor	220	PM _{2.5}	1
94	Kohima	Satisfactory	52	PM ₁₀	1
95	Kolar	Satisfactory	69	SO ₂	1
96	Kolkata	Poor	262	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kollam	Satisfactory	66	PM ₁₀	1
98	Koppal	Satisfactory	90	PM ₁₀	1
99	Kota	Moderate	168	PM ₁₀	1
100	Kozhikode	Good	42	PM ₁₀	1
101	Kurukshetra	Very Poor	305	PM _{2.5}	1
102	Lucknow	Moderate	190	PM _{2.5}	6
103	Ludhiana	Poor	299	PM _{2.5}	1
104	Madikeri	Good	22	SO ₂	1
105	Maihar	Satisfactory	92	PM ₁₀	1
106	Mandi Gobindgarh	Moderate	139	PM _{2.5}	1
107	Mandideep	Moderate	149	PM ₁₀	1
108	Mandikhera	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Manesar	Poor	241	PM _{2.5}	1
110	Mangalore	Satisfactory	89	PM _{2.5}	1
111	Manguraha	Satisfactory	77	PM ₁₀	1
112	Meerut	Poor	221	PM _{2.5}	3
113	Moradabad	Moderate	154	PM _{2.5}	6
114	Motihari	Very Poor	332	PM ₁₀	1
115	Mumbai	Poor	219	PM _{2.5} , PM ₁₀	18
116	Munger	Poor	267	PM _{2.5}	1
117	Muzaffarnagar	Poor	231	PM _{2.5}	1
118	Muzaffarpur	Very Poor	350	PM _{2.5}	3
119	Mysuru	Good	44	PM ₁₀	1
120	Nagpur	Very Poor	342	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nalbari	Moderate	153	PM _{2.5}	1
122	Nandesari	Satisfactory	84	SO ₂	1
123	Narnaul	Moderate	200	PM _{2.5}	1
124	Navi Mumbai	Poor	240	PM _{2.5}	3
125	Nayagarh	Moderate	174	PM _{2.5}	1
126	Noida	Very Poor	355	PM _{2.5}	4
127	Ooty	Good	49	SO ₂	1
128	Pali	Moderate	161	O ₃	1
129	Palwal	Satisfactory	53	PM ₁₀	1
130	Panchkula	Moderate	140	PM _{2.5}	1
131	Patiala	Moderate	196	PM _{2.5}	1
132	Patna	Very Poor	372	PM ₁₀ , PM _{2.5}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Pithampur	Poor	216	PM _{2.5}	1
134	Prayagraj	Moderate	132	PM ₁₀	3
135	Puducherry	Good	34	СО	1
136	Purnia	Very Poor	396	PM _{2.5}	1
137	Raichur	Moderate	101	PM ₁₀	1
138	Rairangpur	Moderate	172	PM _{2.5}	1
139	Rajamahendravaram	Moderate	106	PM _{2.5}	1
140	Rajgir	Very Poor	344	PM _{2.5}	1
141	Ramanagara	Satisfactory	56	PM ₁₀	1
142	Ramanathapuram	Good	22	PM ₁₀	1
143	Ratlam	Moderate	130	PM _{2.5}	1
144	Rohtak	Poor	270	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rourkela	Poor	261	PM _{2.5}	1
146	Rupnagar	Moderate	132	PM _{2.5}	1
147	Sagar	Moderate	128	PM _{2.5} , CO	2
148	Saharsa	Very Poor	335	PM _{2.5}	1
149	Salem	Good	37	PM ₁₀	1
150	Samastipur	Very Poor	331	PM _{2.5}	1
151	Sasaram	Very Poor	363	PM _{2.5}	1
152	Satna	Satisfactory	57	PM ₁₀	1
153	Shillong	Good	26	PM _{2.5}	1
154	Shivamogga	Satisfactory	68	PM ₁₀	1
155	Siliguri	Moderate	120	PM ₁₀	1
156	Singrauli	Very Poor	350	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Poor	204	PM _{2.5}	1
158	Sivasagar	Satisfactory	59	PM ₁₀	1
159	Siwan	Very Poor	399	PM _{2.5}	1
160	Sonipat	Poor	295	PM _{2.5}	1
161	Suakati	Poor	251	PM _{2.5}	1
162	Surat	Poor	293	PM _{2.5}	1
163	Talcher	Moderate	131	PM _{2.5}	1
164	Tensa	Moderate	194	PM _{2.5}	1
165	Thane	Moderate	188	03	1
166	Thiruvananthapuram	Good	39	PM _{2.5} , CO	2
167	Thoothukudi	Good	25	PM ₁₀	1
168	Thrissur	Satisfactory	67	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupati	Satisfactory	54	NO ₂ , CO	2
170	Tirupur	Satisfactory	70	PM ₁₀	1
171	Udaipur	Poor	218	PM _{2.5}	1
172	Ujjain	Poor	214	PM _{2.5}	1
173	Vapi	Very Poor	348	PM _{2.5}	1
174	Varanasi	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
175	Vatva	Moderate	167	PM _{2.5}	1
176	Vijayapura	Satisfactory	86	PM ₁₀	1
177	Visakhapatnam	Moderate	165	PM _{2.5}	1
178	Vrindavan	Moderate	156	PM ₁₀	1
179	Yadgir	Satisfactory	73	PM ₁₀	1
180	Yamunanagar	Poor	237	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Arrah, Aurangabad (Maharashtra), Bathinda, Bhilai, Buxar, Chengalpattu, Coimbatore, Dehradun, Dharuhera, Dharwad, Dindigul, Ernakulam, Gummidipoondi, Jorapokhar, Kalaburgi, Keonjhar, Korba, Naharlagun, Nashik, Panipat, Pune, Raipur, Solapur, Srinagar, Udupi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.