



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	149	PM _{2.5}	1
2	Agra	Poor	208	PM _{2.5}	1
3	Ahmedabad	Moderate	138	PM ₁₀	1
4	Aizawl	Moderate	162	PM _{2.5}	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Alwar	Moderate	101	PM ₁₀	1
7	Amaravati	Satisfactory	66	PM ₁₀	1
8	Ambala	Moderate	104	PM ₁₀	1
9	Amritsar	Satisfactory	93	PM ₁₀	1
10	Ankleshwar	Poor	209	PM _{2.5}	1
11	Asansol	Moderate	148	PM ₁₀	1
12	Aurangabad	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	52	PM _{2.5}	1
14	Baghpat	Poor	251	PM _{2.5}	1
15	Bahadurgarh	Poor	254	PM _{2.5}	1
16	Ballabgarh	Poor	279	PM _{2.5}	1
17	Bathinda	Moderate	124	PM ₁₀	1
18	Bengaluru	Satisfactory	80	PM _{2.5} , PM ₁₀ , NO ₂	9
19	Bhiwadi	Very Poor	302	PM ₁₀	1
20	Bhiwani	Moderate	152	O ₃	1
21	Bhopal	Moderate	123	PM ₁₀	1
22	Brajrajnagar	Moderate	145	PM ₁₀	1
23	Bulandshahr	Poor	272	PM _{2.5}	1
24	Chandigarh	Moderate	118	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	137	O ₃ , PM _{2.5}	2
26	Charkhi Dadri	Poor	273	PM _{2.5}	1
27	Chennai	Satisfactory	78	PM _{2.5}	6
28	Chikkaballapur	Moderate	114	PM _{2.5}	1
29	Chikkamagaluru	Satisfactory	69	PM ₁₀	1
30	Coimbatore	Satisfactory	89	PM _{2.5}	1
31	Damoh	Satisfactory	72	PM _{2.5}	1
32	Davanagere	Satisfactory	94	PM ₁₀	1
33	Delhi	Poor	298	PM ₁₀ , PM _{2.5}	37
34	Dewas	Moderate	116	PM ₁₀	1
35	Durgapur	Poor	293	PM ₁₀	1
36	Ernakulam	Satisfactory	62	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	286	PM ₁₀ , PM _{2.5}	4
38	Fatehabad	Moderate	123	PM ₁₀	1
39	Gandhinagar	Moderate	102	PM ₁₀	1
40	Gaya	Satisfactory	91	O ₃	1
41	Ghaziabad	Very Poor	346	PM ₁₀	4
42	Greater Noida	Very Poor	303	PM ₁₀	2
43	Gurugram	Poor	251	PM _{2.5}	4
44	Guwahati	Poor	298	PM _{2.5}	2
45	Gwalior	Moderate	144	PM ₁₀	1
46	Hajipur	Poor	228	PM ₁₀	1
47	Hapur	Moderate	172	PM ₁₀	1
48	Hisar	Poor	236	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	275	PM _{2.5}	3
50	Hubballi	Moderate	123	PM ₁₀	1
51	Hyderabad	Moderate	131	PM _{2.5} , PM ₁₀	4
52	Indore	Poor	213	PM ₁₀	1
53	Jabalpur	Moderate	158	PM ₁₀	1
54	Jaipur	Moderate	107	PM ₁₀	3
55	Jalandhar	Moderate	137	PM ₁₀	1
56	Jind	Poor	225	PM _{2.5}	1
57	Jodhpur	Moderate	166	PM _{2.5}	1
58	Jorapokhar	Satisfactory	97	O ₃	1
59	Kaithal	Moderate	135	PM ₁₀	1
60	Kalaburgi	Moderate	108	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Poor	247	PM _{2.5}	1
62	Kannur	Satisfactory	71	PM ₁₀	1
63	Kanpur	Moderate	138	PM _{2.5}	2
64	Karnal	Moderate	143	PM ₁₀	1
65	Katni	Poor	217	PM ₁₀	1
66	Khanna	Moderate	111	PM ₁₀	1
67	Kochi	Satisfactory	90	PM _{2.5}	1
68	Kohima	Poor	213	PM _{2.5}	1
69	Kolkata	Poor	251	PM _{2.5}	7
70	Kollam	Moderate	108	PM ₁₀	1
71	Koppal	Satisfactory	91	PM ₁₀	1
72	Kota	Moderate	131	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Satisfactory	85	PM ₁₀	1
74	Kurukshetra	Moderate	130	PM _{2.5}	1
75	Lucknow	Moderate	178	PM _{2.5} , PM ₁₀	4
76	Ludhiana	Moderate	119	PM _{2.5}	1
77	Maihar	Satisfactory	66	PM ₁₀	1
78	Mandi Gobindgarh	Moderate	156	PM ₁₀	1
79	Mandikhera	Satisfactory	100	PM _{2.5}	1
80	Manesar	Poor	257	PM _{2.5}	1
81	Manglore	Satisfactory	56	PM ₁₀	1
82	Medikeri	Good	45	PM ₁₀	1
83	Meerut	Poor	264	PM _{2.5}	2
84	Moradabad	Moderate	195	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mumbai	Moderate	191	PM _{2.5} , PM ₁₀	19
86	Muzaffarnagar	Moderate	196	PM ₁₀	1
87	Muzaffarpur	Very Poor	306	PM _{2.5}	1
88	Mysuru	Satisfactory	86	PM ₁₀	1
89	Nandesari	Moderate	112	CO	1
90	Narnaul	Moderate	192	PM ₁₀	1
91	Nashik	Moderate	109	PM _{2.5}	1
92	Navi Mumbai	Poor	217	PM _{2.5} , PM ₁₀	3
93	Noida	Poor	292	PM ₁₀ , PM _{2.5}	4
94	Pali	Moderate	114	PM ₁₀	1
95	Palwal	Moderate	115	PM ₁₀	1
96	Panchkula	Satisfactory	63	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	115	PM ₁₀	1
98	Patna	Poor	233	PM ₁₀ , PM _{2.5}	6
99	Pithampur	Moderate	136	PM ₁₀	1
100	Puducherry	Good	49	PM _{2.5}	1
101	Pune	Moderate	113	PM _{2.5} , PM ₁₀	7
102	Raichur	Moderate	134	PM ₁₀	1
103	Rajamahendravaram	Satisfactory	100	PM ₁₀	1
104	Ratlam	Moderate	137	PM ₁₀	1
105	Rohtak	Poor	235	PM _{2.5}	1
106	Rupnagar	Satisfactory	85	PM ₁₀	1
107	Sagar	Moderate	119	PM _{2.5}	1
108	Satna	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	75	O ₃	1
110	Siliguri	Very Poor	329	PM _{2.5}	1
111	Singrauli	Poor	252	PM _{2.5}	1
112	Sirsa	Moderate	107	PM _{2.5}	1
113	Solapur	Moderate	134	PM ₁₀	1
114	Sonipat	Moderate	184	PM ₁₀	1
115	Srinagar	Satisfactory	96	PM ₁₀	1
116	Talcher	Moderate	178	PM ₁₀	1
117	Thane	Very Poor	348	PM ₁₀	1
118	Thiruvananthapuram	Satisfactory	74	PM ₁₀	1
119	Thoothukudi	Satisfactory	52	PM ₁₀	1
120	Thrissur	Satisfactory	98	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Feb 25, 2021 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Moderate	102	PM _{2.5}	1
122	Udaipur	Moderate	109	PM ₁₀	1
123	Udupi	Poor	221	O ₃	1
124	Ujjain	Moderate	183	O ₃	1
125	Vapi	Moderate	157	PM ₁₀	1
126	Varanasi	Moderate	152	O ₃	1
127	Vatva	Poor	238	PM _{2.5}	1
128	Visakhapatnam	Moderate	119	PM ₁₀	1
129	Yadgir	Satisfactory	89	O ₃	1
130	Yamunanagar	Moderate	185	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bidar, Chamarajanagar, Dharuhera, Eloor, Gadag, Gummidipoondi, Haldia, Kolar, Mandideep, Nagpur, Panipat, Ramanagara, Shillong, Vijayapura as data was not available.
Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.