

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	23	SO ₂	1
2	Agra	Satisfactory	89	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	70	PM ₁₀	7
4	Ajmer	Satisfactory	84	PM ₁₀	1
5	Alwar	Satisfactory	74	PM ₁₀	1
6	Amaravati	Good	25	со	1
7	Ambala	Satisfactory	68	PM ₁₀	1
8	Amritsar	Satisfactory	60	PM ₁₀	1
9	Ankleshwar	Satisfactory	74	PM ₁₀	1
10	Asansol	Satisfactory	88	PM _{2.5}	1
11	Bagalkot	Good	37	PM ₁₀	1
12	Baghpat	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	104	PM ₁₀	1
14	Ballabgarh	Moderate	126	PM ₁₀	1
15	Bathinda	Satisfactory	58	PM ₁₀	1
16	Bengaluru	Satisfactory	57	CO, PM ₁₀	7
17	Bhiwadi	Moderate	123	PM ₁₀	1
18	Bhiwani	Moderate	104	PM ₁₀	1
19	Bhopal	Satisfactory	97	PM ₁₀	1
20	Bidar	Satisfactory	57	SO ₂	1
21	Bulandshahr	Moderate	135	PM ₁₀	1
22	Chamarajanagar	Good	42	PM ₁₀	1
23	Chandigarh	Satisfactory	96	O ₃ , PM ₁₀	2
24	Chandrapur	Good	30	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	150	PM _{2.5}	1
26	Chennai	Satisfactory	74	CO, PM _{2.5} , PM ₁₀	6
27	Chikkaballapur	Good	38	PM ₁₀	1
28	Chikkamagaluru	Good	26	03	1
29	Damoh	Good	43	PM ₁₀	1
30	Davanagere	Good	27	PM ₁₀	1
31	Delhi	Moderate	121	PM ₁₀	33
32	Dewas	Satisfactory	52	PM _{2.5}	1
33	Dharuhera	Satisfactory	89	PM _{2.5}	1
34	Eloor	Good	48	03	1
35	Ernakulam	Good	34	PM ₁₀	1
36	Faridabad	Moderate	131	PM ₁₀ , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	108	PM ₁₀	1
38	Firozabad	Satisfactory	92	PM ₁₀	1
39	Gadag	Good	20	СО	1
40	Gandhinagar	Satisfactory	55	PM _{2.5} , CO	2
41	Gaya	Satisfactory	60	CO, PM _{2.5}	2
42	Ghaziabad	Moderate	146	PM ₁₀	3
43	Gorakhpur	Good	29	PM _{2.5}	1
44	Greater Noida	Moderate	163	PM ₁₀	1
45	Gurugram	Satisfactory	91	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Good	48	PM _{2.5}	1
47	Gwalior	Satisfactory	98	PM ₁₀	1
48	Hajipur	Moderate	119	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	29	СО	1
50	Hapur	Moderate	137	PM ₁₀	1
51	Hisar	Moderate	108	PM ₁₀	1
52	Howrah	Good	37	O ₃ , PM ₁₀ , CO	3
53	Hubballi	Good	48	PM ₁₀	1
54	Hyderabad	Good	42	CO, NO ₂ , PM ₁₀	6
55	Indore	Satisfactory	86	PM ₁₀	1
56	Jabalpur	Satisfactory	79	PM ₁₀	1
57	Jaipur	Satisfactory	84	PM ₁₀	2
58	Jalandhar	Satisfactory	66	PM _{2.5}	1
59	Jind	Moderate	118	PM ₁₀	1
60	Jodhpur	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	109	PM ₁₀	1
62	Kalaburgi	Good	29	PM ₁₀	1
63	Kalyan	Good	28	со	1
64	Kannur	Satisfactory	54	PM _{2.5}	1
65	Kanpur	Satisfactory	76	PM ₁₀ , O ₃ , PM _{2.5}	3
66	Karnal	Satisfactory	60	PM _{2.5}	1
67	Katni	Satisfactory	94	PM ₁₀	1
68	Khanna	Good	45	PM ₁₀	1
69	Kochi	Good	44	PM ₁₀	1
70	Kohima	Good	34	SO ₂	1
71	Kolkata	Good	38	PM ₁₀	7
72	Kollam	Satisfactory	89	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Good	39	со	1
74	Kota	Satisfactory	63	PM ₁₀	1
75	Kozhikode	Satisfactory	59	со	1
76	Kurukshetra	Satisfactory	97	PM ₁₀	1
77	Lucknow	Satisfactory	64	PM ₁₀ , PM _{2.5} , CO	6
78	Ludhiana	Good	45	PM ₁₀	1
79	Maihar	Good	50	PM _{2.5}	1
80	Mandi Gobindgarh	Satisfactory	92	PM _{2.5}	1
81	Mandideep	Satisfactory	59	PM ₁₀	1
82	Mandikhera	Satisfactory	70	PM ₁₀	1
83	Manglore	Satisfactory	99	NO ₂	1
84	Medikeri	Good	29	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	151	PM ₁₀	3
86	Moradabad	Moderate	189	PM ₁₀	1
87	Mumbai	Satisfactory	58	CO, PM ₁₀	20
88	Muzaffarnagar	Moderate	136	PM ₁₀	1
89	Mysuru	Good	35	PM ₁₀	1
90	Nagpur	Satisfactory	59	PM ₁₀	1
91	Narnaul	Satisfactory	52	PM _{2.5}	1
92	Nashik	Good	28	PM _{2.5}	1
93	Navi Mumbai	Satisfactory	57	CO, PM _{2.5}	2
94	Noida	Moderate	143	PM ₁₀	3
95	Pali	Satisfactory	93	PM ₁₀	1
96	Palwal	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Satisfactory	51	03	1
98	Panipat	Moderate	122	PM ₁₀	1
99	Patna	Satisfactory	71	O ₃ , PM ₁₀	5
100	Pithampur	Satisfactory	67	PM ₁₀	1
101	Prayagraj	Satisfactory	85	PM ₁₀	3
102	Puducherry	Satisfactory	51	PM ₁₀	1
103	Pune	Satisfactory	71	CO, PM _{2.5}	6
104	Raichur	Good	25	PM ₁₀	1
105	Rajamahendravaram	Good	24	со	1
106	Ramanagara	Good	44	PM ₁₀	1
107	Ratlam	Satisfactory	57	PM ₁₀	1
108	Rohtak	Moderate	114	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rupnagar	Satisfactory	82	PM ₁₀	1
110	Sagar	Good	37	PM _{2.5}	1
111	Satna	Satisfactory	69	PM ₁₀	1
112	Shillong	Good	17	SO ₂	1
113	Shivamogga	Good	36	PM ₁₀	1
114	Siliguri	Good	49	PM ₁₀	1
115	Singrauli	Moderate	116	PM ₁₀	1
116	Sirsa	Moderate	111	PM ₁₀	1
117	Sonipat	Moderate	161	PM ₁₀	1
118	Srinagar	Good	47	PM ₁₀	1
119	Talcher	Satisfactory	93	со	1
120	Thane	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Satisfactory	58	PM ₁₀ , CO	2
122	Thoothukudi	Satisfactory	58	PM ₁₀	1
123	Tirupati	Good	39	со	1
124	Udaipur	Satisfactory	83	PM ₁₀	1
125	Udupi	Satisfactory	95	со	1
126	Ujjain	Satisfactory	86	PM ₁₀	1
127	Vapi	Good	44	PM ₁₀	1
128	Varanasi	Satisfactory	75	PM ₁₀	3
129	Vatva	Satisfactory	96	PM ₁₀	1
130	Vijayapura	Good	50	со	1
131	Visakhapatnam	Satisfactory	78	PM ₁₀	1
132	Vrindavan	Satisfactory	99	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	20	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Aurangabad, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Durgapur, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manesar, Motihari, Muzaffarpur, Naharlagun, Nandesari, Patiala, Solapur, Thrissur, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.