

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	138	PM <sub>2.5</sub>	1
2	Agra	Moderate	105	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	96	03	8
4	Aizawl	Satisfactory	55	PM <sub>10</sub>	1
5	Akola	Moderate	120	PM <sub>10</sub>	1
6	Alwar	Satisfactory	77	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	71	PM <sub>10</sub>	1
8	Ambala	Satisfactory	91	со	1
9	Amravati	Moderate	116	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	77	PM <sub>10</sub>	1
11	Anantapur	Satisfactory	62	PM <sub>10</sub>	1
12	Araria	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	28	PM <sub>10</sub>	1
14	Arrah	Moderate	121	PM <sub>2.5</sub>	1
15	Asansol	Moderate	108	PM <sub>2.5</sub>	1
16	Aurangabad (Maharashtra)	Satisfactory	70	PM <sub>10</sub>	3
17	Baddi	Moderate	138	PM <sub>10</sub>	1
18	Badlapur	Satisfactory	81	PM <sub>10</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Moderate	136	PM <sub>10</sub>	1
21	Bahadurgarh	Moderate	109	PM <sub>10</sub>	1
22	Ballabgarh	Satisfactory	86	PM <sub>10</sub>	1
23	Banswara	Moderate	119	PM <sub>10</sub>	1
24	Baran	Moderate	120	PM <sub>2.5</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Satisfactory	72	PM <sub>10</sub>	2
26	Baripada	Satisfactory	71	PM <sub>10</sub>	1
27	Barmer	Satisfactory	94	PM <sub>10</sub>	1
28	Bathinda	Moderate	114	PM <sub>10</sub>	1
29	Belapur	Satisfactory	64	PM <sub>10</sub>	1
30	Belgaum	Good	46	со	1
31	Bengaluru	Satisfactory	51	PM <sub>2.5</sub> , PM <sub>10</sub>	8
32	Bettiah	Moderate	115	PM <sub>10</sub>	1
33	Bhagalpur	Moderate	157	PM <sub>10</sub>	1
34	Bharatpur	Moderate	148	PM <sub>10</sub>	1
35	Bhilai	Satisfactory	56	PM <sub>10</sub> , PM <sub>2.5</sub>	3
36	Bhilwara	Moderate	133	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	180	PM <sub>10</sub>	1
38	Bhiwandi	Satisfactory	59	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	67	СО	1
40	Bhopal	Moderate	111	PM <sub>10</sub>	3
41	Bidar	Satisfactory	68	PM <sub>10</sub>	1
42	Bihar Sharif	Good	36	03	1
43	Bikaner	Moderate	123	PM <sub>10</sub>	1
44	Bilaspur	Good	34	PM <sub>10</sub>	1
45	Bileipada	Moderate	148	PM <sub>10</sub>	1
46	Bulandshahr	Moderate	137	PM <sub>10</sub>	1
47	Byrnihat	Moderate	177	PM <sub>10</sub>	1
48	Chamarajanagar	Good	40	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandigarh	Moderate	130	PM <sub>10</sub>	3
50	Chandrapur	Satisfactory	98	PM <sub>2.5</sub>	1
51	Charkhi Dadri	Moderate	101	PM <sub>2.5</sub>	1
52	Chengalpattu	Satisfactory	59	СО	1
53	Chennai	Satisfactory	77	O <sub>3</sub> , PM <sub>10</sub>	7
54	Chhal	Satisfactory	75	PM <sub>10</sub>	1
55	Chhapra	Poor	285	PM <sub>10</sub>	1
56	Chikkaballapur	Good	34	PM <sub>10</sub>	1
57	Chikkamagaluru	Good	45	PM <sub>10</sub>	1
58	Chittoor	Satisfactory	60	O <sub>3</sub>	1
59	Chittorgarh	Moderate	109	PM <sub>10</sub>	1
60	Churu	Satisfactory	51	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Cuddalore	Good	25	PM <sub>2.5</sub>	1
62	Dausa	Moderate	115	PM <sub>10</sub>	1
63	Dehradun	Moderate	101	со	1
64	Delhi	Moderate	136	PM <sub>10</sub>	35
65	Dewas	Satisfactory	68	PM <sub>10</sub>	1
66	Dharuhera	Moderate	143	PM <sub>10</sub>	1
67	Dholpur	Satisfactory	81	PM <sub>10</sub>	1
68	Dhule	Moderate	123	PM <sub>10</sub>	1
69	Eloor	Satisfactory	58	PM <sub>10</sub>	1
70	Faridabad	Moderate	115	PM <sub>10</sub> , PM <sub>2.5</sub>	4
71	Fatehabad	Moderate	107	O <sub>3</sub>	1
72	Firozabad	Moderate	107	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	39	SO <sub>2</sub>	1
74	Gandhinagar	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	2
75	Gangtok	Satisfactory	65	SO <sub>2</sub>	1
76	Gaya	Satisfactory	92	со	3
77	Ghaziabad	Moderate	149	PM <sub>10</sub>	4
78	Gorakhpur	Moderate	129	PM <sub>10</sub>	1
79	Greater Noida	Moderate	174	PM <sub>10</sub>	2
80	Gummidipoondi	Satisfactory	96	PM <sub>10</sub>	1
81	Gurugram	Moderate	180	PM <sub>2.5</sub> , CO	3
82	Guwahati	Moderate	169	PM <sub>10</sub>	4
83	Gwalior	Satisfactory	86	PM <sub>2.5</sub>	3
84	Hajipur	Moderate	114	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Satisfactory	87	PM <sub>10</sub>	1
86	Hanumangarh	Moderate	137	PM <sub>10</sub>	1
87	Hapur	Satisfactory	68	PM <sub>10</sub>	1
88	Haveri	Good	39	со	1
89	Hisar	Moderate	126	PM <sub>10</sub>	1
90	Hosur	Good	46	PM <sub>10</sub>	1
91	Howrah	Moderate	120	PM <sub>10</sub>	3
92	Hubballi	Satisfactory	59	PM <sub>10</sub>	2
93	Hyderabad	Satisfactory	85	PM <sub>10</sub>	12
94	Indore	Moderate	111	PM <sub>10</sub>	1
95	Jabalpur	Moderate	101	PM <sub>10</sub>	3
96	Jaipur	Moderate	112	PM <sub>10</sub>	6

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Moderate	105	PM <sub>10</sub>	1
98	Jalandhar	Moderate	116	PM <sub>10</sub>	1
99	Jalgaon	Satisfactory	98	PM <sub>2.5</sub>	1
100	Jalna	Satisfactory	70	PM <sub>10</sub>	1
101	Jhalawar	Satisfactory	99	PM <sub>2.5</sub>	1
102	Jhansi	Satisfactory	86	PM <sub>10</sub>	1
103	Jhunjhunu	Moderate	102	PM <sub>10</sub>	1
104	Jind	Moderate	103	PM <sub>10</sub>	1
105	Jodhpur	Satisfactory	95	PM <sub>10</sub>	5
106	Kadapa	Good	33	PM <sub>2.5</sub>	1
107	Kaithal	Moderate	180	PM <sub>2.5</sub>	1
108	Kalaburgi	Satisfactory	84	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kalyan	Satisfactory	77	PM <sub>10</sub>	1
110	Kanchipuram	Good	25	со	1
111	Kannur	Satisfactory	70	PM <sub>10</sub>	1
112	Kanpur	Satisfactory	79	PM <sub>10</sub>	3
113	Karauli	Satisfactory	52	PM <sub>10</sub>	1
114	Karnal	Satisfactory	81	PM <sub>10</sub>	1
115	Kashipur	Moderate	131	PM <sub>10</sub>	1
116	Katihar	Moderate	143	со	1
117	Katni	Moderate	121	PM <sub>10</sub>	1
118	Keonjhar	Satisfactory	95	PM <sub>10</sub>	1
119	Khanna	Moderate	104	PM <sub>10</sub>	1
120	Khurja	Moderate	124	PM <sub>2.5</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kishanganj	Satisfactory	94	PM <sub>10</sub>	1
122	Kochi	Satisfactory	70	СО	1
123	Kohima	Satisfactory	100	PM <sub>10</sub>	1
124	Kolar	Good	36	PM <sub>2.5</sub>	1
125	Kolhapur	Satisfactory	63	PM <sub>10</sub>	2
126	Kolkata	Moderate	106	PM <sub>10</sub>	7
127	Kollam	Good	47	PM <sub>10</sub>	1
128	Korba	Good	46	PM <sub>10</sub>	2
129	Kota	Satisfactory	89	PM <sub>10</sub>	3
130	Kunjemura	Satisfactory	95	PM <sub>10</sub>	1
131	Kurukshetra	Moderate	109	PM <sub>10</sub>	1
132	Latur	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Lucknow	Moderate	118	PM <sub>10</sub> , PM <sub>2.5</sub>	6
134	Ludhiana	Satisfactory	88	PM <sub>10</sub>	1
135	Madikeri	Good	31	PM <sub>10</sub>	1
136	Maihar	Satisfactory	61	PM <sub>10</sub>	1
137	Mandi Gobindgarh	Moderate	146	PM <sub>2.5</sub>	1
138	Mandideep	Satisfactory	94	PM <sub>10</sub>	1
139	Mandikhera	Satisfactory	66	PM <sub>10</sub>	1
140	Manesar	Satisfactory	67	PM <sub>2.5</sub>	1
141	Mangalore	Satisfactory	92	PM <sub>10</sub>	1
142	Meerut	Moderate	135	PM <sub>10</sub>	3
143	Milupara	Satisfactory	63	PM <sub>10</sub>	1
144	Moradabad	Moderate	121	PM <sub>10</sub>	6

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Motihari	Poor	229	PM <sub>10</sub>	1
146	Mumbai	Satisfactory	81	PM <sub>2.5</sub> , CO	18
147	Munger	Moderate	132	PM <sub>10</sub>	1
148	Muzaffarpur	Moderate	129	PM <sub>2.5</sub> , NO <sub>2</sub>	3
149	Mysuru	Satisfactory	53	PM <sub>10</sub>	1
150	Nagaon	Poor	206	PM <sub>2.5</sub>	1
151	Nagaur	Moderate	113	PM <sub>10</sub>	1
152	Nagpur	Satisfactory	96	PM <sub>10</sub>	4
153	Nanded	Moderate	129	PM <sub>10</sub>	1
154	Nandesari	Good	50	СО	1
155	Narnaul	Moderate	118	PM <sub>10</sub>	1
156	Nashik	Satisfactory	68	PM <sub>10</sub>	4

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Navi Mumbai	Satisfactory	64	PM <sub>10</sub>	7
158	Nayagarh	Satisfactory	84	PM <sub>10</sub>	1
159	Noida	Moderate	129	PM <sub>10</sub> , CO	4
160	Ooty	Satisfactory	51	PM <sub>10</sub>	1
161	Pali	Satisfactory	93	PM <sub>10</sub>	1
162	Palwal	Good	40	PM <sub>10</sub>	1
163	Panchkula	Moderate	139	PM <sub>2.5</sub>	1
164	Panipat	Moderate	131	PM <sub>2.5</sub>	1
165	Parbhani	Poor	251	O <sub>3</sub>	1
166	Patiala	Satisfactory	96	PM <sub>10</sub>	1
167	Patna	Moderate	135	PM <sub>10</sub> , NO <sub>2</sub>	6
168	Pimpri Chinchwad	Satisfactory	64	PM <sub>2.5</sub>	3

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Moderate	109	PM <sub>10</sub>	1
170	Prayagraj	Moderate	132	PM <sub>10</sub>	2
171	Puducherry	Good	48	03	1
172	Pune	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub>	6
173	Purnia	Satisfactory	87	PM <sub>10</sub>	1
174	Raipur	Satisfactory	70	PM <sub>10</sub>	3
175	Rajamahendravaram	Satisfactory	59	O <sub>3</sub>	1
176	Rajgir	Moderate	110	PM <sub>10</sub>	1
177	Rajsamand	Moderate	104	PM <sub>10</sub>	1
178	Ramanagara	Good	29	PM <sub>10</sub>	1
179	Ramanathapuram	Good	25	PM <sub>10</sub>	1
180	Ratlam	Satisfactory	98	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rishikesh	Satisfactory	75	PM <sub>10</sub>	1
182	Rohtak	Satisfactory	56	PM <sub>2.5</sub>	1
183	Rourkela	Moderate	124	PM <sub>10</sub>	1
184	Rupnagar	Moderate	134	PM <sub>10</sub>	1
185	Sagar	Satisfactory	99	PM <sub>10</sub>	1
186	Saharsa	Moderate	106	PM <sub>10</sub>	1
187	Samastipur	Moderate	118	PM <sub>2.5</sub>	1
188	Sangli	Good	40	PM <sub>10</sub>	1
189	Sasaram	Moderate	120	PM <sub>2.5</sub>	1
190	Satna	Moderate	113	PM <sub>10</sub>	1
191	Sawai Madhopur	Satisfactory	89	PM <sub>10</sub>	1
192	Shillong	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Shivamogga	Satisfactory	70	PM <sub>10</sub>	1
194	Sikar	Moderate	105	PM <sub>10</sub>	1
195	Silchar	Good	43	со	1
196	Siliguri	Satisfactory	59	PM <sub>10</sub>	1
197	Singrauli	Moderate	144	PM <sub>10</sub>	1
198	Sirohi	Satisfactory	74	PM <sub>10</sub>	1
199	Sirsa	Moderate	137	PM <sub>10</sub>	1
200	Sivasagar	Good	40	PM <sub>10</sub>	1
201	Siwan	Poor	224	PM <sub>2.5</sub>	1
202	Solapur	Satisfactory	85	PM <sub>2.5</sub> , PM <sub>10</sub>	3
203	Sri Ganganagar	Satisfactory	100	PM <sub>10</sub>	1
204	Srinagar	Satisfactory	90	PM <sub>10</sub>	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Talcher	Satisfactory	86	PM <sub>10</sub>	1
206	Tensa	Satisfactory	77	PM <sub>10</sub>	1
207	Thane	Satisfactory	78	PM <sub>10</sub>	2
208	Thiruvananthapuram	Good	44	со	2
209	Thoothukudi	Good	34	PM <sub>10</sub>	1
210	Thrissur	Satisfactory	57	PM <sub>10</sub>	1
211	Tirupati	Good	32	PM <sub>10</sub>	2
212	Tumakuru	Satisfactory	67	со	1
213	Udaipur	Satisfactory	73	PM <sub>10</sub>	1
214	Ujjain	Satisfactory	89	PM <sub>10</sub>	1
215	Ulhasnagar	Satisfactory	87	PM <sub>10</sub>	1
216	Vapi	Moderate	107	СО	1

Notes:

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### $^{\star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Varanasi	Satisfactory	64	PM <sub>10</sub>	4
218	Vatva	Moderate	110	PM <sub>10</sub>	1
219	Vijayapura	Good	50	PM <sub>10</sub>	1
220	Vijayawada	Satisfactory	73	PM <sub>2.5</sub> , O <sub>3</sub>	2
221	Visakhapatnam	Satisfactory	93	PM <sub>2.5</sub>	1
222	Vrindavan	Good	44	PM <sub>10</sub>	1
223	Yadgir	Satisfactory	54	PM <sub>10</sub>	1
224	Yamunanagar	Moderate	112	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

<sup>\*</sup> AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,