

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	209	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	113	PM <sub>10</sub>	1
3	Ajmer	Satisfactory	86	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	79	PM <sub>10</sub>	1
5	Amaravati	Good	50	O <sub>3</sub>	1
6	Ambala	Moderate	182	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	143	PM <sub>2.5</sub>	1
8	Asansol	Good	45	PM <sub>10</sub>	1
9	Aurangabad	Satisfactory	79	PM <sub>10</sub>	1
10	Baghpat	Poor	252	PM <sub>2.5</sub>	1
11	Bahadurgarh	Moderate	164	PM <sub>2.5</sub>	1
12	Ballabgarh	Moderate	105	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Good	37	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	60	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	8
15	Bhiwadi	Poor	247	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	177	O <sub>3</sub>	1
17	Bhopal	Moderate	164	PM <sub>10</sub>	1
18	Brajrajnagar	Good	47	PM <sub>10</sub>	1
19	Bulandshahr	Poor	246	PM <sub>2.5</sub>	1
20	Chandigarh	Moderate	115	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	2
22	Charkhi Dadri	Very Poor	320	PM <sub>2.5</sub>	1
23	Chennai	Satisfactory	58	PM <sub>2.5</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
24	Chikkaballapur	Satisfactory	91	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Satisfactory	51	PM <sub>10</sub>	1
26	Damoh	Poor	222	PM <sub>2.5</sub>	1
27	Delhi	Poor	215	PM <sub>10</sub> , PM <sub>2.5</sub>	35
28	Dewas	Moderate	126	PM <sub>10</sub>	1
29	Dharuhera	Poor	246	PM <sub>10</sub>	1
30	Eloor	Good	35	со	1
31	Ernakulam	Satisfactory	84	со	1
32	Faridabad	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	4
33	Fatehabad	Moderate	145	PM <sub>2.5</sub>	1
34	Gandhinagar	Satisfactory	76	PM <sub>10</sub>	1
35	Gaya	Good	36	PM <sub>10</sub>	1
36	Ghaziabad	Poor	246	PM <sub>10</sub> , PM <sub>2.5</sub>	4

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Poor	257	PM <sub>10</sub> , PM <sub>2.5</sub>	2
38	Gurugram	Moderate	194	PM <sub>2.5</sub>	3
39	Guwahati	Good	36	PM <sub>10</sub>	1
40	Gwalior	Moderate	188	PM <sub>2.5</sub>	1
41	Hajipur	Good	36	PM <sub>10</sub>	1
42	Hapur	Moderate	187	PM <sub>10</sub>	1
43	Hisar	Moderate	132	PM <sub>10</sub>	1
44	Howrah	Good	44	PM <sub>10</sub>	1
45	Hubballi	Satisfactory	80	PM <sub>10</sub>	1
46	Hyderabad	Moderate	107	PM <sub>10</sub> , O <sub>3</sub>	6
47	Indore	Moderate	169	PM <sub>10</sub>	1
48	Jabalpur	Moderate	132	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Moderate	106	PM <sub>10</sub>	3
50	Jalandhar	Moderate	107	PM <sub>2.5</sub>	1
51	Jind	Poor	255	PM <sub>2.5</sub>	1
52	Jodhpur	Moderate	126	PM <sub>10</sub>	1
53	Kaithal	Moderate	124	PM <sub>10</sub>	1
54	Kalaburgi	Satisfactory	95	PM <sub>10</sub>	1
55	Kalyan	Good	47	PM <sub>2.5</sub>	1
56	Kannur	Good	48	со	1
57	Kanpur	Moderate	199	PM <sub>2.5</sub>	1
58	Karnal	Moderate	153	PM <sub>2.5</sub>	1
59	Katni	Moderate	167	PM <sub>10</sub>	1
60	Khanna	Moderate	105	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Good	40	PM <sub>10</sub>	1
62	Kolkata	Good	40	PM <sub>10</sub> , O <sub>3</sub>	7
63	Kota	Satisfactory	63	PM <sub>10</sub>	1
64	Kozhikode	Good	40	со	1
65	Kurukshetra	Poor	214	PM <sub>2.5</sub>	1
66	Lucknow	Poor	260	PM <sub>2.5</sub>	4
67	Ludhiana	Moderate	128	PM <sub>2.5</sub>	1
68	Maihar	Good	43	PM <sub>10</sub>	1
69	Mandi Gobindgarh	Satisfactory	93	PM <sub>2.5</sub>	1
70	Mandideep	Moderate	103	PM <sub>2.5</sub>	1
71	Mandikhera	Moderate	119	PM <sub>2.5</sub>	1
72	Manesar	Moderate	183	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Meerut	Poor	263	PM <sub>2.5</sub> , PM <sub>10</sub>	3
74	Moradabad	Poor	286	PM <sub>2.5</sub>	1
75	Mumbai	Satisfactory	93	PM <sub>10</sub>	8
76	Muzaffarnagar	Poor	282	PM <sub>2.5</sub>	1
77	Muzaffarpur	Satisfactory	74	PM <sub>10</sub> , PM <sub>2.5</sub>	2
78	Mysuru	Good	33	O <sub>3</sub>	1
79	Nagpur	Satisfactory	72	PM <sub>2.5</sub>	1
80	Nandesari	Moderate	188	со	1
81	Narnaul	Moderate	140	PM <sub>10</sub>	1
82	Nashik	Satisfactory	64	O <sub>3</sub>	1
83	Navi Mumbai	Satisfactory	84	PM <sub>10</sub> , PM <sub>2.5</sub>	2
84	Noida	Poor	207	PM <sub>2.5</sub> , PM <sub>10</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	102	PM <sub>10</sub>	1
86	Palwal	Moderate	155	PM <sub>10</sub>	1
87	Panchkula	Satisfactory	97	PM <sub>2.5</sub>	1
88	Panipat	Poor	251	PM <sub>10</sub>	1
89	Patiala	Moderate	114	PM <sub>10</sub>	1
90	Patna	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	5
91	Pithampur	Moderate	122	PM <sub>10</sub>	1
92	Rajamahendravaram	Good	47	O <sub>3</sub>	1
93	Ramanagara	Good	44	PM <sub>10</sub>	1
94	Ratlam	Moderate	149	PM <sub>10</sub>	1
95	Rohtak	Poor	206	PM <sub>2.5</sub>	1
96	Rupnagar	Moderate	145	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sagar	Satisfactory	90	PM <sub>2.5</sub>	1
98	Satna	Satisfactory	65	PM <sub>10</sub>	1
99	Siliguri	Good	47	PM <sub>10</sub>	1
100	Singrauli	Moderate	105	PM <sub>10</sub>	1
101	Sirsa	Moderate	129	PM <sub>10</sub>	1
102	Solapur	Moderate	104	PM <sub>10</sub>	1
103	Sonipat	Moderate	177	PM <sub>10</sub>	1
104	Talcher	Satisfactory	82	PM <sub>10</sub>	1
105	Thane	Moderate	129	PM <sub>10</sub>	1
106	Thiruvananthapuram	Good	48	PM <sub>10</sub>	1
107	Tirupati	Satisfactory	74	PM <sub>10</sub>	1
108	Udaipur	Satisfactory	61	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ujjain	Moderate	198	O <sub>3</sub>	1
110	Vapi	Satisfactory	89	PM <sub>10</sub>	1
111	Varanasi	Satisfactory	98	PM <sub>10</sub>	1
112	Vatva	Moderate	144	PM <sub>10</sub>	1
113	Vijayapura	Satisfactory	72	O <sub>3</sub>	1
114	Visakhapatnam	Satisfactory	67	PM <sub>10</sub>	1
115	Yamunanagar	Poor	257	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ankleshwar, Bagalkot, Coimbatore, Jorapokhar, Kochi, Kollam, Pune, Shillong, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.