

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	22	SO ₂	1
2	Agra	Satisfactory	97	PM _{2.5}	1
3	Ahmedabad	Satisfactory	92	PM ₁₀	1
4	Aizawl	Good	13	PM ₁₀	1
5	Ajmer	Satisfactory	95	PM ₁₀	1
6	Alwar	Satisfactory	56	PM ₁₀	1
7	Amaravati	Satisfactory	84	PM ₁₀	1
8	Ambala	Satisfactory	87	PM ₁₀	1
9	Amritsar	Satisfactory	95	PM ₁₀	1
10	Ankleshwar	Satisfactory	99	03	1
11	Asansol	Satisfactory	66	PM ₁₀	1
12	Bagalkot	Satisfactory	71	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	169	PM ₁₀	1
14	Bahadurgarh	Moderate	102	PM ₁₀	1
15	Ballabgarh	Moderate	116	PM ₁₀	1
16	Bathinda	Satisfactory	80	PM ₁₀	1
17	Bengaluru	Good	46	PM ₁₀ , CO, O ₃	8
18	Bhiwadi	Poor	268	PM _{2.5}	1
19	Bhiwani	Moderate	113	PM ₁₀	1
20	Bhopal	Moderate	111	03	1
21	Bidar	Moderate	103	PM ₁₀	1
22	Brajrajnagar	Satisfactory	79	PM ₁₀	1
23	Bulandshahr	Moderate	173	03	1
24	Chamarajanagar	Good	48	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	85	PM ₁₀	1
26	Chandrapur	Moderate	106	PM ₁₀	2
27	Charkhi Dadri	Moderate	143	PM _{2.5}	1
28	Chennai	Satisfactory	65	PM ₁₀	5
29	Chikkaballapur	Good	33	PM ₁₀	1
30	Chikkamagaluru	Good	39	PM ₁₀	1
31	Damoh	Good	45	PM ₁₀	1
32	Davanagere	Good	38	PM ₁₀	1
33	Delhi	Moderate	140	O ₃ , PM ₁₀	28
34	Dewas	Satisfactory	96	PM ₁₀	1
35	Dharuhera	Moderate	181	PM ₁₀	1
36	Durgapur	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	60	со	1
38	Faridabad	Moderate	182	O ₃ , PM _{2.5} , PM ₁₀	4
39	Fatehabad	Satisfactory	85	PM _{2.5}	1
40	Gadag	Good	27	PM _{2.5}	1
41	Gaya	Satisfactory	74	PM ₁₀ , CO	2
42	Ghaziabad	Moderate	167	O ₃ , PM ₁₀	4
43	Greater Noida	Moderate	129	PM ₁₀	2
44	Gummidipoondi	Moderate	113	PM ₁₀	1
45	Gurugram	Moderate	114	PM ₁₀ , PM _{2.5}	3
46	Guwahati	Satisfactory	54	SO ₂ , PM ₁₀	2
47	Gwalior	Moderate	122	O ₃	1
48	Hajipur	Moderate	170	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	30	03	1
50	Hapur	Moderate	113	03	1
51	Hassan	Satisfactory	65	PM ₁₀	1
52	Hisar	Moderate	139	PM ₁₀	1
53	Howrah	Satisfactory	72	O ₃ , CO	3
54	Hubballi	Good	50	PM ₁₀	1
55	Hyderabad	Satisfactory	91	PM ₁₀ , PM _{2.5}	6
56	Indore	Moderate	114	PM ₁₀	1
57	Jabalpur	Moderate	126	PM ₁₀	1
58	Jaipur	Moderate	129	PM ₁₀	3
59	Jalandhar	Satisfactory	93	PM ₁₀	1
60	Jind	Moderate	126	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	155	PM ₁₀	1
62	Jorapokhar	Satisfactory	100	PM ₁₀	1
63	Kaithal	Moderate	103	PM ₁₀	1
64	Kalaburgi	Satisfactory	73	PM ₁₀	1
65	Kalyan	Satisfactory	94	PM ₁₀	1
66	Kannur	Moderate	127	PM ₁₀	1
67	Kanpur	Satisfactory	75	O ₃	1
68	Karnal	Moderate	109	PM ₁₀	1
69	Katni	Moderate	143	PM ₁₀	1
70	Khanna	Satisfactory	98	PM ₁₀	1
71	Kochi	Satisfactory	53	PM ₁₀	1
72	Kohima	Good	28	SO ₂	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Good	41	O ₃ , PM ₁₀	7
74	Kollam	Moderate	105	PM ₁₀	1
75	Kota	Satisfactory	95	PM ₁₀	1
76	Kozhikode	Good	43	со	1
77	Kurukshetra	Moderate	113	PM ₁₀	1
78	Lucknow	Moderate	126	O ₃ , PM ₁₀	4
79	Ludhiana	Satisfactory	93	PM ₁₀	1
80	Mandi Gobindgarh	Poor	243	PM _{2.5}	1
81	Mandideep	Satisfactory	56	PM ₁₀	1
82	Mandikhera	Poor	205	PM _{2.5}	1
83	Manesar	Moderate	140	PM _{2.5}	1
84	Manglore	Good	49	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Good	40	PM ₁₀	1
86	Meerut	Moderate	131	PM ₁₀	3
87	Moradabad	Moderate	119	PM ₁₀	1
88	Mumbai	Satisfactory	74	PM ₁₀	18
89	Muzaffarnagar	Moderate	121	PM ₁₀	1
90	Muzaffarpur	Moderate	118	PM _{2.5} , PM ₁₀	2
91	Nagpur	Satisfactory	84	PM ₁₀	1
92	Narnaul	Moderate	175	PM ₁₀	1
93	Navi Mumbai	Satisfactory	70	CO, PM ₁₀	2
94	Noida	Moderate	133	PM ₁₀	3
95	Pali	Moderate	132	PM ₁₀	1
96	Palwal	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Good	40	PM _{2.5}	1
98	Panipat	Moderate	122	PM ₁₀	1
99	Patiala	Satisfactory	90	PM ₁₀	1
100	Patna	Moderate	139	PM ₁₀ , PM _{2.5}	4
101	Pithampur	Satisfactory	74	PM ₁₀	1
102	Puducherry	Satisfactory	53	PM ₁₀	1
103	Pune	Satisfactory	68	PM ₁₀ , CO, PM _{2.5}	6
104	Raichur	Satisfactory	70	PM ₁₀	1
105	Rajamahendravaram	Moderate	130	PM _{2.5}	1
106	Ratlam	Satisfactory	93	PM ₁₀	1
107	Rohtak	Moderate	103	со	1
108	Rupnagar	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Satisfactory	70	PM _{2.5}	1
110	Satna	Satisfactory	66	PM ₁₀	1
111	Shivamogga	Good	43	PM ₁₀	1
112	Siliguri	Satisfactory	70	PM _{2.5}	1
113	Singrauli	Very Poor	305	PM ₁₀	1
114	Sirsa	Moderate	120	PM ₁₀	1
115	Sonipat	Moderate	171	PM ₁₀	1
116	Srinagar	Satisfactory	97	PM ₁₀	1
117	Talcher	Moderate	106	со	1
118	Thane	Moderate	120	PM ₁₀	1
119	Thiruvananthapuram	Satisfactory	56	PM ₁₀	2
120	Thoothukudi	Satisfactory	68	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Satisfactory	54	PM ₁₀	1
122	Udaipur	Moderate	111	PM ₁₀	1
123	Ujjain	Moderate	117	O ₃	1
124	Vapi	Satisfactory	73	PM ₁₀	1
125	Varanasi	Poor	218	O ₃	1
126	Vatva	Moderate	129	PM ₁₀	1
127	Visakhapatnam	Moderate	158	PM ₁₀	1
128	Yadgir	Satisfactory	56	PM ₁₀	1
129	Yamunanagar	Moderate	163	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Coimbatore, Ernakulam, Gandhinagar, Kolar, Koppal, Maihar, Mysuru, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thrissur, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.