Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	128	$PM_{2.5}$	1
2	Agra	Satisfactory	66	PM_{10}	6
3	Ahmedabad	Satisfactory	84	PM_{10}	8
4	Aizawl	Satisfactory	62	PM_{10}	1
5	Ajmer	Satisfactory	52	$PM_{2.5}$	1
6	Alwar	Satisfactory	58	PM_{10}	1
7	Amaravati	Satisfactory	65	CO	1
8	Ambala	Satisfactory	85	$PM_{2.5}$	1
9	Amritsar	Moderate	106	$PM_{2.5}$	1
10	Anantapur	Good	39	$PM_{2.5}$	1
11	Ankleshwar	Satisfactory	80	CO	1
12	Araria	Moderate	134	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	32	NO_2	1
14	Arrah	Moderate	148	$PM_{2.5}$	1
15	Asansol	Moderate	120	PM_{10}	1
16	Aurangabad (Bihar)	Satisfactory	98	PM_{10}	1
17	Aurangabad (Maharashtra)	Satisfactory	54	PM_{10}	1
18	Baddi	Poor	214	O_3	1
19	Bagalkot	Good	46	PM_{10}	1
20	Baghpat	Moderate	175	PM_{10}	1
21	Bahadurgarh	Moderate	159	$PM_{2.5}$	1
22	Ballabgarh	Satisfactory	58	PM_{10}	1
23	Banswara	Satisfactory	88	O_3	1
24	Baripada	Satisfactory	79	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	60	O_3	1
26	Bathinda	Satisfactory	59	PM_{10}	1
27	Begusarai	Poor	263	$PM_{2.5}$	1
28	Belgaum	Satisfactory	53	PM_{10}	1
29	Bengaluru	Satisfactory	79	NO_2, PM_{10}	11
30	Bettiah	Moderate	196	PM_{10}	1
31	Bhagalpur	Moderate	143	PM_{10}	2
32	Bharatpur	Moderate	110	PM_{10}	1
33	Bhilai	Good	24	NO_2, CO	3
34	Bhiwadi	Moderate	122	PM_{10}	1
35	Bhiwani	Moderate	128	NO_2	1
36	Bhopal	Satisfactory	91	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	172	PM_{10}	1
38	Bikaner	Satisfactory	57	O_3	1
39	Bileipada	Moderate	146	PM_{10}	1
40	Brajrajnagar	Satisfactory	96	CO	1
41	Bulandshahr	Satisfactory	71	O_3	1
42	Byrnihat	Satisfactory	86	PM_{10}	1
43	Chamarajanagar	Good	37	PM_{10}	1
44	Chandigarh	Moderate	126	O_3, PM_{10}	3
45	Chandrapur	Satisfactory	66	PM_{10}	1
46	Charkhi Dadri	Moderate	124	$PM_{2.5}$	1
47	Chennai	Satisfactory	59	CO	6
48	Chhal	Good	39	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	37	PM_{10}	1
50	Chikkamagaluru	Satisfactory	95	PM_{10}	1
51	Chittorgarh	Satisfactory	64	O_3	1
52	Churu	Satisfactory	70	O_3	1
53	Cuddalore	Moderate	124	NO_2	2
54	Dausa	Satisfactory	99	PM_{10}	1
55	Davanagere	Good	35	PM_{10}	1
56	Dehradun	Satisfactory	96	$PM_{2.5}$	1
57	Delhi	Moderate	132	CO, $PM_{2.5}$	39
58	Dewas	Satisfactory	52	$PM_{2.5}$	1
59	Dhanbad	Poor	249	$PM_{2.5}$	1
60	Dharuhera	Moderate	134	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	54	PM_{10}	1
62	Dholpur	Satisfactory	78	$PM_{2.5}$	1
63	Durgapur	Moderate	118	PM_{10}	1
64	Eloor	Satisfactory	76	PM_{10}	1
65	Faridabad	Moderate	147	$PM_{2.5}$	3
66	Fatehabad	Moderate	153	PM_{10}	1
67	Firozabad	Satisfactory	70	PM_{10}	2
68	Gadag	Satisfactory	74	PM_{10}	1
69	Gandhinagar	Satisfactory	63	$PM_{2.5}$	3
70	Gangtok	Good	46	O_3	1
71	Gaya	Satisfactory	96	PM_{10}	3
72	Ghaziabad	Moderate	104	PM_{10}	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Moderate	137	$PM_{2.5}$	1
74	Greater Noida	Moderate	132	NO_2, PM_{10}	2
75	Gurugram	Moderate	118	$PM_{2.5}$, PM_{10}	4
76	Guwahati	Satisfactory	74	O_3	4
77	Gwalior	Satisfactory	88	$PM_{2.5}$	4
78	Hajipur	Poor	214	PM_{10}	1
79	Haldia	Good	47	PM_{10}	1
80	Hanumangarh	Moderate	137	PM_{10}	1
81	Hapur	Satisfactory	65	O_3	1
82	Howrah	Satisfactory	56	PM_{10}	3
83	Hubballi	Satisfactory	72	PM_{10}, CO	2
84	Hyderabad	Satisfactory	74	PM_{10}	12

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Imphal	Satisfactory	78	SO_2	2
86	Indore	Good	46	NO_2	2
87	Jabalpur	Satisfactory	59	O_3	1
88	Jaipur	Satisfactory	62	O_3, PM_{10}	6
89	Jalandhar	Satisfactory	92	PM_{10}	1
90	Jhalawar	Satisfactory	56	O_3	1
91	Jhansi	Moderate	113	PM_{10}	1
92	Jind	Moderate	111	$PM_{2.5}$	1
93	Jodhpur	Satisfactory	74	O_3	3
94	Kadapa	Good	34	O_3	1
95	Kaithal	Moderate	135	PM_{10}	1
96	Kalaburgi	Good	22	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kalyan	Satisfactory	87	PM_{10}	1
98	Kanchipuram	Good	32	PM_{10}	1
99	Kanpur	Satisfactory	93	$PM_{2.5}$	4
100	Karauli	Satisfactory	73	O_3	1
101	Karnal	Satisfactory	87	PM_{10}	1
102	Katihar	Moderate	131	PM_{10}	1
103	Katni	Good	47	O_3	1
104	Keonjhar	Satisfactory	80	PM_{10}	1
105	Khanna	Satisfactory	58	PM_{10}	1
106	Khurja	Satisfactory	79	$PM_{2.5}$	1
107	Kishanganj	Satisfactory	93	PM_{10}	1
108	Kochi	Satisfactory	71	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kohima	Satisfactory	78	$PM_{2.5}$	1
110	Kolhapur	Satisfactory	62	PM_{10}	2
111	Kolkata	Satisfactory	62	O_3, PM_{10}	7
112	Kollam	Satisfactory	80	PM_{10}	1
113	Korba	Satisfactory	58	NO_2, PM_{10}	2
114	Kota	Satisfactory	85	$PM_{2.5}$	3
115	Kurukshetra	Moderate	142	$PM_{2.5}$	1
116	Lucknow	Satisfactory	99	PM_{10}	6
117	Ludhiana	Satisfactory	89	$PM_{2.5}$	1
118	Madikeri	Good	23	O_3	1
119	Mandi Gobindgarh	Moderate	118	$PM_{2.5}$	1
120	Mandideep	Satisfactory	87	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandikhera	Satisfactory	88	PM_{10}	1
122	Manesar	Satisfactory	98	PM_{10}	1
123	Mangalore	Good	49	CO	1
124	Manguraha	Moderate	120	$PM_{2.5}$	1
125	Meerut	Moderate	134	PM_{10}	3
126	Milupara	Good	31	NO_2	1
127	Moradabad	Satisfactory	66	CO, PM_{10}	6
128	Motihari	Moderate	110	NO_2	1
129	Mumbai	Satisfactory	81	PM_{10}	18
130	Munger	Moderate	171	PM_{10}	1
131	Muzaffarnagar	Poor	234	$PM_{2.5}$	1
132	Muzaffarpur	Moderate	194	$PM_{2.5}$	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mysuru	Good	44	PM_{10}	1
134	Nagaon	Satisfactory	86	O_3	1
135	Nagpur	Good	38	$PM_{2.5}$	1
136	Nalbari	Moderate	125	$PM_{2.5}$	1
137	Narnaul	Satisfactory	93	PM_{10}	1
138	Nashik	Good	41	PM_{10}	1
139	Navi Mumbai	Satisfactory	89	PM_{10}	2
140	Noida	Moderate	123	NO_2, PM_{10}	4
141	Ooty	Good	49	SO_2	1
142	Pali	Satisfactory	59	PM_{10}	1
143	Panipat	Moderate	121	PM_{10}	1
144	Patiala	Satisfactory	85	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patna	Poor	203	$PM_{2.5}$	6
146	Pithampur	Satisfactory	52	PM_{10}	1
147	Pratapgarh	Satisfactory	51	O_3	1
148	Prayagraj	Good	45	PM_{10}	3
149	Puducherry	Good	35	O_3	1
150	Pune	Satisfactory	92	PM_{10}	2
151	Purnia	Satisfactory	68	PM_{10}	1
152	Raipur	Satisfactory	52	NO_2	4
153	Rairangpur	Satisfactory	73	PM_{10}	1
154	Rajamahendravaram	Good	45	PM_{10}	1
155	Rajgir	Moderate	108	CO	1
156	Rajsamand	Good	50	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Ramanagara	Satisfactory	51	O_3	1
158	Ratlam	Satisfactory	70	NO_2	1
159	Rishikesh	Satisfactory	61	PM_{10}	1
160	Rohtak	Satisfactory	89	$PM_{2.5}$	1
161	Rourkela	Moderate	106	$PM_{2.5}$, PM_{10}	2
162	Rupnagar	Satisfactory	97	NO_2	1
163	Sagar	Satisfactory	71	O_3	1
164	Saharsa	Moderate	163	$PM_{2.5}$	1
165	Salem	Satisfactory	88	SO_2	1
166	Sasaram	Moderate	161	O_3	1
167	Satna	Good	33	PM_{10}	1
168	Shillong	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Sikar	Satisfactory	70	O_3	1
170	Silchar	Good	40	CO	1
171	Siliguri	Satisfactory	61	PM_{10}	1
172	Singrauli	Moderate	107	NO_2	1
173	Sirohi	Satisfactory	83	O_3	1
174	Sirsa	Satisfactory	93	PM_{10}	1
175	Sivasagar	Good	31	$PM_{2.5}$	1
176	Siwan	Poor	213	$PM_{2.5}$	1
177	Solapur	Moderate	135	PM_{10}	1
178	Sri Ganganagar	Poor	235	PM_{10}	1
179	Srinagar	Satisfactory	97	PM_{10}	1
180	Suakati	Satisfactory	73	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Surat	Satisfactory	80	CO	1
182	Tensa	Satisfactory	51	PM_{10}	1
183	Thiruvananthapuram	Good	44	CO	2
184	Thoothukudi	Good	18	PM_{10}	1
185	Thrissur	Good	50	PM_{10}	1
186	Tirupati	Satisfactory	61	PM_{10}, CO	2
187	Tirupur	Good	27	SO_2	1
188	Tonk	Satisfactory	70	PM_{10}	1
189	Tumakuru	Satisfactory	81	PM_{10}	1
190	Tumidih	Good	36	PM_{10}	1
191	Udaipur	Satisfactory	78	PM_{10}	1
192	Ujjain	Satisfactory	64	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, ~~Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh,~~ Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Apr 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Vapi	Satisfactory	63	$PM_{2.5}$	1
194	Varanasi	Good	47	SO_2	3
195	Vatva	Moderate	103	PM_{10}	1
196	Vijayapura	Good	46	PM_{10}	1
197	Visakhapatnam	Moderate	151	PM_{10}	1
198	Vrindavan	Moderate	124	PM_{10}	1
199	Yadgir	Good	31	CO	1
200	Yamunanagar	Moderate	159	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bareilly, Bidar, Bilaspur, Bundi, Buxar, Chengalpattu, Chhapra, Chittoor, Coimbatore, Damoh, Darbhanga, Dindigul, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Hosur, Jaisalmer, Jhunjhunu, Jorapokhar, Kannur, Kashipur, Kolar, Koppal, Kozhikode, Kunjemura, Maihar, Naharlagun, Nandesari, Nayagarh, Palkalaiperur, Palwal, Panchkula, Pimpri Chinchwad, Raichur, Ramanathapuram, Samastipur, Sawai Madhopur, Shivamogga, Sonipat, Talcher, Thane, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.