

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	104	PM _{2.5}	1
2	Agra	Satisfactory	74	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	92	CO, PM ₁₀	8
4	Aizawl	Good	34	PM ₁₀	1
5	Akola	Satisfactory	88	PM ₁₀	1
6	Alwar	Satisfactory	86	PM ₁₀	1
7	Amaravati	Good	50	СО	1
8	Ambala	Satisfactory	97	СО	1
9	Amravati	Moderate	104	PM ₁₀	2
10	Anantapur	Good	49	PM ₁₀	1
11	Ankleshwar	Satisfactory	63	со	1
12	Araria	Satisfactory	64	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	42	PM ₁₀	1
14	Asansol	Good	35	PM ₁₀	1
15	Aurangabad (Bihar)	Satisfactory	76	со	1
16	Aurangabad (Maharashtra)	Satisfactory	51	PM ₁₀	3
17	Baddi	Satisfactory	93	PM ₁₀	1
18	Badlapur	Moderate	116	PM ₁₀	1
19	Bagalkot	Good	42	PM ₁₀	1
20	Baghpat	Satisfactory	87	PM ₁₀	1
21	Bahadurgarh	Satisfactory	94	PM ₁₀	1
22	Ballabgarh	Satisfactory	68	PM ₁₀	1
23	Banswara	Satisfactory	99	PM ₁₀	1
24	Baran	Satisfactory	97	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, — Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi,

Virar, Visakhapatnam, vellore as data was not available.
Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bareilly	Good	48	PM ₁₀	2
26	Baripada	Good	31	PM ₁₀	1
27	Barmer	Satisfactory	73	PM ₁₀	1
28	Bathinda	Moderate	123	PM ₁₀	1
29	Belgaum	Good	48	со	1
30	Bengaluru	Satisfactory	52	PM ₁₀	7
31	Bhagalpur	Satisfactory	56	со	2
32	Bharatpur	Moderate	134	PM ₁₀	1
33	Bhilai	Good	32	PM ₁₀ , PM _{2.5}	2
34	Bhilwara	Moderate	114	PM ₁₀	1
35	Bhiwadi	Moderate	188	PM ₁₀	1
36	Bhiwandi	Satisfactory	75	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, — Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur,

Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwani	Satisfactory	65	со	1
38	Bhopal	Satisfactory	91	PM ₁₀	3
39	Bidar	Good	26	со	1
40	Bihar Sharif	Good	29	со	1
41	Bikaner	Satisfactory	98	PM ₁₀	1
42	Bilaspur	Satisfactory	69	со	1
43	Bulandshahr	Satisfactory	76	PM ₁₀	1
44	Bundi	Moderate	114	PM ₁₀	1
45	Byrnihat	Poor	245	PM ₁₀	1
46	Chamarajanagar	Good	42	PM ₁₀	1
47	Chandigarh	Satisfactory	91	PM ₁₀	3
48	Chandrapur	Satisfactory	91	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	84	PM ₁₀	1
50	Chennai	Satisfactory	70	NO ₂ , CO	7
51	Chhapra	Moderate	103	PM ₁₀	1
52	Chikkaballapur	Good	27	PM ₁₀	1
53	Chikkamagaluru	Satisfactory	51	PM ₁₀	1
54	Chittoor	Good	34	PM ₁₀	1
55	Chittorgarh	Satisfactory	81	PM ₁₀	1
56	Churu	Satisfactory	54	O ₃	1
57	Cuddalore	Poor	223	NO ₂	2
58	Damoh	Good	22	PM _{2.5}	1
59	Dausa	Moderate	116	PM ₁₀	1
60	Davanagere	Good	44	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes:

Possible Health Impacts					
	Good	Minimal Impact			

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dehradun	Satisfactory	92	со	1
62	Delhi	Moderate	121	O ₃ , PM ₁₀	34
63	Dewas	Good	50	PM ₁₀	1
64	Dharuhera	Moderate	129	PM ₁₀	1
65	Dharwad	Satisfactory	97	PM ₁₀	1
66	Dholpur	Satisfactory	96	PM ₁₀	1
67	Dhule	Moderate	115	PM ₁₀	1
68	Durgapur	Good	34	SO ₂	1
69	Eloor	Good	48	PM ₁₀	1
70	Faridabad	Satisfactory	90	PM _{2.5} , PM ₁₀	4
71	Fatehabad	Moderate	137	03	1
72	Firozabad	Satisfactory	83	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad,

Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gadag	Good	47	SO ₂	1
74	Gandhinagar	Moderate	113	PM _{2.5} , PM ₁₀	2
75	Gangtok	Satisfactory	61	SO ₂	1
76	Gaya	Moderate	184	со	1
77	Ghaziabad	Satisfactory	95	PM ₁₀	3
78	Gorakhpur	Satisfactory	59	SO ₂	1
79	Greater Noida	Moderate	158	PM ₁₀	2
80	Gummidipoondi	Satisfactory	99	PM ₁₀	1
81	Gurugram	Moderate	185	PM _{2.5}	2
82	Guwahati	Satisfactory	100	PM ₁₀	4
83	Gwalior	Moderate	106	PM ₁₀	3
84	Hajipur	Good	27	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, ar, Arrah, Begusarai, Belapur, Bettiah, Bileipada

Notes:

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad,

Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi,

Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	34	PM ₁₀	1
86	Hanumangarh	Moderate	172	PM ₁₀	1
87	Hassan	Satisfactory	57	PM ₁₀	1
88	Haveri	Good	39	со	1
89	Hisar	Moderate	132	PM ₁₀	1
90	Hosur	Satisfactory	55	PM ₁₀	1
91	Howrah	Good	32	PM ₁₀	3
92	Hubballi	Satisfactory	78	PM ₁₀	2
93	Hyderabad	Satisfactory	63	PM ₁₀ , PM _{2.5}	9
94	Indore	Satisfactory	99	PM ₁₀	1
95	Jabalpur	Satisfactory	96	PM ₁₀	3
96	Jaipur	Satisfactory	94	PM ₁₀	5

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, — Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes: Di

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur,

Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaisalmer	Satisfactory	67	PM ₁₀	1
98	Jalandhar	Satisfactory	58	PM ₁₀	1
99	Jalgaon	Satisfactory	62	PM _{2.5}	1
100	Jalna	Satisfactory	51	03	1
101	Jhalawar	Satisfactory	85	PM ₁₀	1
102	Jhansi	Moderate	106	PM ₁₀	1
103	Jhunjhunu	Satisfactory	97	PM ₁₀	1
104	Jind	Satisfactory	84	PM ₁₀	1
105	Jodhpur	Satisfactory	89	PM ₁₀ , CO	5
106	Kadapa	Good	32	PM _{2.5}	1
107	Kaithal	Satisfactory	87	PM _{2.5}	1
108	Kalyan	Satisfactory	94	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B

Notes:

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar,

Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi,

Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanchipuram	Good	33	PM ₁₀	1
110	Kannur	Satisfactory	70	PM ₁₀	1
111	Kanpur	Satisfactory	61	O ₃ , CO	3
112	Karauli	Satisfactory	66	PM ₁₀	1
113	Karnal	Satisfactory	68	SO ₂	1
114	Kashipur	Satisfactory	56	PM ₁₀	1
115	Katihar	Satisfactory	99	со	1
116	Katni	Satisfactory	73	PM ₁₀	1
117	Keonjhar	Good	45	PM ₁₀	1
118	Khanna	Satisfactory	80	PM ₁₀	1
119	Khurja	Satisfactory	94	PM _{2.5}	1
120	Kishanganj	Satisfactory	83	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B

Notes:

Possible Health Impacts					
Good	Minimal Impact				

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kochi	Satisfactory	83	со	1
122	Kohima	Satisfactory	58	SO ₂	1
123	Kolar	Good	43	PM ₁₀	1
124	Kolhapur	Satisfactory	64	PM ₁₀	2
125	Kolkata	Good	33	O ₃ , PM ₁₀	7
126	Kollam	Satisfactory	74	PM ₁₀	1
127	Korba	Good	26	NO ₂	1
128	Kota	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
129	Kunjemura	Good	24	СО	1
130	Kurukshetra	Satisfactory	79	PM ₁₀	1
131	Latur	Good	46	со	1
132	Lucknow	Satisfactory	65	PM ₁₀	6

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, - Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ludhiana	Satisfactory	95	PM ₁₀	1
134	Madikeri	Good	23	O ₃	1
135	Mahad	Satisfactory	69	PM ₁₀	1
136	Maihar	Good	29	PM ₁₀	1
137	Mandideep	Satisfactory	90	PM ₁₀	1
138	Mandikhera	Satisfactory	63	PM ₁₀	1
139	Manesar	Satisfactory	68	PM _{2.5}	1
140	Mangalore	Satisfactory	53	со	1
141	Manguraha	Good	19	PM ₁₀	1
142	Meerut	Satisfactory	81	PM ₁₀	2
143	Milupara	Good	33	03	1
144	Moradabad	Satisfactory	54	PM ₁₀	4

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes: D

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Boisar,

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Motihari	Satisfactory	89	PM ₁₀	1
146	Mumbai	Satisfactory	81	NO ₂ , CO	19
147	Muzaffarpur	Satisfactory	79	NO ₂	3
148	Mysuru	Satisfactory	68	PM ₁₀	1
149	Nagaon	Moderate	131	PM _{2.5}	1
150	Nagaur	Satisfactory	98	PM ₁₀	1
151	Nagpur	Satisfactory	73	PM ₁₀	4
152	Nalbari	Satisfactory	56	PM _{2.5}	1
153	Nanded	Satisfactory	81	O ₃	1
154	Narnaul	Moderate	117	PM ₁₀	1
155	Nashik	Satisfactory	56	PM ₁₀	4
156	Navi Mumbai	Moderate	118	PM _{2.5} , PM ₁₀	7

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nayagarh	Good	41	PM ₁₀	1
158	Noida	Moderate	123	со	4
159	Ooty	Good	26	PM ₁₀	1
160	Pali	Satisfactory	93	PM ₁₀	1
161	Palwal	Good	40	PM ₁₀	1
162	Panchkula	Satisfactory	98	PM _{2.5}	1
163	Panipat	Satisfactory	70	PM ₁₀	1
164	Parbhani	Satisfactory	84	PM ₁₀	1
165	Patiala	Satisfactory	81	PM ₁₀	1
166	Patna	Satisfactory	57	PM ₁₀ , O ₃	6
167	Pimpri Chinchwad	Satisfactory	69	PM _{2.5}	3
168	Pithampur	Moderate	102	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Boisar, Brairainagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhan

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pratapgarh	Satisfactory	98	PM ₁₀	1
170	Prayagraj	Satisfactory	69	PM ₁₀	3
171	Puducherry	Satisfactory	72	PM ₁₀	1
172	Pune	Satisfactory	95	PM _{2.5} , PM ₁₀	7
173	Purnia	Satisfactory	71	PM ₁₀	1
174	Raipur	Satisfactory	57	PM ₁₀ , CO	3
175	Rajamahendravaram	Satisfactory	77	O ₃	1
176	Rajsamand	Good	34	O ₃	1
177	Ramanagara	Satisfactory	51	PM ₁₀	1
178	Ramanathapuram	Satisfactory	63	со	1
179	Ratlam	Satisfactory	88	PM ₁₀	1
180	Rishikesh	Satisfactory	61	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, — Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi,

Virar, Visakhapatnam, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rourkela	Good	39	PM ₁₀	1
182	Rupnagar	Poor	201	PM ₁₀	1
183	Sagar	Satisfactory	80	PM ₁₀	1
184	Saharsa	Moderate	105	03	1
185	Salem	Satisfactory	79	SO ₂	1
186	Samastipur	Satisfactory	67	PM ₁₀	1
187	Sangli	Satisfactory	53	PM ₁₀	1
188	Satna	Satisfactory	63	PM ₁₀	1
189	Sawai Madhopur	Satisfactory	80	PM ₁₀	1
190	Shillong	Good	40	PM ₁₀ , PM _{2.5}	2
191	Shivamogga	Satisfactory	71	PM ₁₀	1
192	Sikar	Moderate	105	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, — Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Notes: Ding

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Silchar	Good	33	со	1
194	Siliguri	Satisfactory	52	PM ₁₀	1
195	Singrauli	Satisfactory	57	03	1
196	Sirohi	Satisfactory	59	PM ₁₀	1
197	Sirsa	Satisfactory	70	PM ₁₀	1
198	Sivasagar	Good	28	PM ₁₀	1
199	Siwan	Moderate	104	NO ₂	1
200	Solapur	Satisfactory	58	PM _{2.5} , PM ₁₀	3
201	Sonipat	Moderate	111	PM ₁₀	1
202	Sri Ganganagar	Satisfactory	95	PM ₁₀	1
203	Srinagar	Moderate	105	PM ₁₀	1
204	Suakati	Satisfactory	55	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,

Notes: D

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

-Amritsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, Beisar,

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Talcher	Good	39	SO ₂	1
206	Tensa	Good	45	NO ₂	1
207	Thane	Moderate	103	PM ₁₀	3
208	Thiruvananthapuram	Good	28	со	2
209	Thoothukudi	Good	36	PM ₁₀	1
210	Thrissur	Satisfactory	59	PM ₁₀	1
211	Tirupati	Good	32	NO ₂	2
212	Tonk	Moderate	102	PM ₁₀	1
213	Tumidih	Good	30	СО	1
214	Udaipur	Satisfactory	56	PM ₁₀	1
215	Ujjain	Satisfactory	79	PM ₁₀	1
216	Ulhasnagar	Moderate	102	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B

Notes:

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vapi	Moderate	109	со	1
218	Varanasi	Good	26	O ₃	3
219	Vatva	Moderate	103	PM ₁₀	1
220	Vijayapura	Satisfactory	53	PM ₁₀	1
221	Vijayawada	Satisfactory	58	PM _{2.5} , NO ₂	3
222	Vrindavan	Good	45	PM ₁₀	1
223	Yadgir	Good	36	PM ₁₀	1
224	Yamunanagar	Moderate	101	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

itsar, Arrah, Begusarai, Belapur, Bettiah, Bileipada, B Brajrajnagar, Buxar, Chengalpattu, Chhal, Coimbatore, Darbhanga, Dhanbad, Dindigul, Dungarpur, Ernakulam, Hapur, Imphal, Jalore, Jorapokhar, Kalaburgi, Koppal, Kozhikode, Malegaon, Mandi Gobindgarh, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Palkalaiperur, Raichur, Rairangpur, Rajgir, Rohtak, Sasaram, Surat, Tirupur, Tumakuru, Udupi, Virar, Visakhapatnam, vellore as data was not available.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

 $^{^{\}star}$ AQI is not calculated for today's bulletin for Ahmednagar, Ajmer,