Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	63	NO_2	1
2	Ahmedabad	Satisfactory	100	PM_{10}	1
3	Ajmer	Satisfactory	61	$PM_{2.5}$	1
4	Alwar	Satisfactory	55	PM_{10}	1
5	Amaravati	Moderate	111	$PM_{2.5}$	1
6	Ambala	Moderate	164	$PM_{2.5}$	1
7	Amritsar	Satisfactory	82	$PM_{2.5}$	1
8	Ankleshwar	Satisfactory	96	$PM_{2.5}$	1
9	Asanol	Moderate	114	$PM_{2.5}$	1
10	Aurangabad	Satisfactory	76	$PM_{2.5}$	1
11	Baghpat	Moderate	196	$PM_{2.5}$	1
12	Bahadurgarh	Satisfactory	70	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Moderate	173	$PM_{2.5}$	1
14	Bathinda	Satisfactory	93	PM_{10}	1
15	Bengaluru	Satisfactory	55	CO, PM_{10}, O_3	9
16	Bhiwadi	Poor	211	$PM_{2.5}$	1
17	Bhiwani	Moderate	122	O_3	1
18	Bhopal	Poor	207	$PM_{2.5}$	1
19	Brajrajnagar	Satisfactory	99	PM_{10}	1
20	Bulandshahr	Poor	277	$PM_{2.5}$	1
21	Chandigarh	Satisfactory	100	$PM_{2.5}$	1
22	Chandrapur	Satisfactory	88	$PM_{2.5}$, PM_{10}	2
23	Chennai	Satisfactory	66	$PM_{2.5}$, O_3	4
24	Chikkaballapur	Good	46	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	65	$PM_{2.5}$	1
26	Damoh	Moderate	101	$PM_{2.5}$	1
27	Delhi	Moderate	168	$PM_{2.5}$	34
28	Dewas	Moderate	114	$PM_{2.5}$	1
29	Eloor	Good	30	PM_{10}	1
30	Faridabad	Moderate	165	$PM_{2.5}$	1
31	Fatehabad	Satisfactory	59	PM_{10}	1
32	GandhiNagar	Satisfactory	74	PM_{10}	1
33	Gaya	Moderate	138	$PM_{2.5}$	1
34	Ghaziabad	Poor	238	$PM_{2.5}$	4
35	Greater_Noida	Poor	228	$PM_{2.5}$	2
36	Gurugram	Moderate	106	$PM_{2.5}$	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	251	$PM_{2.5}$	1
38	Haldia	Moderate	102	PM_{10}	1
39	Hapur	Moderate	124	PM_{10}	1
40	Hisar	Satisfactory	94	$PM_{2.5}$	1
41	Howrah	Poor	212	$PM_{2.5}$	2
42	Hubballi	Satisfactory	71	PM_{10}	1
43	Hyderabad	Moderate	131	$PM_{2.5}$, PM_{10}	6
44	Indore	Moderate	158	$PM_{2.5}$	1
45	Jabalpur	Moderate	186	$PM_{2.5}$	1
46	Jaipur	Satisfactory	83	PM_{10}, $PM_{2.5}$	3
47	Jalandhar	Satisfactory	78	$PM_{2.5}$	1
48	Jind	Satisfactory	99	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jodhpur	Moderate	123	$PM_{2.5}$	1
50	Jorapokhar	Moderate	109	$PM_{2.5}$	1
51	Kaithal	Satisfactory	77	PM_{10}	1
52	Kalaburagi	Satisfactory	90	PM_{10}	1
53	Kalyan	Moderate	152	PM_{10}	1
54	Kanpur	Moderate	190	$PM_{2.5}$	1
55	Karnal	Moderate	177	$PM_{2.5}$	1
56	Katni	Moderate	153	$PM_{2.5}$	1
57	Khanna	Moderate	113	PM_{10}	1
58	Kolkata	Moderate	128	$PM_{2.5}$, PM_{10}	6
59	Kota	Satisfactory	88	PM_{10}	1
60	Kurukshetra	Poor	226	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Lucknow	Moderate	164	$PM_{2.5}$	4
62	Ludhiana	Satisfactory	81	PM_{10}	1
63	Maihar	Satisfactory	56	$PM_{2.5}$	1
64	Mandideep	Moderate	132	PM_{10}	1
65	Mandikhera	Moderate	115	$PM_{2.5}$	1
66	Manesar	Satisfactory	70	$PM_{2.5}$	1
67	Meerut	Moderate	161	$PM_{2.5}$	2
68	Mumbai	Moderate	175	$PM_{2.5}$	9
69	Muzaffarpur	Poor	259	$PM_{2.5}$	1
70	Nagpur	Satisfactory	74	PM_{10}	1
71	Narnaul	Satisfactory	59	$PM_{2.5}$	1
72	Nashik	Moderate	108	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Moderate	187	$PM_{2.5}$	2
74	Noida	Poor	211	$PM_{2.5}$	4
75	Pali	Satisfactory	79	$PM_{2.5}$	1
76	Palwal	Satisfactory	98	$PM_{2.5}$	1
77	Panchkula	Satisfactory	93	$PM_{2.5}$	1
78	Panipat	Moderate	180	PM_{10}	1
79	Patiala	Satisfactory	88	PM_{10}	1
80	Pithampur	Moderate	169	$PM_{2.5}$	1
81	Pune	Moderate	151	$PM_{2.5}$	1
82	Rajamahendravaram	Satisfactory	94	$PM_{2.5}$	1
83	Ramanagara	Good	41	PM_{10}	1
84	Ratlam	Moderate	127	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rohtak	Satisfactory	94	$PM_{2.5}$	1
86	Rupnagar	Satisfactory	66	PM_{10}	1
87	Satna	Satisfactory	91	PM_{10}	1
88	Siliguri	Poor	213	$PM_{2.5}$	1
89	Singrauli	Poor	225	$PM_{2.5}$	1
90	Sirsa	Satisfactory	63	PM_{10}	1
91	Solapur	Moderate	122	PM_{10}	1
92	Talcher	Moderate	158	PM_{10}	1
93	Thane	Satisfactory	81	PM_{10}	1
94	Thiruvananthapuram	Satisfactory	60	PM_{10}	1
95	Tirupati	Good	45	PM_{10}	1
96	Udaipur	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 17, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ujjain	Moderate	187	$PM_{2.5}$	1
98	Vapi	Poor	205	$PM_{2.5}$	1
99	Varanasi	Poor	242	$PM_{2.5}$	1
100	Vatva	Moderate	123	PM_{10}	1
101	Visakhapatnam	Moderate	151	$PM_{2.5}$	1
102	Yadgir	Satisfactory	73	O_3	1
103	Yamunanagar	Poor	203	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Dharuhera, Mandi Gobindgarh, Moradabad, Muzaffarnagar, Mysuru, Patna, Shillong, Sonipat, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.