Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	249	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	70	NO_2	1
3	Ajmer	Moderate	156	$PM_{2.5}$	1
4	Alwar	Moderate	104	$PM_{2.5}$	1
5	Amaravati	Good	44	OZONE	1
6	Ambala	Very Poor	356	$PM_{2.5}$	1
7	Aurangabad	Satisfactory	64	PM_{10}	1
8	Baghpat	Severe	461	$PM_{2.5}$	1
9	Bahadurgarh	Very Poor	330	$PM_{2.5}$	1
10	Ballabgarh	Severe	467	PM_{10}	1
11	Bathinda	Very Poor	336	PM_{10}	1
12	Bengaluru	Satisfactory	66	PM_{10}, CO, $PM_{2.5}$	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bhiwadi	Poor	249	$PM_{2.5}$	1
14	Bhiwani	Very Poor	360	$PM_{2.5}$	1
15	Bhopal	Satisfactory	87	PM_{10}	1
16	Bulandshahr	Severe	430	PM_{10}	1
17	Chandigarh	Poor	256	$PM_{2.5}$	1
18	Chennai	Satisfactory	59	$PM_{2.5}$, CO	2
19	Chikkaballapur	Good	28	OZONE	1
20	Coimbatore	Satisfactory	96	CO	1
21	Delhi	Severe	419	$PM_{2.5}$	35
22	Dewas	Satisfactory	66	OZONE	1
23	Dharuhera	Very Poor	313	$PM_{2.5}$	1
24	Eloor	Good	36	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Severe	404	$PM_{2.5}$	1
26	Fatehabad	Poor	282	PM_{10}	1
27	GandhiNagar	Good	31	OZONE	1
28	Ghaziabad	Severe	478	$PM_{2.5}$	4
29	Greater_Noida	Severe	438	$PM_{2.5}$	2
30	Gurugram	Very Poor	365	$PM_{2.5}$	2
31	Guwahati	Satisfactory	97	$PM_{2.5}$	1
32	Haldia	Satisfactory	87	PM_{10}	1
33	Hapur	Severe	435	PM_{10}	1
34	Hisar	Very Poor	343	$PM_{2.5}$	1
35	Howrah	Poor	254	$PM_{2.5}$	3
36	Hubballi	Satisfactory	99	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Satisfactory	93	CO, $PM_{2.5}$, PM_{10}	6
38	Indore	Satisfactory	61	NO_2	1
39	Jabalpur	Moderate	139	$PM_{2.5}$	1
40	Jaipur	Moderate	180	$PM_{2.5}$, PM_{10}	3
41	Jalandhar	Poor	242	$PM_{2.5}$	1
42	Jind	Severe	415	$PM_{2.5}$	1
43	Jodhpur	Moderate	179	$PM_{2.5}$	1
44	Jorapokhar	Moderate	105	OZONE	1
45	Kaithal	Severe	423	PM_{10}	1
46	Kalaburagi	Satisfactory	65	$PM_{2.5}$	1
47	Kalyan	Satisfactory	91	PM_{10}	1
48	Karnal	Very Poor	388	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Katni	Poor	222	$PM_{2.5}$	1
50	Khanna	Poor	260	$PM_{2.5}$	1
51	Kolkata	Poor	205	$PM_{2.5}$	7
52	Kota	Poor	212	$PM_{2.5}$	1
53	Kurukshetra	Very Poor	390	$PM_{2.5}$	1
54	Lucknow	Very Poor	326	$PM_{2.5}$	3
55	Ludhiana	Poor	275	$PM_{2.5}$	1
56	Maihar	Satisfactory	56	$PM_{2.5}$	1
57	Mandi Gobindgarh	Poor	284	$PM_{2.5}$	1
58	Mandideep	Satisfactory	58	PM_{10}	1
59	Mandikhera	Poor	281	$PM_{2.5}$	1
60	Manesar	Poor	288	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Meerut	Severe	430	$PM_{2.5}$	3
62	Moradabad	Moderate	169	PM_{10}	1
63	Mumbai	Satisfactory	89	$PM_{2.5}$, CO	9
64	Muzaffarnagar	Severe	428	$PM_{2.5}$	1
65	Muzaffarpur	Very Poor	324	$PM_{2.5}$	1
66	Mysuru	Good	36	PM_{10}	1
67	Nagpur	Satisfactory	66	$PM_{2.5}$	1
68	Narnaul	Poor	252	$PM_{2.5}$	1
69	Nashik	Satisfactory	53	PM_{10}	1
70	Navi Mumbai	Satisfactory	87	$PM_{2.5}$, CO, PM_{10}	3
71	Noida	Severe	450	$PM_{2.5}$	4
72	Pali	Satisfactory	95	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Very Poor	328	$PM_{2.5}$	1
74	Panchkula	Moderate	183	$PM_{2.5}$	1
75	Panipat	Severe	475	PM_{10}	1
76	Patiala	Poor	260	$PM_{2.5}$	1
77	Patna	Very Poor	359	$PM_{2.5}$	1
78	Pithampur	Satisfactory	62	PM_{10}	1
79	Pune	Moderate	101	SO_2	1
80	Rajamahendravaram	Satisfactory	63	PM_{10}	1
81	Ramanagara	Good	39	PM_{10}	1
82	Ratlam	Satisfactory	99	NO_2	1
83	Rohtak	Very Poor	340	$PM_{2.5}$	1
84	Rupnagar	Poor	256	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Satna	Moderate	121	PM_{10}	1
86	Siliguri	Satisfactory	99	PM_{10}	1
87	Singrauli	Poor	279	$PM_{2.5}$	1
88	Sirsa	Very Poor	359	$PM_{2.5}$	1
89	Solapur	Satisfactory	70	PM_{10}	1
90	Sonipat	Poor	216	PM_{10}	1
91	Thane	Good	48	CO	1
92	Thiruvananthapuram	Good	46	CO	1
93	Tirupati	Good	37	CO	1
94	Udaipur	Moderate	129	$PM_{2.5}$	1
95	Ujjain	Satisfactory	67	OZONE	1
96	Vapi	Satisfactory	60	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Oct 30, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Varanasi	Poor	256	PM$_{2.5}$	1
98	Vatva	Good	46	CO	1
99	Yamunanagar	Very Poor	342	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Ankleshwar, Asanol, Brajrajnagar, Chandrapur, Damoh, Gaya, Kanpur, Shillong, Talcher, Vijayawada, Visakhapatnam, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.