

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	57	PM _{2.5}	1
2	Agra	Satisfactory	66	PM ₁₀	6
3	Ahmedabad	Satisfactory	82	со	7
4	Aizawl	Good	18	PM ₁₀	1
5	Ajmer	Moderate	115	PM _{2.5}	1
6	Akola	Good	36	PM ₁₀	1
7	Alwar	Satisfactory	67	PM ₁₀	1
8	Amaravati	Good	20	03	1
9	Ambala	Satisfactory	85	со	1
10	Amravati	Good	27	PM _{2.5}	2
11	Amritsar	Satisfactory	86	PM _{2.5}	1
12	Anantapur	Good	36	PM ₁₀	1

Coimheters Darbhanna Dha

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpattu,
Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar,
Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode,
Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda
Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram,
Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain,
Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Moderate	193	O ₃	1
14	Araria	Satisfactory	59	со	1
15	Ariyalur	Good	44	PM ₁₀	1
16	Asansol	Satisfactory	54	PM ₁₀	1
17	Aurangabad (Bihar)	Good	38	со	1
18	Aurangabad (Maharashtra)	Good	38	PM ₁₀	2
19	Baddi	Satisfactory	57	PM ₁₀	1
20	Badlapur	Satisfactory	64	PM ₁₀	1
21	Bagalkot	Good	46	PM ₁₀	1
22	Baghpat	Moderate	130	NO ₂	1
23	Bahadurgarh	Satisfactory	75	PM ₁₀	1
24	Ballabgarh	Satisfactory	83	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpati

Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Moderate	165	PM ₁₀	1
26	Baran	Satisfactory	90	PM ₁₀	1
27	Bareilly	Good	27	PM ₁₀	2
28	Baripada	Good	24	PM ₁₀	1
29	Barmer	Satisfactory	53	03	1
30	Bathinda	Good	48	PM ₁₀	1
31	Belapur	Good	25	PM ₁₀	1
32	Belgaum	Good	46	СО	1
33	Bengaluru	Satisfactory	61	PM ₁₀	9
34	Bettiah	Moderate	104	PM ₁₀	1
35	Bhagalpur	Satisfactory	79	PM ₁₀	2
36	Bharatpur	Moderate	120	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpai

Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhilai	Good	23	NO ₂	2
38	Bhilwara	Moderate	104	PM ₁₀	1
39	Bhiwadi	Satisfactory	91	PM ₁₀	1
40	Bhiwandi	Good	27	PM ₁₀	1
41	Bhiwani	Satisfactory	68	PM ₁₀	1
42	Bhopal	Good	45	PM ₁₀	3
43	Bikaner	Satisfactory	84	PM ₁₀	1
44	Bilaspur	Satisfactory	63	СО	1
45	Bileipada	Good	35	PM ₁₀	1
46	Bulandshahr	Satisfactory	67	PM ₁₀	1
47	Bundi	Satisfactory	100	PM ₁₀	1
48	Byrnihat	Poor	201	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

— Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	45	PM ₁₀	1
50	Chandigarh	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
51	Chandrapur	Good	38	PM ₁₀	1
52	Charkhi Dadri	Satisfactory	91	PM ₁₀	1
53	Chennai	Moderate	101	PM ₁₀ , CO	7
54	Chhal	Good	29	СО	1
55	Chhapra	Good	30	PM _{2.5}	1
56	Chikkaballapur	Good	30	PM ₁₀	1
57	Chikkamagaluru	Good	27	СО	1
58	Chittoor	Good	31	O ₃	1
59	Chittorgarh	Satisfactory	58	PM ₁₀	1
60	Churu	Satisfactory	68	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpa

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Cuddalore	Moderate	144	NO ₂	2
62	Damoh	Good	22	СО	1
63	Dausa	Satisfactory	81	PM ₁₀	1
64	Davanagere	Good	16	03	1
65	Dehradun	Good	24	03	1
66	Delhi	Satisfactory	95	PM ₁₀ , PM _{2.5}	33
67	Dewas	Satisfactory	69	PM ₁₀	1
68	Dhanbad	Moderate	192	СО	1
69	Dharuhera	Satisfactory	95	PM ₁₀	1
70	Dharwad	Good	23	PM ₁₀	1
71	Dhule	Good	34	PM ₁₀	1
72	Dindigul	Satisfactory	80	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpai

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Faridabad	Satisfactory	74	O ₃ , PM ₁₀	4
74	Fatehabad	Moderate	116	O ₃	1
75	Firozabad	Satisfactory	63	PM ₁₀ , PM _{2.5}	2
76	Gadag	Good	46	SO ₂	1
77	Gandhinagar	Satisfactory	63	PM ₁₀	3
78	Gangtok	Satisfactory	54	SO ₂	1
79	Gaya	Satisfactory	64	03	3
80	Ghaziabad	Satisfactory	88	PM ₁₀	4
81	Gorakhpur	Satisfactory	59	SO ₂	1
82	Greater Noida	Satisfactory	78	PM ₁₀	2
83	Gummidipoondi	Moderate	114	PM ₁₀	1
84	Gurugram	Moderate	122	PM _{2.5}	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpa

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Satisfactory	71	CO, PM _{2.5}	4
86	Gwalior	Moderate	121	PM ₁₀ , O ₃	4
87	Hajipur	Satisfactory	57	PM ₁₀	1
88	Haldia	Good	43	со	1
89	Hanumangarh	Satisfactory	65	PM ₁₀	1
90	Hapur	Satisfactory	59	PM ₁₀	1
91	Haveri	Good	35	СО	1
92	Howrah	Good	37	NO ₂ , PM ₁₀	3
93	Hubballi	Good	28	PM ₁₀	2
94	Hyderabad	Satisfactory	62	PM _{2.5} , CO	13
95	Indore	Satisfactory	62	СО	1
96	Jabalpur	Good	27	O ₃	2

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpai

Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used.

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jaipur	Satisfactory	71	PM ₁₀ , O ₃	5
98	Jaisalmer	Good	44	03	1
99	Jalandhar	Good	38	PM ₁₀	1
100	Jalgaon	Satisfactory	100	PM ₁₀	1
101	Jhalawar	Good	42	PM ₁₀	1
102	Jhansi	Satisfactory	76	PM _{2.5}	1
103	Jhunjhunu	Moderate	125	PM _{2.5}	1
104	Jind	Satisfactory	64	со	1
105	Jodhpur	Satisfactory	65	PM ₁₀	5
106	Kaithal	Satisfactory	66	PM _{2.5}	1
107	Kalaburgi	Good	48	PM ₁₀	1
108	Kalyan	Satisfactory	91	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpai

Notes:

Notes:

Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanchipuram	Satisfactory	56	co	1
110	Kanpur	Satisfactory	83	со	3
111	Karauli	Satisfactory	67	03	1
112	Karnal	Satisfactory	70	PM ₁₀	1
113	Kashipur	Satisfactory	51	PM ₁₀	1
114	Katihar	Satisfactory	70	PM ₁₀	1
115	Katni	Good	36	PM ₁₀	1
116	Keonjhar	Satisfactory	97	СО	1
117	Khanna	Good	43	СО	1
118	Khurja	Satisfactory	93	PM _{2.5}	1
119	Kishanganj	Satisfactory	52	СО	1
120	Kochi	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kohima	Good	47	SO ₂	1
122	Kolhapur	Good	34	PM ₁₀ , PM _{2.5}	2
123	Kolkata	Good	31	O ₃ , PM ₁₀	7
124	Kollam	Satisfactory	86	PM ₁₀	1
125	Koppal	Good	24	SO ₂	1
126	Korba	Good	34	03	2
127	Kota	Satisfactory	74	PM ₁₀ , PM _{2.5}	3
128	Kurukshetra	Satisfactory	56	O ₃	1
129	Latur	Good	32	со	1
130	Lucknow	Satisfactory	71	PM _{2.5}	6
131	Ludhiana	Satisfactory	83	PM ₁₀	1
132	Madikeri	Good	26	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Good	36	PM ₁₀	1
134	Maihar	Good	27	PM ₁₀	1
135	Mandikhera	Satisfactory	60	PM ₁₀	1
136	Manesar	Satisfactory	79	PM _{2.5}	1
137	Mangalore	Satisfactory	71	PM ₁₀	1
138	Manguraha	Good	43	PM ₁₀	1
139	Meerut	Satisfactory	63	CO, PM ₁₀	3
140	Moradabad	Moderate	119	O ₃	6
141	Motihari	Good	41	СО	1
142	Mumbai	Satisfactory	88	PM _{2.5} , NO ₂	18
143	Munger	Satisfactory	87	PM ₁₀	1
144	Muzaffarnagar	Satisfactory	73	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	69	СО	3
146	Mysuru	Satisfactory	55	PM ₁₀	1
147	Nagaon	Satisfactory	61	PM ₁₀	1
148	Nagaur	Satisfactory	66	PM ₁₀	1
149	Nagpur	Good	28	со	4
150	Naharlagun	Satisfactory	55	PM _{2.5}	1
151	Nalbari	Good	47	PM ₁₀	1
152	Nanded	Good	26	PM ₁₀	1
153	Nashik	Good	27	PM ₁₀ , CO	4
154	Navi Mumbai	Satisfactory	53	NO ₂ , CO	4
155	Nayagarh	Good	27	PM ₁₀	1
156	Noida	Satisfactory	92	СО	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpattu, Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar,

Notes: Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Palkalaiperur	Satisfactory	66	SO ₂	1
158	Palwal	Good	44	PM ₁₀	1
159	Panipat	Good	47	PM _{2.5}	1
160	Patiala	Good	42	PM ₁₀	1
161	Patna	Satisfactory	90	PM _{2.5}	6
162	Pimpri Chinchwad	Good	34	PM ₁₀	3
163	Pithampur	Satisfactory	59	PM ₁₀	1
164	Pratapgarh	Satisfactory	67	PM _{2.5}	1
165	Prayagraj	Satisfactory	61	PM ₁₀	3
166	Puducherry	Satisfactory	85	PM ₁₀	1
167	Pune	Satisfactory	84	NO ₂ , PM ₁₀	5
168	Purnia	Satisfactory	54	со	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpai

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raichur	Satisfactory	52	O ₃	1
170	Raipur	Good	38	PM ₁₀ , NO ₂	4
171	Rairangpur	Good	27	PM ₁₀	1
172	Rajamahendravaram	Good	41	SO ₂	1
173	Rajgir	Satisfactory	51	PM ₁₀	1
174	Rajsamand	Moderate	103	PM ₁₀	1
175	Ramanagara	Good	46	PM ₁₀	1
176	Ramanathapuram	Satisfactory	94	СО	1
177	Rishikesh	Good	30	PM ₁₀	1
178	Rohtak	Satisfactory	73	PM _{2.5}	1
179	Rourkela	Good	46	CO, PM ₁₀	2
180	Rupnagar	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpa

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Good	38	O ₃	1
182	Saharsa	Good	48	СО	1
183	Salem	Satisfactory	81	SO ₂	1
184	Samastipur	Satisfactory	75	PM ₁₀	1
185	Sangli	Good	25	PM ₁₀	1
186	Satna	Satisfactory	51	PM ₁₀	1
187	Sawai Madhopur	Satisfactory	69	PM ₁₀	1
188	Shillong	Good	20	SO ₂	1
189	Shivamogga	Satisfactory	55	O ₃	1
190	Sikar	Satisfactory	70	PM ₁₀	1
191	Silchar	Good	36	СО	1
192	Siliguri	Good	36	PM ₁₀	1

Notes:

Coimbate

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpatt

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	83	NO ₂	1
194	Sirohi	Satisfactory	55	PM ₁₀	1
195	Sirsa	Good	46	PM ₁₀	1
196	Sivasagar	Good	33	SO ₂	1
197	Siwan	Good	38	со	1
198	Solapur	Good	37	NO ₂	3
199	Sri Ganganagar	Satisfactory	64	СО	1
200	Suakati	Good	34	PM ₁₀	1
201	Thane	Good	34	O ₃ , PM ₁₀	3
202	Thiruvananthapuram	Good	29	со	1
203	Thoothukudi	Satisfactory	83	PM ₁₀	1
204	Thrissur	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Satisfactory	79	PM _{2.5} , PM ₁₀	2
206	Tonk	Satisfactory	82	PM ₁₀	1
207	Tumakuru	Moderate	133	PM ₁₀	1
208	Tumidih	Good	18	03	1
209	Udaipur	Satisfactory	56	PM _{2.5}	1
210	Vapi	Satisfactory	74	СО	1
211	Varanasi	Good	30	СО	4
212	Vatva	Satisfactory	79	PM ₁₀	1
213	Vijayapura	Good	46	PM ₁₀	1
214	Visakhapatnam	Satisfactory	90	PM ₁₀	1
215	Vrindavan	Good	41	PM ₁₀	1
216	Yadgir	Good	22	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah,

Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Chengalpat

Notes:

Notes:

Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Satisfactory	72	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Arrah, Begusarai, Bidar, Bihar Sharif, Boisar, Brajrajnagar, Buxar, Ch

Coimbatore, Darbhanga, Dholpur, Durgapur, Eloor, Ernakulam, Hassan, Hisar, Notes: Hosur, Imphal, Jalna, Jorapokhar, Kadapa, Kannur, Kolar, Kozhikode, Kunjemura, Malegaon, Mandi Gobindgarh, Mandideep, Milupara, Mira-Bhayanda Nandesari, Narnaul, Ooty, Pali, Panchkula, Parbhani, Ratlam, Sasaram, Sonipat, Srinagar, Surat, Talcher, Tensa, Tirupur, Udupi, Ujjain, Ulhasnagar, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases