

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	117	PM <sub>2.5</sub>	1
2	Agra	Moderate	154	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	265	PM <sub>2.5</sub>	1
4	Aizawl	Good	22	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	94	PM <sub>2.5</sub>	1
6	Alwar	Satisfactory	70	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	111	PM <sub>2.5</sub>	1
8	Ambala	Satisfactory	59	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	62	PM <sub>10</sub>	1
10	Ankleshwar	Poor	299	PM <sub>2.5</sub>	1
11	Asansol	Very Poor	339	PM <sub>2.5</sub>	1
12	Bagalkot	Good	24	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	87	NO <sub>2</sub>	1
14	Ballabgarh	Satisfactory	58	PM <sub>10</sub>	1
15	Bathinda	Satisfactory	71	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	58	PM <sub>10</sub> , PM <sub>2.5</sub>	8
17	Bhiwadi	Moderate	136	PM <sub>2.5</sub>	1
18	Bhopal	Poor	254	PM <sub>2.5</sub>	1
19	Bidar	Satisfactory	66	PM <sub>2.5</sub>	1
20	Brajrajnagar	Moderate	196	PM <sub>2.5</sub>	1
21	Bulandshahr	Moderate	128	PM <sub>2.5</sub>	1
22	Chandigarh	Satisfactory	88	PM <sub>10</sub>	1
23	Chandrapur	Moderate	149	PM <sub>2.5</sub> , PM <sub>10</sub>	2
24	Chennai	Good	43	PM <sub>10</sub> , PM <sub>2.5</sub> , CO	8

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	47	PM <sub>10</sub>	1
26	Chikkamagaluru	Good	42	PM <sub>2.5</sub>	1
27	Coimbatore	Satisfactory	57	PM <sub>2.5</sub>	1
28	Damoh	Poor	269	PM <sub>2.5</sub>	1
29	Delhi	Moderate	140	PM <sub>10</sub> , PM <sub>2.5</sub>	34
30	Dewas	Moderate	144	PM <sub>2.5</sub>	1
31	Dharuhera	Satisfactory	100	PM <sub>10</sub>	1
32	Durgapur	Very Poor	309	PM <sub>2.5</sub>	1
33	Eloor	Satisfactory	92	PM <sub>10</sub>	1
34	Ernakulam	Satisfactory	57	PM <sub>2.5</sub>	1
35	Faridabad	Moderate	138	PM <sub>2.5</sub> , PM <sub>10</sub>	2
36	Fatehabad	Good	41	NO <sub>2</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	42	PM <sub>2.5</sub>	1
38	Gandhinagar	Moderate	128	PM <sub>10</sub>	1
39	Gaya	Moderate	152	PM <sub>2.5</sub>	2
40	Ghaziabad	Moderate	148	PM <sub>2.5</sub>	4
41	Greater Noida	Moderate	120	PM <sub>2.5</sub>	1
42	Gurugram	Satisfactory	83	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Guwahati	Poor	258	PM <sub>2.5</sub>	2
44	Gwalior	Poor	243	PM <sub>2.5</sub>	1
45	Haldia	Poor	289	PM <sub>2.5</sub>	1
46	Hapur	Good	47	PM <sub>2.5</sub>	1
47	Hisar	Satisfactory	76	NO <sub>2</sub>	1
48	Howrah	Poor	242	PM <sub>2.5</sub>	3

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	66	NO <sub>2</sub>	1
50	Hyderabad	Moderate	106	PM <sub>10</sub> , PM <sub>2.5</sub>	5
51	Indore	Moderate	129	PM <sub>2.5</sub>	1
52	Jabalpur	Poor	300	PM <sub>2.5</sub>	1
53	Jaipur	Satisfactory	63	PM <sub>10</sub> , CO	2
54	Jalandhar	Satisfactory	82	PM <sub>10</sub>	1
55	Jodhpur	Poor	215	PM <sub>2.5</sub>	1
56	Kaithal	Good	40	PM <sub>10</sub>	1
57	Kalyan	Very Poor	335	PM <sub>2.5</sub>	1
58	Kannur	Satisfactory	54	PM <sub>10</sub>	1
59	Kanpur	Very Poor	397	PM <sub>2.5</sub>	2
60	Karnal	Good	49	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Katni	Very Poor	311	PM <sub>2.5</sub>	1
62	Khanna	Moderate	102	PM <sub>10</sub>	1
63	Kochi	Good	48	PM <sub>10</sub>	1
64	Kohima	Satisfactory	61	PM <sub>10</sub>	1
65	Kolkata	Poor	241	PM <sub>2.5</sub>	7
66	Kollam	Satisfactory	58	PM <sub>10</sub>	1
67	Koppal	Satisfactory	65	PM <sub>10</sub>	1
68	Kota	Moderate	113	PM <sub>2.5</sub>	1
69	Kozhikode	Satisfactory	75	СО	1
70	Kurukshetra	Satisfactory	71	PM <sub>2.5</sub>	1
71	Lucknow	Very Poor	383	PM <sub>2.5</sub>	4
72	Ludhiana	Satisfactory	71	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Satisfactory	87	PM <sub>10</sub>	1
74	Mandideep	Moderate	185	PM <sub>2.5</sub>	1
75	Mandikhera	Satisfactory	96	NO <sub>2</sub>	1
76	Manesar	Satisfactory	70	PM <sub>2.5</sub>	1
77	Manglore	Good	49	PM <sub>2.5</sub>	1
78	Medikeri	Satisfactory	84	03	1
79	Meerut	Moderate	107	NO <sub>2</sub> , PM <sub>2.5</sub>	3
80	Moradabad	Very Poor	325	PM <sub>2.5</sub>	1
81	Mumbai	Poor	234	PM <sub>2.5</sub>	18
82	Muzaffarnagar	Moderate	120	PM <sub>2.5</sub>	1
83	Muzaffarpur	Very Poor	382	PM <sub>2.5</sub> , PM <sub>10</sub>	2
84	Mysuru	Satisfactory	54	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	109	PM <sub>2.5</sub>	1
86	Navi Mumbai	Very Poor	318	PM <sub>2.5</sub>	3
87	Noida	Moderate	149	PM <sub>2.5</sub>	4
88	Pali	Moderate	188	PM <sub>2.5</sub>	1
89	Palwal	Moderate	113	СО	1
90	Panchkula	Satisfactory	93	СО	1
91	Patiala	Good	42	PM <sub>10</sub>	1
92	Patna	Very Poor	345	PM <sub>10</sub> , PM <sub>2.5</sub>	4
93	Pithampur	Moderate	153	PM <sub>2.5</sub>	1
94	Pune	Moderate	114	PM <sub>2.5</sub>	5
95	Raichur	Satisfactory	94	PM <sub>10</sub>	1
96	Rajamahendravaram	Moderate	121	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Ratlam	Moderate	161	PM <sub>2.5</sub>	1
98	Rohtak	Satisfactory	85	NO <sub>2</sub>	1
99	Rupnagar	Moderate	122	PM <sub>2.5</sub>	1
100	Sagar	Good	44	PM <sub>2.5</sub>	1
101	Satna	Moderate	114	PM <sub>10</sub>	1
102	Shillong	Good	24	03	1
103	Shivamogga	Satisfactory	60	PM <sub>10</sub>	1
104	Siliguri	Poor	201	PM <sub>2.5</sub>	1
105	Singrauli	Very Poor	339	PM <sub>2.5</sub>	1
106	Sirsa	Satisfactory	86	NO <sub>2</sub>	1
107	Solapur	Moderate	101	PM <sub>10</sub>	1
108	Sonipat	Satisfactory	51	NO <sub>2</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	156	PM <sub>2.5</sub>	1
110	Thane	Moderate	186	PM <sub>10</sub>	1
111	Thiruvananthapuram	Satisfactory	53	со	1
112	Thoothukudi	Satisfactory	52	03	1
113	Thrissur	Good	42	PM <sub>10</sub>	1
114	Tirupati	Good	43	со	1
115	Udaipur	Very Poor	321	PM <sub>2.5</sub>	1
116	Ujjain	Moderate	180	PM <sub>2.5</sub>	1
117	Vapi	Very Poor	331	PM <sub>2.5</sub>	1
118	Varanasi	Very Poor	313	PM <sub>2.5</sub>	1
119	Vatva	Poor	286	PM <sub>2.5</sub>	1
120	Vijayapura	Good	38	СО	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Visakhapatnam	Moderate	156	PM <sub>2.5</sub>	1
122	Yadgir	Satisfactory	61	PM <sub>10</sub>	1
123	Yamunanagar	Satisfactory	94	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Baghpat, Bhiwani, Chamarajanagar, Charkhi Dadri, Gummidipoondi, Hajipur, Jind, Jorapokhar, Kalaburgi, Maihar, Nagpur, Narnaul, Nashik, Panipat, Ramanagara as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.