

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	61	PM <sub>2.5</sub>	1
2	Agra	Good	34	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	156	03	1
4	Aizawl	Good	40	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	79	PM <sub>10</sub>	1
6	Alwar	Good	48	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	69	O <sub>3</sub>	1
8	Ambala	Satisfactory	62	PM <sub>10</sub>	1
9	Amritsar	Moderate	111	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	197	03	1
11	Asansol	Satisfactory	63	PM <sub>10</sub>	1
12	Baghpat	Moderate	133	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake
- and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	104	PM <sub>10</sub>	1
14	Bengaluru	Good	45	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	10
15	Bhiwadi	Moderate	162	PM <sub>10</sub>	1
16	Bhiwani	Moderate	189	PM <sub>10</sub>	1
17	Bhopal	Satisfactory	82	03	1
18	Bulandshahr	Satisfactory	100	03	1
19	Chamarajanagar	Satisfactory	70	O <sub>3</sub>	1
20	Chandigarh	Satisfactory	96	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	60	PM <sub>10</sub>	2
22	Charkhi Dadri	Good	42	NO <sub>2</sub>	1
23	Chennai	Satisfactory	62	SO <sub>2</sub> , PM <sub>10</sub>	4
24	Chikkaballapur	Good	29	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations,
- to indicate air quality. Air quality may snow variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	32	03	1
26	Damoh	Good	29	PM <sub>2.5</sub>	1
27	Davanagere	Good	28	со	1
28	Delhi	Moderate	101	PM <sub>10</sub> , CO	29
29	Dewas	Satisfactory	55	PM <sub>10</sub>	1
30	Dharuhera	Moderate	147	PM <sub>10</sub>	1
31	Durgapur	Moderate	108	PM <sub>10</sub>	1
32	Eloor	Satisfactory	60	со	1
33	Ernakulam	Good	40	со	1
34	Faridabad	Moderate	111	PM <sub>10</sub>	3
35	Fatehabad	Poor	230	PM <sub>10</sub>	1
36	Gadag	Good	10	NO <sub>2</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	69	PM <sub>2.5</sub>	1
38	Ghaziabad	Moderate	111	PM <sub>10</sub>	4
39	Greater Noida	Satisfactory	84	PM <sub>10</sub>	2
40	Gummidipoondi	Satisfactory	84	PM <sub>10</sub>	1
41	Gurugram	Satisfactory	81	PM <sub>10</sub> , O <sub>3</sub>	3
42	Guwahati	Satisfactory	93	PM <sub>10</sub>	2
43	Gwalior	Satisfactory	76	O <sub>3</sub>	1
44	Haldia	Good	42	PM <sub>2.5</sub>	1
45	Hapur	Satisfactory	55	O <sub>3</sub>	1
46	Hassan	Good	43	PM <sub>10</sub>	1
47	Hisar	Poor	262	PM <sub>10</sub>	1
48	Howrah	Satisfactory	60	NO <sub>2</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	31	PM <sub>10</sub>	1
50	Hyderabad	Good	49	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
51	Indore	Satisfactory	72	PM <sub>10</sub>	1
52	Jabalpur	Satisfactory	80	PM <sub>10</sub>	1
53	Jaipur	Moderate	106	PM <sub>10</sub>	3
54	Jalandhar	Satisfactory	80	PM <sub>10</sub>	1
55	Jind	Moderate	142	PM <sub>10</sub>	1
56	Jodhpur	Moderate	126	PM <sub>10</sub>	1
57	Kaithal	Moderate	125	PM <sub>10</sub>	1
58	Kalaburgi	Good	46	O <sub>3</sub>	1
59	Kalyan	Satisfactory	76	PM <sub>10</sub>	1
60	Kannur	Good	47	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Good	50	03	1
62	Karnal	Satisfactory	67	03	1
63	Katni	Satisfactory	74	PM <sub>10</sub>	1
64	Khanna	Moderate	136	PM <sub>10</sub>	1
65	Kohima	Satisfactory	53	PM <sub>10</sub>	1
66	Kolkata	Satisfactory	64	PM <sub>10</sub>	6
67	Kollam	Satisfactory	56	PM <sub>10</sub>	1
68	Kota	Satisfactory	75	PM <sub>10</sub>	1
69	Kozhikode	Good	29	со	1
70	Lucknow	Satisfactory	60	CO, O <sub>3</sub>	4
71	Ludhiana	Satisfactory	84	PM <sub>10</sub>	1
72	Mandideep	Satisfactory	55	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	108	PM <sub>10</sub>	1
74	Medikeri	Good	37	SO <sub>2</sub>	1
75	Meerut	Satisfactory	87	PM <sub>10</sub>	3
76	Moradabad	Satisfactory	61	PM <sub>10</sub>	1
77	Mumbai	Satisfactory	55	PM <sub>10</sub> , PM <sub>2.5</sub>	17
78	Muzaffarnagar	Satisfactory	76	PM <sub>10</sub>	1
79	Muzaffarpur	Satisfactory	72	PM <sub>2.5</sub> , CO	2
80	Mysuru	Good	41	O <sub>3</sub>	1
81	Narnaul	Moderate	135	PM <sub>10</sub>	1
82	Nashik	Good	48	O <sub>3</sub>	1
83	Navi Mumbai	Good	33	PM <sub>10</sub>	1
84	Noida	Satisfactory	100	PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pali	Moderate	111	PM <sub>10</sub>	1
86	Palwal	Satisfactory	68	PM <sub>10</sub>	1
87	Panchkula	Satisfactory	73	со	1
88	Panipat	Moderate	104	PM <sub>10</sub>	1
89	Patiala	Satisfactory	95	PM <sub>10</sub>	1
90	Patna	Satisfactory	69	PM <sub>10</sub> , PM <sub>2.5</sub>	5
91	Pithampur	Satisfactory	61	O <sub>3</sub>	1
92	Puducherry	Good	46	03	1
93	Pune	Satisfactory	54	PM <sub>10</sub> , CO, PM <sub>2.5</sub>	6
94	Raichur	Good	49	PM <sub>10</sub>	1
95	Rajamahendravaram	Satisfactory	87	PM <sub>10</sub>	1
96	Ratlam	Satisfactory	79	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rohtak	Satisfactory	59	CO	1
98	Rupnagar	Satisfactory	79	PM <sub>10</sub>	1
99	Sagar	Moderate	104	PM <sub>10</sub>	1
100	Satna	Satisfactory	64	PM <sub>10</sub>	1
101	Shivamogga	Good	45	PM <sub>10</sub>	1
102	Siliguri	Satisfactory	73	PM <sub>2.5</sub>	1
103	Singrauli	Satisfactory	85	СО	1
104	Sirsa	Moderate	199	PM <sub>2.5</sub>	1
105	Solapur	Good	27	O <sub>3</sub>	1
106	Sonipat	Moderate	124	PM <sub>10</sub>	1
107	Srinagar	Satisfactory	90	PM <sub>10</sub>	1
108	Talcher	Satisfactory	94	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thane	Moderate	149	NO <sub>2</sub>	1
110	Thiruvananthapuram	Good	49	CO, PM <sub>10</sub>	2
111	Thoothukudi	Satisfactory	53	PM <sub>10</sub>	1
112	Thrissur	Good	40	03	1
113	Tirupati	Good	41	PM <sub>10</sub>	1
114	Udaipur	Satisfactory	94	PM <sub>10</sub>	1
115	Ujjain	Satisfactory	71	03	1
116	Vapi	Satisfactory	60	PM <sub>10</sub>	1
117	Varanasi	Satisfactory	51	PM <sub>10</sub>	1
118	Vatva	Moderate	116	PM <sub>10</sub>	1
119	Visakhapatnam	Moderate	127	PM <sub>10</sub>	1
120	Yadgir	Good	30	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	115	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Brajrajnagar, Coimbatore, Gandhinagar, Hajipur, Jorapokhar, Kochi, Kolar, Koppal, Kurukshetra, Maihar, Mandi Gobindgarh, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Ramanagara, Shillong, Udupi, Vijayapura as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.