Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	98	$PM_{2.5}$	1
2	Ahmedabad	Satisfactory	83	PM_{10}	1
3	Ajmer	Satisfactory	57	PM_{10}	1
4	Alwar	Satisfactory	87	PM_{10}	1
5	Amaravati	Good	27	O_3	1
6	Ambala	Satisfactory	74	PM_{10}	1
7	Amritsar	Satisfactory	75	PM_{10}	1
8	Ankleshwar	Good	47	CO	1
9	Asanol	Good	43	PM_{10}	1
10	Aurangabad	Satisfactory	65	CO	1
11	Bagalkot	Good	31	NO_2	1
12	Baghpat	Moderate	128	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	118	PM_{10}	1
14	Ballabgarh	Moderate	156	$PM_{2.5}$	1
15	Bathinda	Good	41	PM_{10}	1
16	Bengaluru	Good	34	PM_{10}, $PM_{2.5}$, CO	8
17	Bhiwadi	Moderate	151	PM_{10}	1
18	Bhiwani	Moderate	114	PM_{10}	1
19	Bhopal	Satisfactory	54	PM_{10}	1
20	Brajrajnagar	Good	45	PM_{10}	1
21	Bulandshahr	Moderate	123	PM_{10}	1
22	Chandigarh	Satisfactory	56	PM_{10}	1
23	Chandrapur	Good	24	CO, SO_2	2
24	Chennai	Satisfactory	71	$PM_{2.5}$, O_3, CO	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	43	PM_{10}	1
26	Chikkamagaluru	Good	29	PM_{10}	1
27	Coimbatore	Good	49	$PM_{2.5}$	1
28	Damoh	Good	37	PM_{10}	1
29	Delhi	Moderate	124	PM_{10}, O_3	34
30	Dewas	Satisfactory	61	PM_{10}	1
31	Eloor	Good	35	PM_{10}	1
32	Ernakulam	Satisfactory	97	CO	1
33	Faridabad	Moderate	161	PM_{10}, $PM_{2.5}$	3
34	Gandhinagar	Good	47	PM_{10}	1
35	Gaya	Good	48	O_3	1
36	Ghaziabad	Moderate	128	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	136	PM_{10}, CO	2
38	Gurugram	Moderate	136	O_3, PM_{10}	2
39	Guwahati	Good	20	SO_2	1
40	Gwalior	Satisfactory	82	O_3	1
41	Hajipur	Satisfactory	55	PM_{10}	1
42	Hapur	Moderate	104	PM_{10}	1
43	Hisar	Moderate	126	PM_{10}	1
44	Howrah	Good	33	O_3, PM_{10}	3
45	Hubballi	Good	15	PM_{10}	1
46	Hyderabad	Good	26	NO_2, $PM_{2.5}$, O_3	5
47	Indore	Satisfactory	54	PM_{10}	1
48	Jabalpur	Satisfactory	58	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Satisfactory	91	PM_{10}	3
50	Jalandhar	Satisfactory	68	PM_{10}	1
51	Jind	Moderate	113	PM_{10}	1
52	Jodhpur	Moderate	115	$PM_{2.5}$	1
53	Jorapokhar	Satisfactory	85	CO	1
54	Kaithal	Satisfactory	78	PM_{10}	1
55	Kalaburgi	Good	8	PM_{10}	1
56	Kannur	Good	34	$PM_{2.5}$	1
57	Kanpur	Good	49	$PM_{2.5}$	1
58	Karnal	Satisfactory	70	PM_{10}	1
59	Katni	Satisfactory	78	PM_{10}	1
60	Khanna	Satisfactory	92	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	77	CO	1
62	Kolkata	Good	28	O_3	5
63	Kota	Good	46	PM_{10}	1
64	Kurukshetra	Satisfactory	82	PM_{10}	1
65	Lucknow	Moderate	128	$PM_{2.5}$, O_3	4
66	Ludhiana	Satisfactory	67	$PM_{2.5}$	1
67	Maihar	Good	47	PM_{10}	1
68	Mandi Gobindgarh	Moderate	174	$PM_{2.5}$	1
69	Mandikhera	Satisfactory	79	PM_{10}	1
70	Meerut	Moderate	120	PM_{10}	1
71	Moradabad	Satisfactory	70	PM_{10}	1
72	Mumbai	Good	31	SO_2, CO, NO_2	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Muzaffarnagar	Moderate	111	PM_{10}	1
74	Muzaffarpur	Satisfactory	52	CO	1
75	Mysuru	Good	19	O_3	1
76	Nagpur	Good	22	PM_{10}	1
77	Nandesari	Poor	259	PM_{10}	1
78	Narnaul	Moderate	126	PM_{10}	1
79	Navi Mumbai	Good	27	CO	1
80	Noida	Moderate	115	PM_{10}	3
81	Pali	Satisfactory	72	PM_{10}	1
82	Palwal	Moderate	103	PM_{10}	1
83	Panipat	Moderate	150	PM_{10}	1
84	Patiala	Satisfactory	54	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Satisfactory	66	PM_{10}, $PM_{2.5}$, O_3	6
86	Pithampur	Satisfactory	65	PM_{10}	1
87	Pune	Satisfactory	55	CO	1
88	Rajamahendravaram	Good	27	O_3	1
89	Ramanagara	Good	31	SO_2	1
90	Rohtak	Satisfactory	56	$PM_{2.5}$	1
91	Sagar	Good	28	PM_{10}	1
92	Satna	Satisfactory	55	PM_{10}	1
93	Singrauli	Satisfactory	86	PM_{10}	1
94	Sirsa	Moderate	112	PM_{10}	1
95	Talcher	Satisfactory	57	CO	1
96	Thane	Good	32	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Jul 15, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Good	45	PM_{10}	1
98	Tirupati	Good	40	O_3	1
99	Udaipur	Satisfactory	76	PM_{10}	1
100	Ujjain	Satisfactory	70	O_3	1
101	Varanasi	Good	35	O_3	1
102	Vatva	Satisfactory	83	PM_{10}	1
103	Vijayapura	Good	46	O_3	1
104	Visakhapatnam	Satisfactory	84	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI not calculated for today's bulletin for Aizawl, Charkhi Dadri, Dharuhera, Fatehabad, Kalyan, Kollam, Kozhikode, Mandideep, Manesar, Nashik, Panchkula, Ratlam, Rupnagar, Shillong, Siliguri, Solapur, Sonipat, Vapi, Yadgir, Yamunanagar as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.