Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	308	$PM_{2.5}$	1
2	Ahmedabad	Moderate	150	OZONE	1
3	Ajmer	Moderate	156	$PM_{2.5}$	1
4	Amaravati	Moderate	159	$PM_{2.5}$	1
5	Ambala	Moderate	176	PM_{10}	1
6	Amritsar	Moderate	104	$PM_{2.5}$	1
7	Ankleshwar	Moderate	102	PM_{10}	1
8	Asanol	Poor	205	$PM_{2.5}$	1
9	Baghpat	Very Poor	392	$PM_{2.5}$	1
10	Bahadurgarh	Poor	272	$PM_{2.5}$	1
11	Ballabgarh	Poor	212	$PM_{2.5}$	1
12	Bathinda	Moderate	146	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	78	PM_{10}, $PM_{2.5}$, NO_2	6
14	Bhiwadi	Poor	236	$PM_{2.5}$	1
15	Bhiwani	Moderate	135	$PM_{2.5}$	1
16	Brajrajnagar	Very Poor	325	$PM_{2.5}$	1
17	Bulandshahr	Very Poor	349	$PM_{2.5}$	1
18	Chandrapur	Satisfactory	96	PM_{10}	2
19	Chennai	Moderate	182	$PM_{2.5}$, OZONE	3
20	Chikkaballapur	Satisfactory	90	PM_{10}	1
21	Damoh	Moderate	103	PM_{10}	1
22	Delhi	Very Poor	340	$PM_{2.5}$	34
23	Dewas	Moderate	117	PM_{10}	1
24	Dharuhera	Poor	262	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Faridabad	Very Poor	334	$PM_{2.5}$	1
26	Fatehabad	Poor	209	$PM_{2.5}$	1
27	GandhiNagar	Moderate	125	PM_{10}	1
28	Gaya	Very Poor	337	$PM_{2.5}$	1
29	Ghaziabad	Very Poor	348	$PM_{2.5}$	1
30	Greater_Noida	Very Poor	355	$PM_{2.5}$	1
31	Gurugram	Very Poor	309	NO_2	1
32	Haldia	Moderate	156	PM_{10}	1
33	Hapur	Very Poor	356	$PM_{2.5}$	1
34	Hisar	Poor	300	$PM_{2.5}$	1
35	Howrah	Very Poor	320	$PM_{2.5}$	1
36	Hyderabad	Moderate	130	$PM_{2.5}$, PM_{10}	6

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Jaipur	Satisfactory	91	$PM_{2.5}$, PM_{10}	3
38	Jalandhar	Moderate	154	PM_{10}	1
39	Jind	Poor	275	$PM_{2.5}$	1
40	Jodhpur	Moderate	160	$PM_{2.5}$	1
41	Jorapokhar	Moderate	165	PM_{10}	1
42	Kalaburgi	Moderate	109	PM_{10}	1
43	Kanpur	Very Poor	343	$PM_{2.5}$	1
44	Karnal	Poor	288	$PM_{2.5}$	1
45	Khanna	Moderate	106	PM_{10}	1
46	Kolkata	Very Poor	331	$PM_{2.5}$	2
47	Kurushketra	Very Poor	315	$PM_{2.5}$	1
48	Lucknow	Very Poor	369	$PM_{2.5}$	4

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ludhiana	Satisfactory	90	$PM_{2.5}$	1
50	Maihar	Satisfactory	95	CO	1
51	Mandi Gobindgarh	Moderate	103	PM_{10}	1
52	Mandideep	Moderate	178	PM_{10}	1
53	Mandikhera	Poor	262	$PM_{2.5}$	1
54	Manesar	Poor	274	$PM_{2.5}$	1
55	Mumbai	Satisfactory	97	$PM_{2.5}$	1
56	Muzaffarnagar	Very Poor	368	$PM_{2.5}$	1
57	Muzaffarpur	Poor	298	$PM_{2.5}$	1
58	Nagpur	Moderate	191	$PM_{2.5}$	1
59	Narnaul	Moderate	188	$PM_{2.5}$	1
60	Nashik	Satisfactory	86	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Navi Mumbai	Moderate	121	CO	1
62	Noida	Very Poor	331	$PM_{2.5}$	2
63	Pali	Moderate	142	$PM_{2.5}$	1
64	Panchkula	Moderate	101	$PM_{2.5}$	1
65	Panipat	Very Poor	325	$PM_{2.5}$	1
66	Patiala	Moderate	188	$PM_{2.5}$	1
67	Patna	Very Poor	331	$PM_{2.5}$	1
68	Pithampur	Moderate	144	$PM_{2.5}$	1
69	Pune	Moderate	118	$PM_{2.5}$	1
70	Rajamahendravaram	Moderate	140	$PM_{2.5}$	1
71	Ratlam	Moderate	170	$PM_{2.5}$	1
72	Rohtak	Very Poor	310	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rupnagar	Moderate	120	$PM_{2.5}$	1
74	Satna	Moderate	109	PM_{10}	1
75	Siliguri	Moderate	160	PM_{10}	1
76	Singrauli	Very Poor	368	PM_{10}	1
77	Sirsa	Very Poor	306	$PM_{2.5}$	1
78	Solapur	Moderate	133	PM_{10}	1
79	Sonipat	Very Poor	327	$PM_{2.5}$	1
80	Thane	Moderate	116	PM_{10}	1
81	Thiruvananthapuram	Satisfactory	85	PM_{10}	1
82	Tirupati	Satisfactory	77	NO_2	1
83	Udaipur	Moderate	140	PM_{10}	1
84	Ujjain	Moderate	134	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 14, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Vapi	Poor	244	PM$_{2.5}$	1
86	Varanasi	Very Poor	354	PM$_{2.5}$	1
87	Vatva	Moderate	194	PM$_{2.5}$	1
88	Vijayawada	Satisfactory	73	PM$_{2.5}$	1
89	Visakhapatnam	Moderate	196	PM$_{2.5}$	1
90	Yamunanagar	Poor	261	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Alwar, Aurangabad, Durgapur, Hubballi, Kota, Moradabad, Palwal, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.