



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	290	PM _{2.5}	1
2	Agra	Very Poor	318	PM _{2.5}	5
3	Ahmedabad	Moderate	138	PM _{2.5} , NO ₂ , PM ₁₀	8
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Moderate	125	PM ₁₀	1
6	Alwar	Moderate	142	PM _{2.5}	1
7	Amaravati	Moderate	154	PM _{2.5}	1
8	Ambala	Very Poor	338	PM _{2.5}	1
9	Amritsar	Moderate	114	PM ₁₀	1
10	Ankleshwar	Poor	223	PM _{2.5}	1
11	Araria	Moderate	172	PM _{2.5}	1
12	Arrah	Poor	279	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	131	PM _{2.5}	1
14	Aurangabad	Satisfactory	90	PM ₁₀	1
15	Bagalkot	Satisfactory	94	PM _{2.5}	1
16	Baghpat	Very Poor	355	PM _{2.5}	1
17	Bahadurgarh	Very Poor	316	PM _{2.5}	1
18	Ballabgarh	Very Poor	346	PM _{2.5}	1
19	Bathinda	Moderate	105	PM ₁₀	1
20	Bengaluru	Satisfactory	86	PM _{2.5} , PM ₁₀	8
21	Bhagalpur	Very Poor	386	PM _{2.5} , PM ₁₀	2
22	Bhilai	Satisfactory	55	PM ₁₀	1
23	Bhiwadi	Very Poor	315	PM _{2.5}	1
24	Bhiwani	Poor	298	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	126	PM _{2.5}	1
26	Bidar	Satisfactory	97	PM ₁₀	1
27	Bihar Sharif	Poor	268	PM _{2.5}	1
28	Bilaspur	Satisfactory	91	PM ₁₀	1
29	Brajrajnagar	Moderate	153	O ₃	1
30	Bulandshahr	Very Poor	330	PM _{2.5}	1
31	Buxar	Very Poor	370	PM _{2.5}	1
32	Chamarajanagar	Good	39	O ₃	1
33	Chandigarh	Poor	279	PM _{2.5}	2
34	Chandrapur	Moderate	138	PM _{2.5}	2
35	Charkhi Dadri	Poor	298	PM _{2.5}	1
36	Chennai	Satisfactory	77	PM _{2.5} , PM ₁₀	8

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chhapra	Very Poor	365	PM _{2.5}	1
38	Chikkaballapur	Satisfactory	81	PM _{2.5}	1
39	Chikkamagaluru	Satisfactory	61	PM ₁₀	1
40	Coimbatore	Satisfactory	87	NO ₂	1
41	Darbhanga	Very Poor	330	PM _{2.5}	1
42	Davanagere	Satisfactory	87	PM ₁₀	1
43	Delhi	Very Poor	378	PM _{2.5}	37
44	Dewas	Satisfactory	93	PM ₁₀	1
45	Dharuhera	Very Poor	362	PM _{2.5}	1
46	Durgapur	Poor	214	PM _{2.5}	1
47	Eloor	Satisfactory	70	PM ₁₀	1
48	Ernakulam	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Very Poor	327	PM _{2.5} , PM ₁₀	4
50	Fatehabad	Poor	208	PM _{2.5}	1
51	Firozabad	Very Poor	332	PM _{2.5}	1
52	Gadag	Satisfactory	74	PM _{2.5}	1
53	Gandhinagar	Moderate	104	PM _{2.5} , PM ₁₀	3
54	Gaya	Poor	244	PM _{2.5} , PM ₁₀	2
55	Ghaziabad	Very Poor	371	PM _{2.5}	4
56	Gorakhpur	Moderate	184	PM _{2.5}	1
57	Greater Noida	Poor	282	PM _{2.5}	2
58	Gurugram	Very Poor	353	PM _{2.5}	3
59	Guwahati	Poor	262	PM _{2.5}	2
60	Gwalior	Poor	271	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	172	PM _{2.5}	1
62	Hapur	Very Poor	349	PM _{2.5}	1
63	Hassan	Satisfactory	61	PM ₁₀	1
64	Hisar	Very Poor	375	PM _{2.5}	1
65	Howrah	Poor	251	PM _{2.5}	3
66	Hubballi	Moderate	104	PM ₁₀	1
67	Hyderabad	Moderate	145	PM _{2.5} , PM ₁₀	6
68	Indore	Moderate	105	PM ₁₀	1
69	Jabalpur	Poor	212	PM _{2.5}	1
70	Jaipur	Poor	269	PM _{2.5}	2
71	Jalandhar	Satisfactory	91	PM ₁₀	1
72	Jind	Very Poor	331	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Poor	238	PM _{2.5}	1
74	Kaithal	Poor	222	PM _{2.5}	1
75	Kalaburgi	Moderate	126	PM _{2.5}	1
76	Kalyan	Poor	229	PM _{2.5}	1
77	Kannur	Satisfactory	73	PM _{2.5}	1
78	Kanpur	Poor	214	PM _{2.5} , PM ₁₀	3
79	Karnal	Moderate	167	PM _{2.5}	1
80	Katihar	Very Poor	333	PM _{2.5}	1
81	Katni	Poor	277	PM _{2.5}	1
82	Khanna	Poor	231	PM _{2.5}	1
83	Kochi	Satisfactory	77	PM _{2.5}	1
84	Kohima	Satisfactory	56	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	98	PM ₁₀	1
86	Kolkata	Poor	243	PM _{2.5}	7
87	Kollam	Satisfactory	75	PM ₁₀	1
88	Koppal	Satisfactory	74	O ₃	1
89	Kota	Poor	224	PM _{2.5}	1
90	Kurukshetra	Poor	264	PM _{2.5}	1
91	Lucknow	Poor	287	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	126	PM _{2.5}	1
93	Madikeri	Satisfactory	57	PM ₁₀	1
94	Maihar	Satisfactory	96	CO	1
95	Mandi Gobindgarh	Moderate	150	PM _{2.5}	1
96	Mandideep	Moderate	145	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Mandikhera	Moderate	158	PM _{2.5}	1
98	Manesar	Severe	426	PM _{2.5}	1
99	Manglore	Good	38	O ₃	1
100	Meerut	Very Poor	373	PM _{2.5} , PM ₁₀	3
101	Moradabad	Poor	297	PM _{2.5}	3
102	Motihari	Poor	298	PM _{2.5}	1
103	Mumbai	Moderate	184	PM _{2.5} , PM ₁₀	15
104	Munger	Severe	409	PM _{2.5}	1
105	Muzaffarnagar	Severe	403	PM _{2.5}	1
106	Muzaffarpur	Very Poor	384	PM _{2.5}	3
107	Mysuru	Satisfactory	55	PM ₁₀	1
108	Nagpur	Moderate	101	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Moderate	124	O ₃	1
110	Narnaul	Poor	275	PM _{2.5}	1
111	Nashik	Moderate	130	PM _{2.5}	1
112	Navi Mumbai	Poor	252	PM _{2.5}	2
113	Noida	Very Poor	362	PM ₁₀ , PM _{2.5}	4
114	Palwal	Moderate	163	PM ₁₀	1
115	Panchkula	Very Poor	305	PM _{2.5}	1
116	Panipat	Poor	201	PM ₁₀	1
117	Patiala	Moderate	171	PM _{2.5}	1
118	Patna	Very Poor	302	PM _{2.5} , PM ₁₀	5
119	Pithampur	Moderate	126	PM _{2.5}	1
120	Prayagraj	Poor	232	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Satisfactory	85	PM _{2.5}	1
122	Pune	Moderate	167	PM _{2.5}	3
123	Purnia	Very Poor	302	PM _{2.5}	1
124	Raichur	Moderate	117	PM ₁₀	1
125	Rajamahendravaram	Moderate	168	PM _{2.5}	1
126	Rajgir	Very Poor	327	PM _{2.5}	1
127	Ramanagara	Satisfactory	69	PM _{2.5}	1
128	Rohtak	Very Poor	314	PM _{2.5}	1
129	Rupnagar	Poor	210	PM _{2.5}	1
130	Sagar	Satisfactory	58	PM _{2.5}	1
131	Saharsa	Poor	300	PM ₁₀	1
132	Sasaram	Very Poor	355	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	51	PM ₁₀	1
134	Shillong	Good	33	PM _{2.5}	1
135	Shivamogga	Good	49	PM ₁₀	1
136	Singrauli	Very Poor	329	PM _{2.5}	1
137	Sirsa	Moderate	163	PM _{2.5}	1
138	Siwan	Severe	404	PM _{2.5}	1
139	Sonipat	Poor	256	PM ₁₀	1
140	Srinagar	Moderate	142	PM ₁₀	1
141	Thane	Poor	243	PM ₁₀	1
142	Thiruvananthapuram	Satisfactory	60	PM ₁₀ , PM _{2.5}	2
143	Thoothukudi	Satisfactory	53	PM ₁₀	1
144	Thrissur	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Jan 04, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Moderate	107	PM _{2.5}	1
146	Udaipur	Poor	225	PM _{2.5}	1
147	Udupi	Good	35	NO ₂	1
148	Ujjain	Moderate	131	PM ₁₀	1
149	Vapi	Poor	243	PM _{2.5}	1
150	Varanasi	Poor	250	PM _{2.5}	4
151	Vatva	Moderate	169	PM _{2.5}	1
152	Vijayapura	Good	49	PM ₁₀	1
153	Vrindavan	Poor	299	PM _{2.5}	1
154	Yadgir	Satisfactory	86	PM ₁₀	1
155	Yamunanagar	Very Poor	375	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Damoh, Gummidipoondi, Hajipur, Jorapokhar, Kishanganj, Kozhikode, Manguraha, Nandesari, Pali, Ratlam, Siliguri, Solapur, Talcher, Visakhapatnam as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.