

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	2
2	Agra	Good	46	PM <sub>10</sub> , PM <sub>2.5</sub>	5
3	Ahmedabad	Satisfactory	78	CO, PM <sub>10</sub>	2
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Moderate	117	PM <sub>10</sub>	1
6	Alwar	Satisfactory	65	PM <sub>10</sub>	1
7	Amaravati	Good	38	03	1
8	Ambala	Poor	247	PM <sub>2.5</sub>	1
9	Amritsar	Satisfactory	99	03	1
10	Ankleshwar	Satisfactory	64	PM <sub>10</sub>	1
11	Araria	Satisfactory	85	NO <sub>2</sub>	1
12	Arrah	Satisfactory	72	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	100	PM <sub>10</sub>	1
14	Aurangabad (Bihar)	Satisfactory	87	PM <sub>2.5</sub>	1
15	Aurangabad (Maharashtra)	Satisfactory	95	PM <sub>10</sub>	1
16	Baddi	Moderate	131	PM <sub>10</sub>	1
17	Bagalkot	Good	43	PM <sub>10</sub>	1
18	Baghpat	Satisfactory	77	PM <sub>10</sub>	1
19	Ballabgarh	Satisfactory	99	PM <sub>10</sub>	1
20	Bareilly	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Bathinda	Satisfactory	59	PM <sub>10</sub>	1
22	Begusarai	Satisfactory	56	PM <sub>10</sub>	1
23	Belgaum	Satisfactory	53	PM <sub>2.5</sub>	1
24	Bengaluru	Good	46	PM <sub>10</sub> , CO, O <sub>3</sub>	8

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Good	42	СО	1
26	Bhagalpur	Satisfactory	92	NO <sub>2</sub> , PM <sub>10</sub>	2
27	Bhiwadi	Moderate	121	NO <sub>2</sub>	1
28	Bhiwani	Satisfactory	68	PM <sub>10</sub>	1
29	Bhopal	Satisfactory	81	PM <sub>10</sub>	1
30	Bihar Sharif	Satisfactory	97	PM <sub>10</sub>	1
31	Bilaspur	Satisfactory	59	PM <sub>10</sub>	1
32	Brajrajnagar	Good	49	со	1
33	Bulandshahr	Moderate	112	PM <sub>10</sub>	1
34	Buxar	Poor	281	PM <sub>2.5</sub>	1
35	Chamarajanagar	Good	37	PM <sub>10</sub>	1
36	Chandigarh	Satisfactory	64	PM <sub>2.5</sub> , PM <sub>10</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandrapur	Satisfactory	65	PM <sub>10</sub>	1
38	Charkhi Dadri	Satisfactory	81	PM <sub>10</sub>	1
39	Chennai	Satisfactory	61	PM <sub>10</sub> , CO	9
40	Chhapra	Moderate	133	PM <sub>2.5</sub>	1
41	Chikkaballapur	Good	41	PM <sub>10</sub>	1
42	Chikkamagaluru	Good	31	PM <sub>10</sub>	1
43	Coimbatore	Good	32	со	1
44	Damoh	Good	30	PM <sub>10</sub>	1
45	Davanagere	Good	26	PM <sub>10</sub>	1
46	Delhi	Moderate	113	PM <sub>10</sub>	36
47	Dewas	Satisfactory	66	PM <sub>10</sub>	1
48	Dharuhera	Moderate	105	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Eloor	Satisfactory	53	PM <sub>10</sub>	1
50	Ernakulam	Good	49	со	1
51	Faridabad	Moderate	131	O <sub>3</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	4
52	Fatehabad	Satisfactory	62	PM <sub>10</sub>	1
53	Firozabad	Satisfactory	67	03	1
54	Gadag	Good	40	PM <sub>2.5</sub>	1
55	Gandhinagar	Good	46	PM <sub>10</sub>	1
56	Gangtok	Good	20	03	1
57	Gaya	Satisfactory	96	PM <sub>2.5</sub> , CO	3
58	Ghaziabad	Moderate	112	PM <sub>10</sub>	4
59	Gorakhpur	Satisfactory	56	PM <sub>2.5</sub>	1
60	Greater Noida	Moderate	103	PM <sub>10</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gurugram	Moderate	103	PM <sub>10</sub>	3
62	Guwahati	Good	43	PM <sub>10</sub>	2
63	Hajipur	Satisfactory	60	PM <sub>10</sub>	1
64	Haldia	Satisfactory	54	PM <sub>10</sub>	1
65	Hapur	Satisfactory	94	PM <sub>10</sub>	1
66	Hassan	Good	25	NO <sub>2</sub>	1
67	Haveri	Satisfactory	55	со	1
68	Hisar	Satisfactory	67	03	1
69	Howrah	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	3
70	Hubballi	Satisfactory	58	PM <sub>10</sub>	1
71	Hyderabad	Satisfactory	60	CO, PM <sub>10</sub>	13
72	Imphal	Satisfactory	57	SO <sub>2</sub>	2

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Indore	Satisfactory	95	PM <sub>10</sub>	1
74	Jabalpur	Satisfactory	89	PM <sub>10</sub>	1
75	Jaipur	Moderate	105	PM <sub>10</sub>	3
76	Jalandhar	Satisfactory	69	PM <sub>10</sub>	1
77	Jhansi	Good	48	PM <sub>10</sub>	1
78	Jind	Satisfactory	87	со	1
79	Jodhpur	Moderate	130	PM <sub>10</sub>	1
80	Kaithal	Satisfactory	57	PM <sub>10</sub>	1
81	Kalyan	Satisfactory	74	PM <sub>10</sub>	1
82	Kannur	Satisfactory	54	PM <sub>2.5</sub>	1
83	Kanpur	Good	46	PM <sub>10</sub> , CO	4
84	Karnal	Satisfactory	92	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Katihar	Moderate	131	PM <sub>10</sub>	1
86	Katni	Satisfactory	81	PM <sub>10</sub>	1
87	Khanna	Satisfactory	65	PM <sub>10</sub>	1
88	Khurja	Moderate	136	PM <sub>10</sub>	1
89	Kishanganj	Satisfactory	69	со	1
90	Kochi	Moderate	112	PM <sub>2.5</sub>	1
91	Kolkata	Satisfactory	57	PM <sub>10</sub> , O <sub>3</sub>	7
92	Kollam	Satisfactory	61	PM <sub>10</sub>	1
93	Koppal	Satisfactory	97	O <sub>3</sub>	1
94	Kota	Satisfactory	73	PM <sub>2.5</sub>	1
95	Kozhikode	Satisfactory	69	PM <sub>10</sub>	1
96	Kurukshetra	Satisfactory	68	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Lucknow	Satisfactory	52	CO, PM <sub>10</sub> , PM <sub>2.5</sub>	6
98	Ludhiana	Satisfactory	79	PM <sub>10</sub>	1
99	Madikeri	Good	22	SO <sub>2</sub>	1
100	Maihar	Good	29	со	1
101	Mandi Gobindgarh	Moderate	145	PM <sub>2.5</sub>	1
102	Mandideep	Satisfactory	59	PM <sub>10</sub>	1
103	Mandikhera	Good	34	PM <sub>10</sub>	1
104	Manesar	Satisfactory	100	PM <sub>10</sub>	1
105	Manglore	Satisfactory	56	со	1
106	Meerut	Moderate	112	PM <sub>10</sub>	3
107	Moradabad	Satisfactory	92	PM <sub>10</sub>	6
108	Motihari	Satisfactory	76	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mumbai	Satisfactory	63	PM <sub>10</sub> , CO	17
110	Munger	Moderate	102	PM <sub>10</sub>	1
111	Muzaffarnagar	Satisfactory	79	PM <sub>10</sub>	1
112	Muzaffarpur	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	3
113	Mysuru	Good	45	PM <sub>10</sub>	1
114	Nagpur	Satisfactory	56	PM <sub>10</sub>	1
115	Nandesari	Poor	249	PM <sub>2.5</sub>	1
116	Narnaul	Good	48	PM <sub>2.5</sub>	1
117	Navi Mumbai	Satisfactory	52	CO, PM <sub>10</sub>	2
118	Noida	Moderate	111	PM <sub>10</sub> , CO	4
119	Pali	Satisfactory	75	PM <sub>10</sub>	1
120	Palwal	Satisfactory	79	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Panchkula	Good	36	PM <sub>2.5</sub>	1
122	Panipat	Good	46	PM <sub>2.5</sub>	1
123	Patiala	Satisfactory	58	PM <sub>10</sub>	1
124	Patna	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub>	6
125	Pithampur	Satisfactory	96	PM <sub>10</sub>	1
126	Prayagraj	Satisfactory	81	PM <sub>2.5</sub> , SO <sub>2</sub> , PM <sub>10</sub>	3
127	Puducherry	Good	40	СО	1
128	Purnia	Poor	208	PM <sub>2.5</sub>	1
129	Raichur	Satisfactory	57	со	1
130	Rajamahendravaram	Good	35	PM <sub>10</sub>	1
131	Rajgir	Satisfactory	59	PM <sub>10</sub>	1
132	Ramanathapuram	Moderate	107	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Ratlam	Satisfactory	64	PM <sub>10</sub>	1
134	Rupnagar	Satisfactory	63	PM <sub>10</sub>	1
135	Sagar	Satisfactory	54	со	1
136	Saharsa	Poor	206	PM <sub>10</sub>	1
137	Samastipur	Moderate	140	PM <sub>10</sub>	1
138	Sasaram	Good	49	NO <sub>2</sub>	1
139	Satna	Satisfactory	52	PM <sub>10</sub>	1
140	Shillong	Good	22	PM <sub>10</sub> , SO <sub>2</sub>	2
141	Shivamogga	Good	42	PM <sub>10</sub>	1
142	Siliguri	Satisfactory	59	PM <sub>10</sub>	1
143	Singrauli	Satisfactory	95	NO <sub>2</sub>	1
144	Sirsa	Satisfactory	60	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh,
  Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi,
  Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha,
  Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi,
  Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Solapur	Satisfactory	80	PM <sub>2.5</sub>	1
146	Sonipat	Satisfactory	97	PM <sub>10</sub>	1
147	Srinagar	Good	38	PM <sub>2.5</sub>	1
148	Talcher	Satisfactory	69	PM <sub>2.5</sub>	1
149	Thane	Satisfactory	66	03	1
150	Thiruvananthapuram	Good	36	со	1
151	Thoothukudi	Good	38	PM <sub>10</sub>	1
152	Tirupati	Good	41	СО	1
153	Udaipur	Moderate	118	PM <sub>10</sub>	1
154	Ujjain	Satisfactory	91	PM <sub>10</sub>	1
155	Varanasi	Good	36	NO <sub>2</sub> , O <sub>3</sub> , PM <sub>10</sub>	4
156	Vatva	Satisfactory	55	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Visakhapatnam	Satisfactory	96	PM <sub>10</sub>	1
158	Vrindavan	Satisfactory	62	03	1
159	Yamunanagar	Moderate	114	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Anantapur, Bahadurgarh, Bhilai, Bidar, Chengalpattu, Darbhanga, Dehradun, Durgapur, Gummidipoondi, Gwalior, Hosur, Jorapokhar, Kalaburgi, Kohima, Kolar, Manguraha, Naharlagun, Nashik, Pune, Ramanagara, Rohtak, Siwan, Thrissur, Udupi, Vapi, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.