

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	223	PM _{2.5}	1
2	Agra	Poor	221	PM _{2.5}	1
3	Ahmedabad	Moderate	132	PM _{2.5}	1
4	Ajmer	Satisfactory	86	PM ₁₀	1
5	Alwar	Satisfactory	93	PM ₁₀	1
6	Amaravati	Satisfactory	76	со	1
7	Ambala	Moderate	149	PM _{2.5}	1
8	Amritsar	Poor	204	PM _{2.5}	1
9	Ankleshwar	Moderate	151	PM _{2.5}	1
10	Asansol	Moderate	197	PM _{2.5}	1
11	Aurangabad	Satisfactory	77	PM ₁₀	1
12	Bagalkot	Good	38	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	289	PM _{2.5}	1
14	Bahadurgarh	Poor	272	PM _{2.5}	1
15	Ballabgarh	Moderate	166	PM ₁₀	1
16	Bengaluru	Good	47	SO ₂ , CO, PM ₁₀	8
17	Bhiwadi	Poor	277	PM _{2.5}	1
18	Bhiwani	Moderate	153	03	1
19	Bhopal	Moderate	115	PM ₁₀	1
20	Bidar	Satisfactory	74	PM ₁₀	1
21	Brajrajnagar	Moderate	132	PM ₁₀	1
22	Bulandshahr	Very Poor	313	PM _{2.5}	1
23	Chandigarh	Moderate	143	PM _{2.5}	1
24	Chandrapur	Moderate	124	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Good	38	CO, O ₃ , PM _{2.5}	7
26	Chikkaballapur	Good	40	03	1
27	Chikkamagaluru	Good	46	PM _{2.5}	1
28	Davanagere	Good	47	SO ₂	1
29	Delhi	Poor	296	PM _{2.5} , PM ₁₀	36
30	Dewas	Satisfactory	97	PM ₁₀	1
31	Dharuhera	Poor	281	PM ₁₀	1
32	Durgapur	Poor	232	PM _{2.5}	1
33	Ernakulam	Satisfactory	61	PM _{2.5}	1
34	Faridabad	Poor	264	PM _{2.5} , PM ₁₀	4
35	Gadag	Good	38	PM _{2.5}	1
36	Gandhinagar	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	174	PM _{2.5} , O ₃	2
38	Ghaziabad	Poor	260	PM _{2.5} , O ₃	4
39	Greater Noida	Poor	300	PM _{2.5}	2
40	Gurugram	Poor	297	PM _{2.5}	3
41	Guwahati	Poor	216	PM _{2.5} , PM ₁₀	2
42	Gwalior	Poor	289	PM _{2.5}	1
43	Hajipur	Poor	214	PM ₁₀	1
44	Hapur	Moderate	123	PM ₁₀	1
45	Hisar	Very Poor	305	PM _{2.5}	1
46	Howrah	Poor	257	PM _{2.5} , PM ₁₀	3
47	Hubballi	Satisfactory	58	PM _{2.5}	1
48	Hyderabad	Satisfactory	80	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

lotes:

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jabalpur	Moderate	149	PM ₁₀	1
50	Jaipur	Moderate	127	PM _{2.5} , PM ₁₀	3
51	Jalandhar	Good	24	СО	1
52	Jind	Poor	268	PM _{2.5}	1
53	Jodhpur	Satisfactory	97	PM ₁₀	1
54	Jorapokhar	Satisfactory	90	03	1
55	Kaithal	Moderate	170	PM ₁₀	1
56	Kalaburgi	Satisfactory	81	PM ₁₀	1
57	Kalyan	Moderate	139	PM _{2.5}	1
58	Kannur	Good	20	со	1
59	Kanpur	Poor	235	PM _{2.5}	1
60	Karnal	Moderate	110	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Khanna	Moderate	121	PM ₁₀	1
62	Kochi	Satisfactory	69	PM _{2.5}	1
63	Kohima	Moderate	198	PM ₁₀	1
64	Kolar	Good	45	SO ₂	1
65	Kolkata	Poor	259	PM _{2.5} , PM ₁₀	7
66	Kollam	Satisfactory	84	PM ₁₀	1
67	Koppal	Satisfactory	52	PM ₁₀	1
68	Kozhikode	Satisfactory	87	PM ₁₀	1
69	Kurukshetra	Moderate	138	PM ₁₀	1
70	Lucknow	Poor	221	PM _{2.5} , PM ₁₀	3
71	Ludhiana	Moderate	104	PM ₁₀	1
72	Maihar	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

lotes:

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Moderate	163	PM _{2.5}	1
74	Mandideep	Moderate	115	PM ₁₀	1
75	Mandikhera	Moderate	143	PM _{2.5}	1
76	Medikeri	Good	39	PM ₁₀	1
77	Meerut	Poor	297	PM _{2.5}	1
78	Moradabad	Very Poor	334	PM _{2.5}	1
79	Mumbai	Moderate	119	PM _{2.5} , PM ₁₀	19
80	Muzaffarnagar	Poor	242	PM _{2.5}	1
81	Muzaffarpur	Poor	279	PM _{2.5}	1
82	Mysuru	Good	44	PM ₁₀	1
83	Nandesari	Moderate	112	со	1
84	Narnaul	Poor	219	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	75	PM _{2.5}	1
86	Navi Mumbai	Moderate	116	PM _{2.5} , PM ₁₀	3
87	Noida	Poor	251	PM _{2.5} , PM ₁₀	3
88	Pali	Satisfactory	95	PM ₁₀	1
89	Palwal	Moderate	111	PM ₁₀	1
90	Panipat	Moderate	149	PM ₁₀	1
91	Patiala	Moderate	150	со	1
92	Patna	Poor	215	PM _{2.5} , PM ₁₀	5
93	Pithampur	Moderate	168	PM _{2.5}	1
94	Puducherry	Satisfactory	51	03	1
95	Pune	Satisfactory	98	PM _{2.5} , PM ₁₀ , CO	7
96	Raichur	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Satisfactory	84	PM ₁₀	1
98	Rupnagar	Satisfactory	89	SO ₂	1
99	Sagar	Satisfactory	65	PM _{2.5}	1
100	Satna	Good	39	SO ₂	1
101	Shivamogga	Satisfactory	59	NO ₂	1
102	Siliguri	Poor	243	PM _{2.5}	1
103	Singrauli	Poor	265	PM _{2.5}	1
104	Sirsa	Moderate	136	PM ₁₀	1
105	Sonipat	Moderate	137	PM ₁₀	1
106	Srinagar	Moderate	193	PM _{2.5}	1
107	Talcher	Moderate	133	PM ₁₀	1
108	Thiruvananthapuram	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Thoothukudi	Good	33	PM ₁₀	1
110	Thrissur	Satisfactory	65	O ₃	1
111	Tirupati	Good	44	со	1
112	Udaipur	Moderate	134	PM _{2.5}	1
113	Udupi	Moderate	134	03	1
114	Ujjain	Moderate	126	PM ₁₀	1
115	Vapi	Moderate	119	PM ₁₀	1
116	Varanasi	Poor	257	PM _{2.5}	1
117	Vatva	Moderate	149	PM ₁₀	1
118	Vijayapura	Satisfactory	60	PM ₁₀	1
119	Visakhapatnam	Satisfactory	90	PM ₁₀	1
120	Yadgir	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	143	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aizawl, Bathinda, Chamarajanagar, Charkhi Dadri, Coimbatore, Damoh, Eloor, Fatehabad, Gummidipoondi, Haldia, Indore, Katni, Kota, Manesar, Manglore, Nagpur, Panchkula, Ramanagara, Ratlam, Rohtak, Shillong, Solapur, Thane as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.