

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	79	PM <sub>10</sub> , PM <sub>2.5</sub>	5
2	Ahmedabad	Satisfactory	63	PM <sub>10</sub>	7
3	Akola	Satisfactory	52	PM <sub>10</sub>	1
4	Alwar	Satisfactory	56	PM <sub>10</sub>	1
5	Ambala	Satisfactory	97	со	1
6	Amravati	Satisfactory	52	PM <sub>10</sub>	2
7	Amritsar	Satisfactory	88	СО	1
8	Anantapur	Good	38	PM <sub>10</sub>	1
9	Ankleshwar	Satisfactory	62	PM <sub>10</sub>	1
10	Ariyalur	Good	36	PM <sub>10</sub>	1
11	Aurangabad (Bihar)	Good	41	со	1
12	Aurangabad (Maharashtra)	Moderate	128 * AC	PM 10 I is not calculated for today's bullet	3 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul,

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	85	PM <sub>10</sub>	1
14	Badlapur	Satisfactory	59	PM <sub>10</sub>	1
15	Bagalkot	Good	42	PM <sub>10</sub>	1
16	Baghpat	Satisfactory	87	03	1
17	Bahadurgarh	Moderate	116	PM <sub>10</sub>	1
18	Ballabgarh	Good	46	со	1
19	Banswara	Satisfactory	87	PM <sub>10</sub>	1
20	Baran	Satisfactory	68	O <sub>3</sub>	1
21	Bareilly	Good	33	PM <sub>10</sub>	1
22	Barmer	Moderate	109	PM <sub>10</sub>	1
23	Bengaluru	Good	44	PM <sub>2.5</sub> , CO	5
24	Bettiah	Satisfactory	55 * AC	CO I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Goimbatore, Darbhanga, Dewas, Dhanbad, Dharunera, Dhoipur, Dindigui

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhagalpur	Moderate	122	со	2
26	Bharatpur	Satisfactory	85	PM <sub>10</sub>	1
27	Bhilai	Good	44	CO, PM <sub>10</sub>	3
28	Bhiwadi	Moderate	122	PM <sub>10</sub>	1
29	Bhiwani	Satisfactory	62	PM <sub>10</sub>	1
30	Bhopal	Good	50	PM <sub>10</sub>	1
31	Bidar	Good	48	со	1
32	Bihar Sharif	Good	26	со	1
33	Bikaner	Satisfactory	92	PM <sub>10</sub>	1
34	Bileipada	Moderate	113	PM <sub>10</sub>	1
35	Bulandshahr	Moderate	119	PM <sub>10</sub>	1
36	Bundi	Satisfactory	72 * AC	O <sub>3</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### — Colmbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Byrnihat	Moderate	187	PM <sub>2.5</sub>	1
38	Chamarajanagar	Good	43	PM <sub>10</sub>	1
39	Chandigarh	Moderate	115	O <sub>3</sub> , PM <sub>10</sub>	3
40	Chandrapur	Satisfactory	53	PM <sub>10</sub>	1
41	Charkhi Dadri	Good	48	PM <sub>10</sub>	1
42	Chennai	Good	49	NO <sub>2</sub> , O <sub>3</sub>	3
43	Chhapra	Satisfactory	72	со	1
44	Chikkamagaluru	Good	36	PM <sub>10</sub>	1
45	Chittoor	Good	30	03	1
46	Churu	Good	49	O <sub>3</sub>	1
47	Cuddalore	Good	32	PM <sub>2.5</sub>	1
48	Damoh	Satisfactory	80 * AC	PM 10 I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### -Colmbatore, Darbhanga, Dewas, Dhanbad, Dharunera, Dholpur, Dindigul,

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dausa	Satisfactory	69	PM <sub>10</sub>	1
50	Davanagere	Good	17	PM <sub>10</sub>	1
51	Dehradun	Moderate	112	со	1
52	Delhi	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	33
53	Dharwad	Good	40	PM <sub>10</sub>	1
54	Dhule	Satisfactory	70	PM <sub>10</sub>	1
55	Durgapur	Good	42	PM <sub>2.5</sub>	1
56	Eloor	Good	47	PM <sub>10</sub>	1
57	Faridabad	Moderate	137	PM <sub>10</sub> , PM <sub>2.5</sub>	4
58	Fatehabad	Moderate	158	O <sub>3</sub>	1
59	Firozabad	Satisfactory	70	PM <sub>10</sub>	1
60	Gadag	Good	46 * AC	SO <sub>2</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gandhinagar	Satisfactory	67	PM <sub>10</sub>	1
62	Gangtok	Satisfactory	56	SO <sub>2</sub>	1
63	Gaya	Satisfactory	64	со	2
64	Ghaziabad	Moderate	124	03	4
65	Gorakhpur	Good	39	SO <sub>2</sub>	1
66	Greater Noida	Poor	228	PM <sub>10</sub>	2
67	Gurugram	Moderate	184	PM <sub>2.5</sub>	3
68	Guwahati	Satisfactory	64	CO, PM <sub>2.5</sub>	2
69	Hajipur	Satisfactory	68	03	1
70	Haldia	Good	44	PM <sub>10</sub>	1
71	Hanumangarh	Satisfactory	56	PM <sub>10</sub>	1
72	Hassan	Good	46 * AC	SO <sub>2</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Good	42	СО	1
74	Hisar	Moderate	104	PM <sub>10</sub>	1
75	Hosur	Good	28	PM <sub>10</sub>	1
76	Howrah	Good	46	PM <sub>10</sub>	3
77	Hubballi	Satisfactory	51	PM <sub>10</sub>	1
78	Hyderabad	Satisfactory	53	PM <sub>10</sub>	4
79	Jabalpur	Satisfactory	78	O <sub>3</sub> , PM <sub>10</sub>	3
80	Jaipur	Good	50	PM <sub>10</sub>	5
81	Jaisalmer	Moderate	177	PM <sub>10</sub>	1
82	Jalandhar	Satisfactory	55	O <sub>3</sub>	1
83	Jalgaon	Moderate	101	PM <sub>10</sub>	1
84	Jalna	Good	45 * AC	PM 10 I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jhalawar	Satisfactory	58	PM <sub>10</sub>	1
86	Jhansi	Moderate	112	PM <sub>10</sub>	1
87	Jhunjhunu	Satisfactory	79	03	1
88	Jind	Satisfactory	63	со	1
89	Jodhpur	Satisfactory	70	PM <sub>10</sub>	4
90	Kadapa	Satisfactory	60	PM <sub>2.5</sub>	1
91	Kaithal	Satisfactory	63	PM <sub>2.5</sub>	1
92	Kannur	Satisfactory	70	PM <sub>10</sub>	1
93	Kanpur	Good	46	PM <sub>10</sub>	3
94	Karauli	Satisfactory	51	O <sub>3</sub>	1
95	Karnal	Satisfactory	55	PM <sub>10</sub>	1
96	Kashipur	Satisfactory	72 * AC	PM 10 I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### <del>Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul,</del>

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Keonjhar	Good	50	PM <sub>10</sub>	1
98	Khanna	Satisfactory	70	PM <sub>10</sub>	1
99	Kishanganj	Good	39	03	1
100	Kochi	Satisfactory	77	PM <sub>10</sub>	1
101	Kohima	Satisfactory	58	SO <sub>2</sub>	1
102	Kolar	Good	34	PM <sub>10</sub>	1
103	Kolhapur	Good	41	PM <sub>10</sub>	1
104	Kolkata	Good	39	PM <sub>10</sub>	7
105	Kollam	Satisfactory	68	PM <sub>10</sub>	1
106	Koppal	Good	50	SO <sub>2</sub>	1
107	Korba	Good	24	PM <sub>10</sub> , NO <sub>2</sub>	2
108	Kota	Satisfactory	61 * AC	PM 10 I is not calculated for today's bullet	3 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Colmbatore, Darbhanga, Dewas, Dhanbad, Dharunera, Dholpur, Dindigui

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kunjemura	Good	42	PM <sub>10</sub>	1
110	Kurukshetra	Satisfactory	71	PM <sub>10</sub>	1
111	Latur	Good	37	03	1
112	Lucknow	Good	42	со	6
113	Ludhiana	Moderate	101	PM <sub>10</sub>	1
114	Mahad	Good	40	PM <sub>2.5</sub>	1
115	Maihar	Good	35	СО	1
116	Mandi Gobindgarh	Satisfactory	73	PM <sub>10</sub>	1
117	Mandikhera	Good	40	PM <sub>10</sub>	1
118	Manesar	Satisfactory	60	PM <sub>2.5</sub>	1
119	Mangalore	Satisfactory	61	PM <sub>10</sub>	1
120	Manguraha	Good	<b>43</b>	CO I is not calculated for today's bullet	<b>1</b> n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### <del>Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul,</del>

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Satisfactory	98	PM <sub>10</sub>	2
122	Milupara	Good	45	PM <sub>10</sub>	1
123	Moradabad	Satisfactory	85	PM <sub>10</sub>	6
124	Motihari	Good	42	со	1
125	Mumbai	Satisfactory	59	CO, PM <sub>10</sub>	21
126	Muzaffarnagar	Moderate	118	PM <sub>2.5</sub>	1
127	Muzaffarpur	Satisfactory	53	03	1
128	Mysuru	Good	46	PM <sub>10</sub>	1
129	Nagaon	Satisfactory	60	PM <sub>10</sub>	1
130	Nagaur	Satisfactory	68	PM <sub>10</sub>	1
131	Nagpur	Good	50	PM <sub>10</sub>	4
132	Nalbari	Satisfactory	64 * AC	CO I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nanded	Satisfactory	57	O <sub>3</sub>	1
134	Narnaul	Moderate	139	СО	1
135	Nashik	Good	35	PM <sub>10</sub> , CO	4
136	Navi Mumbai	Satisfactory	55	PM <sub>2.5</sub> , PM <sub>10</sub>	6
137	Nayagarh	Moderate	121	PM <sub>10</sub>	1
138	Noida	Moderate	126	O <sub>3</sub> , PM <sub>10</sub>	2
139	Ooty	Good	36	PM <sub>10</sub>	1
140	Pali	Satisfactory	95	СО	1
141	Palwal	Good	40	PM <sub>10</sub>	1
142	Panchkula	Satisfactory	81	PM <sub>2.5</sub>	1
143	Panipat	Satisfactory	70	PM <sub>10</sub>	1
144	Parbhani	Good	48 * AC	O <sub>3</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Colmbatore, Darbhanga, Dewas, Dhanbad, Dharunera, Dholpur, Dindigui

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Good	43	PM <sub>10</sub>	1
146	Patna	Satisfactory	52	PM <sub>10</sub> , CO	6
147	Pimpri Chinchwad	Good	41	PM <sub>2.5</sub>	3
148	Pratapgarh	Satisfactory	72	PM <sub>10</sub>	1
149	Prayagraj	Satisfactory	80	PM <sub>2.5</sub> , PM <sub>10</sub>	3
150	Puducherry	Satisfactory	53	СО	1
151	Pune	Satisfactory	80	NO <sub>2</sub> , PM <sub>2.5</sub>	7
152	Purnia	Satisfactory	69	со	1
153	Raichur	Satisfactory	80	SO <sub>2</sub>	1
154	Raipur	Good	40	PM <sub>10</sub> , NO <sub>2</sub>	3
155	Rairangpur	Good	43	PM <sub>10</sub>	1
156	Rajamahendravaram	Good	33 * AC	O <sub>3</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Goimbatore, Darbhanga, Dewas, Dhanbad, Dharunera, Dhoipur, Dindigui

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajgir	Good	48	PM <sub>2.5</sub>	1
158	Rajsamand	Satisfactory	56	PM <sub>10</sub>	1
159	Ratlam	Satisfactory	67	PM <sub>10</sub>	1
160	Rishikesh	Good	36	PM <sub>10</sub>	1
161	Rohtak	Satisfactory	63	PM <sub>2.5</sub>	1
162	Rourkela	Satisfactory	66	PM <sub>2.5</sub> , PM <sub>10</sub>	2
163	Rupnagar	Satisfactory	83	PM <sub>10</sub>	1
164	Sagar	Satisfactory	70	со	1
165	Salem	Good	30	PM <sub>2.5</sub>	1
166	Samastipur	Satisfactory	83	со	1
167	Sangli	Good	28	PM <sub>10</sub>	1
168	Sasaram	Satisfactory	75 * AC	PM <sub>2.5</sub> I is not calculated for today's bullet	1 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Satna	Moderate	132	PM <sub>10</sub>	1
170	Sawai Madhopur	Satisfactory	58	со	1
171	Shillong	Good	24	PM <sub>10</sub> , PM <sub>2.5</sub>	2
172	Shivamogga	Good	47	PM <sub>10</sub>	1
173	Silchar	Good	24	со	1
174	Siliguri	Good	30	NO <sub>2</sub>	1
175	Singrauli	Satisfactory	77	PM <sub>10</sub>	1
176	Sirohi	Good	37	PM <sub>10</sub>	1
177	Sirsa	Moderate	101	PM <sub>10</sub>	1
178	Sivasagar	Good	22	PM <sub>10</sub>	1
179	Siwan	Moderate	121	со	1
180	Solapur	Good	40 * AC	PM 10 I is not calculated for today's bullet	3 n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Soimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul,

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sri Ganganagar	Satisfactory	71	со	1
182	Suakati	Satisfactory	77	PM <sub>10</sub>	1
183	Surat	Moderate	196	PM <sub>10</sub>	1
184	Talcher	Satisfactory	84	со	1
185	Tensa	Good	45	PM <sub>2.5</sub>	1
186	Thane	Satisfactory	51	PM <sub>10</sub>	1
187	Thiruvananthapuram	Good	43	PM <sub>10</sub> , CO	2
188	Thoothukudi	Satisfactory	57	PM <sub>10</sub>	1
189	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
190	Tirupati	Good	35	со	1
191	Tonk	Satisfactory	72	O <sub>3</sub>	1
192	Tumakuru	Satisfactory	72 * AC	PM 10 I is not calculated for today's bullet	<b>1</b> n for Agartala, Ahmednagar,

Notes:

Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Udaipur	Satisfactory	91	PM <sub>10</sub>	1
194	Ulhasnagar	Satisfactory	64	PM <sub>2.5</sub>	1
195	Vapi	Moderate	102	СО	1
196	Varanasi	Good	28	SO <sub>2</sub> , O <sub>3</sub>	4
197	Vatva	Satisfactory	72	PM <sub>10</sub>	1
198	Vijayapura	Good	45	PM <sub>10</sub>	1
199	Vijayawada	Satisfactory	54	NO <sub>2</sub>	2
200	Vrindavan	Good	43	PM <sub>10</sub>	1
201	Yamunanagar	Satisfactory	78	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# \* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Aizawl, Ajmer, Amaravati, Araria, Arrah, Asansol, Baripada, Bathinda, Begusarai, Belapur, Belgaum, Bhilwara, Bhiwandi, Bilaspur, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chhal, Chikkaballapur, Chittorgarh,

#### -Coimbatore, Darbhanga, Dewas, Dhanbad, Dharuhera, Dholpur, Dindigul,

Dungarpur, Ernakulam, Gummidipoondi, Gwalior, Hapur, Imphal, Indore, Jalore, Jorapokhar, Kalaburgi, Kalyan, Kanchipuram, Katihar, Katni, Khurja, Kozhikode, Madikeri, Malegaon, Mandideep, Mira-Bhayandar, Munger, Naharlagun, Nandesari, Palkalaiperur, Pithampur, Ramanagara, Ramanathapuram, Saharsa, Sikar, Sonipat, Srinagar, Tirupur, Tumidih, Udupi, Ujjain, Virar, Visakhapatnam, Yadgir, vellore as data was not available.

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.