

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	187	PM <sub>10</sub> , PM <sub>2.5</sub>	3
2	Ahmedabad	Satisfactory	75	CO, PM <sub>10</sub>	7
3	Ajmer	Satisfactory	75	PM <sub>10</sub>	1
4	Alwar	Satisfactory	59	PM <sub>10</sub>	1
5	Amaravati	Good	48	PM <sub>10</sub>	1
6	Ambala	Moderate	140	PM <sub>10</sub>	1
7	Amritsar	Moderate	177	PM <sub>2.5</sub>	1
8	Ankleshwar	Satisfactory	69	со	1
9	Asansol	Satisfactory	58	PM <sub>10</sub>	1
10	Aurangabad	Satisfactory	59	со	1
11	Bagalkot	Good	26	PM <sub>2.5</sub>	1
12	Baghpat	Poor	286	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	161	PM <sub>10</sub>	1
14	Ballabgarh	Moderate	165	PM <sub>10</sub>	1
15	Bathinda	Satisfactory	54	PM <sub>10</sub>	1
16	Bengaluru	Satisfactory	52	CO, PM <sub>10</sub>	8
17	Bhiwadi	Very Poor	316	PM <sub>2.5</sub>	1
18	Bhiwani	Moderate	193	PM <sub>10</sub>	1
19	Bhopal	Satisfactory	78	PM <sub>10</sub>	1
20	Bidar	Good	36	со	1
21	Brajrajnagar	Satisfactory	94	NO <sub>2</sub>	1
22	Bulandshahr	Moderate	189	PM <sub>10</sub>	1
23	Chamarajanagar	Good	49	PM <sub>10</sub>	1
24	Chandigarh	Moderate	162	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	30	PM <sub>10</sub> , O <sub>3</sub>	2
26	Charkhi Dadri	Very Poor	343	PM <sub>2.5</sub>	1
27	Chennai	Satisfactory	54	CO, PM <sub>10</sub> , O <sub>3</sub>	8
28	Chikkaballapur	Good	45	PM <sub>10</sub>	1
29	Chikkamagaluru	Good	35	PM <sub>10</sub>	1
30	Damoh	Good	50	со	1
31	Davanagere	Good	38	PM <sub>10</sub>	1
32	Delhi	Poor	206	PM <sub>2.5</sub> , PM <sub>10</sub>	32
33	Dewas	Satisfactory	60	PM <sub>10</sub>	1
34	Dharuhera	Poor	246	PM <sub>10</sub>	1
35	Durgapur	Moderate	119	PM <sub>10</sub>	1
36	Ernakulam	Good	49	СО	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Poor	205	PM <sub>2.5</sub> , PM <sub>10</sub>	4
38	Fatehabad	Moderate	183	PM <sub>10</sub>	1
39	Gadag	Satisfactory	70	SO <sub>2</sub>	1
40	Gandhinagar	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	3
41	Gaya	Satisfactory	72	PM <sub>2.5</sub> , PM <sub>10</sub>	2
42	Ghaziabad	Poor	278	PM <sub>10</sub>	4
43	Greater Noida	Poor	214	PM <sub>10</sub> , PM <sub>2.5</sub>	2
44	Gummidipoondi	Satisfactory	96	PM <sub>10</sub>	1
45	Gurugram	Moderate	179	PM <sub>10</sub> , PM <sub>2.5</sub>	3
46	Guwahati	Good	42	SO <sub>2</sub>	2
47	Gwalior	Moderate	121	PM <sub>10</sub>	1
48	Hajipur	Satisfactory	97	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Haldia	Good	42	PM <sub>10</sub>	1
50	Hapur	Moderate	147	PM <sub>10</sub>	1
51	Hassan	Satisfactory	87	PM <sub>10</sub>	1
52	Hisar	Moderate	172	PM <sub>10</sub>	1
53	Howrah	Satisfactory	56	PM <sub>10</sub>	3
54	Hubballi	Satisfactory	60	PM <sub>10</sub>	1
55	Hyderabad	Satisfactory	61	NO <sub>2</sub> , PM <sub>2.5</sub> , PM <sub>10</sub>	5
56	Indore	Satisfactory	66	PM <sub>10</sub>	1
57	Jabalpur	Satisfactory	72	PM <sub>10</sub>	1
58	Jaipur	Moderate	106	PM <sub>10</sub>	2
59	Jind	Moderate	184	PM <sub>10</sub>	1
60	Jodhpur	Moderate	101	PM <sub>2.5</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Moderate	200	PM <sub>10</sub>	1
62	Kalaburgi	Good	30	03	1
63	Kanpur	Moderate	118	PM <sub>2.5</sub>	2
64	Karnal	Moderate	135	PM <sub>10</sub>	1
65	Katni	Moderate	113	PM <sub>10</sub>	1
66	Khanna	Satisfactory	94	PM <sub>10</sub>	1
67	Kohima	Good	37	PM <sub>10</sub>	1
68	Kolkata	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub>	7
69	Kollam	Satisfactory	78	PM <sub>10</sub>	1
70	Koppal	Satisfactory	67	со	1
71	Kota	Satisfactory	74	PM <sub>10</sub>	1
72	Kozhikode	Satisfactory	54	СО	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	168	PM <sub>10</sub>	1
74	Lucknow	Moderate	131	PM <sub>2.5</sub> , PM <sub>10</sub>	5
75	Ludhiana	Moderate	139	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	120	PM <sub>10</sub>	1
77	Mandikhera	Moderate	101	PM <sub>10</sub>	1
78	Manesar	Poor	243	PM <sub>2.5</sub>	1
79	Medikeri	Good	26	СО	1
80	Meerut	Poor	235	PM <sub>10</sub>	3
81	Moradabad	Poor	215	PM <sub>10</sub>	1
82	Mumbai	Satisfactory	56	NO <sub>2</sub> , PM <sub>10</sub> , CO	18
83	Muzaffarnagar	Moderate	184	PM <sub>10</sub>	1
84	Muzaffarpur	Satisfactory	84	PM <sub>2.5</sub> , PM <sub>10</sub>	2

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	37	PM <sub>10</sub>	1
86	Nagpur	Satisfactory	71	PM <sub>10</sub>	1
87	Naharlagun	Good	33	SO <sub>2</sub>	1
88	Nandesari	Satisfactory	78	PM <sub>2.5</sub>	1
89	Narnaul	Satisfactory	80	PM <sub>2.5</sub>	1
90	Nashik	Good	34	NO <sub>2</sub>	1
91	Navi Mumbai	Satisfactory	97	PM <sub>10</sub> , PM <sub>2.5</sub>	3
92	Noida	Poor	252	PM <sub>10</sub>	4
93	Pali	Satisfactory	83	PM <sub>10</sub>	1
94	Panchkula	Poor	217	PM <sub>2.5</sub>	1
95	Panipat	Poor	210	PM <sub>10</sub>	1
96	Patiala	Moderate	145	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Satisfactory	100	PM <sub>10</sub>	4
98	Pithampur	Satisfactory	63	PM <sub>10</sub>	1
99	Prayagraj	Satisfactory	85	PM <sub>10</sub>	1
100	Pune	Satisfactory	61	CO, PM <sub>2.5</sub> , O <sub>3</sub>	5
101	Raichur	Satisfactory	57	PM <sub>10</sub>	1
102	Rajamahendravaram	Satisfactory	56	PM <sub>10</sub>	1
103	Ramanagara	Good	46	O <sub>3</sub>	1
104	Rohtak	Moderate	177	PM <sub>2.5</sub>	1
105	Rupnagar	Moderate	144	PM <sub>10</sub>	1
106	Sagar	Good	33	со	1
107	Satna	Satisfactory	86	PM <sub>10</sub>	1
108	Shivamogga	Good	42	NO <sub>2</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	52	PM <sub>2.5</sub>	1
110	Singrauli	Satisfactory	78	PM <sub>10</sub>	1
111	Sirsa	Moderate	171	PM <sub>10</sub>	1
112	Solapur	Good	42	O <sub>3</sub>	1
113	Sonipat	Poor	274	PM <sub>10</sub>	1
114	Srinagar	Moderate	148	PM <sub>10</sub>	1
115	Talcher	Satisfactory	89	со	1
116	Thane	Satisfactory	85	PM <sub>10</sub>	1
117	Thiruvananthapuram	Good	46	PM <sub>10</sub> , CO	2
118	Thoothukudi	Satisfactory	56	PM <sub>10</sub>	1
119	Thrissur	Satisfactory	55	03	1
120	Tirupati	Satisfactory	54	PM <sub>10</sub>	1

# Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	106	PM <sub>10</sub>	1
122	Udupi	Satisfactory	81	со	1
123	Ujjain	Satisfactory	82	PM <sub>10</sub>	1
124	Vapi	Satisfactory	64	PM <sub>10</sub>	1
125	Varanasi	Satisfactory	90	PM <sub>10</sub>	2
126	Vatva	Satisfactory	98	PM <sub>10</sub>	1
127	Vijayapura	Good	48	PM <sub>2.5</sub>	1
128	Visakhapatnam	Satisfactory	84	PM <sub>10</sub>	1
129	Yadgir	Good	33	PM <sub>10</sub>	1
130	Yamunanagar	Moderate	183	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Agartala, Aizawl, Coimbatore, Eloor, Jalandhar, Jorapokhar, Kalyan, Kannur, Kochi, Kolar, Maihar, Mandideep, Manglore, Palwal, Puducherry, Ratlam, Shillong as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.