

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	104	PM ₁₀	1
2	Agra	Poor	254	PM _{2.5}	1
3	Ahmedabad	Moderate	135	PM ₁₀	1
4	Aizawl	Satisfactory	93	PM ₁₀	1
5	Ajmer	Very Poor	357	PM _{2.5}	1
6	Alwar	Moderate	194	PM ₁₀	1
7	Amaravati	Satisfactory	94	PM ₁₀	1
8	Ambala	Moderate	101	PM ₁₀	1
9	Amritsar	Satisfactory	61	PM ₁₀	1
10	Ankleshwar	Moderate	196	03	1
11	Asansol	Poor	231	PM ₁₀	1
12	Baghpat	Poor	266	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Moderate	190	PM ₁₀	1
14	Ballabgarh	Poor	202	PM ₁₀	1
15	Bathinda	Satisfactory	70	PM ₁₀	1
16	Bengaluru	Moderate	108	PM _{2.5} , PM ₁₀ , CO	10
17	Bhiwadi	Poor	279	PM ₁₀	1
18	Bhopal	Moderate	162	PM ₁₀	1
19	Bidar	Moderate	102	PM ₁₀	1
20	Brajrajnagar	Moderate	136	NO ₂	1
21	Bulandshahr	Poor	256	PM ₁₀	1
22	Chandigarh	Moderate	116	PM ₁₀	1
23	Chandrapur	Moderate	108	PM ₁₀	2
24	Charkhi Dadri	Poor	211	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	57	CO, PM ₁₀ , O ₃	6
26	Chikkaballapur	Moderate	151	PM _{2.5}	1
27	Damoh	Moderate	102	PM ₁₀	1
28	Davanagere	Satisfactory	89	PM ₁₀	1
29	Delhi	Poor	203	PM _{2.5} , PM ₁₀	7
30	Dewas	Moderate	187	PM ₁₀	1
31	Dharuhera	Poor	290	PM ₁₀	1
32	Durgapur	Poor	254	PM _{2.5}	1
33	Eloor	Good	47	со	1
34	Ernakulam	Good	50	PM ₁₀	1
35	Faridabad	Poor	219	PM ₁₀ , PM _{2.5} , O ₃	3
36	Fatehabad	Moderate	197	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Satisfactory	73	PM ₁₀	1
38	Gandhinagar	Moderate	102	PM ₁₀	1
39	Gaya	Satisfactory	94	PM ₁₀ , O ₃	2
40	Ghaziabad	Poor	244	PM ₁₀	4
41	Greater Noida	Poor	267	PM ₁₀	1
42	Gummidipoondi	Moderate	115	PM ₁₀	1
43	Gurugram	Poor	206	PM ₁₀ , PM _{2.5}	3
44	Guwahati	Satisfactory	96	PM _{2.5} , PM ₁₀	2
45	Gwalior	Poor	243	PM ₁₀	1
46	Hajipur	Moderate	151	PM ₁₀	1
47	Haldia	Satisfactory	73	PM ₁₀	1
48	Hassan	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Poor	230	PM ₁₀	1
50	Howrah	Moderate	134	PM ₁₀	3
51	Hubballi	Moderate	109	PM ₁₀	1
52	Hyderabad	Moderate	139	PM _{2.5} , PM ₁₀	6
53	Indore	Moderate	159	PM ₁₀	1
54	Jabalpur	Poor	216	PM ₁₀	1
55	Jaipur	Very Poor	329	PM _{2.5}	3
56	Jalandhar	Good	50	PM _{2.5}	1
57	Jind	Moderate	163	PM ₁₀	1
58	Jodhpur	Very Poor	329	PM ₁₀	1
59	Kaithal	Moderate	191	PM ₁₀	1
60	Kalaburgi	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Moderate	129	PM ₁₀	1
62	Kannur	Satisfactory	67	PM _{2.5}	1
63	Kanpur	Moderate	103	PM _{2.5}	2
64	Karnal	Moderate	110	PM _{2.5}	1
65	Katni	Poor	269	PM ₁₀	1
66	Khanna	Satisfactory	70	PM ₁₀	1
67	Kochi	Satisfactory	82	PM ₁₀	1
68	Kolar	Satisfactory	67	СО	1
69	Kolkata	Moderate	196	O ₃ , PM ₁₀	6
70	Kollam	Satisfactory	59	PM ₁₀	1
71	Kota	Poor	281	PM ₁₀	1
72	Kozhikode	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Moderate	141	PM ₁₀	1
74	Lucknow	Moderate	194	PM _{2.5} , PM ₁₀	4
75	Ludhiana	Satisfactory	75	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	175	PM _{2.5}	1
77	Mandideep	Satisfactory	72	PM ₁₀	1
78	Mandikhera	Moderate	148	PM ₁₀	1
79	Manesar	Poor	279	PM _{2.5}	1
80	Medikeri	Satisfactory	60	PM ₁₀	1
81	Meerut	Poor	280	PM ₁₀	2
82	Moradabad	Poor	261	PM ₁₀	1
83	Mumbai	Satisfactory	81	PM ₁₀ , PM _{2.5}	20
84	Muzaffarnagar	Poor	224	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	150	PM _{2.5} , PM ₁₀	2
86	Mysuru	Satisfactory	90	O ₃	1
87	Naharlagun	Satisfactory	78	PM ₁₀	1
88	Nandesari	Satisfactory	63	СО	1
89	Narnaul	Very Poor	336	PM ₁₀	1
90	Nashik	Satisfactory	64	PM ₁₀	1
91	Navi Mumbai	Moderate	114	PM _{2.5} , PM ₁₀ , O ₃	3
92	Noida	Poor	226	PM ₁₀	3
93	Pali	Poor	284	PM ₁₀	1
94	Panchkula	Moderate	121	PM _{2.5}	1
95	Panipat	Moderate	171	PM ₁₀	1
96	Patiala	Moderate	104	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	179	PM _{2.5} , PM ₁₀	5
98	Pithampur	Satisfactory	100	PM _{2.5}	1
99	Puducherry	Good	45	03	1
100	Pune	Satisfactory	80	NO ₂ , PM _{2.5} , PM ₁₀	7
101	Raichur	Moderate	106	PM _{2.5}	1
102	Rajamahendravaram	Satisfactory	86	PM ₁₀	1
103	Ratlam	Moderate	145	PM ₁₀	1
104	Rohtak	Moderate	185	PM _{2.5}	1
105	Rupnagar	Good	42	PM ₁₀	1
106	Sagar	Poor	204	PM _{2.5}	1
107	Satna	Moderate	109	PM ₁₀	1
108	Shillong	Satisfactory	52	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	65	O ₃	1
110	Siliguri	Moderate	161	PM _{2.5}	1
111	Singrauli	Poor	299	PM _{2.5}	1
112	Sirsa	Moderate	151	PM _{2.5}	1
113	Solapur	Satisfactory	80	PM ₁₀	1
114	Sonipat	Moderate	197	PM ₁₀	1
115	Srinagar	Satisfactory	51	PM ₁₀	1
116	Talcher	Satisfactory	86	со	1
117	Thane	Satisfactory	97	PM ₁₀	1
118	Thiruvananthapuram	Good	39	CO, PM ₁₀	2
119	Thoothukudi	Good	43	PM ₁₀	1
120	Thrissur	Satisfactory	75	SO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Tirupati	Moderate	114	PM ₁₀	1
122	Udaipur	Moderate	173	PM ₁₀	1
123	Ujjain	Moderate	147	PM ₁₀	1
124	Vapi	Satisfactory	75	со	1
125	Varanasi	Poor	214	PM ₁₀	1
126	Vatva	Moderate	153	PM _{2.5}	1
127	Vijayapura	Satisfactory	59	PM ₁₀	1
128	Visakhapatnam	Moderate	138	PM ₁₀	1
129	Yadgir	Moderate	110	O ₃	1
130	Yamunanagar	Moderate	167	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Bhiwani, Chamarajanagar, Chikkamagaluru, Coimbatore, Hapur, Jorapokhar, Kohima, Koppal, Maihar, Manglore, Nagpur, Palwal, Ramanagara, Udupi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.