

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	232	PM _{2.5}	2
2	Agra	Satisfactory	62	PM _{2.5} , PM ₁₀	6
3	Ahmedabad	Moderate	137	PM _{2.5}	1
4	Aizawl	Good	44	PM ₁₀	1
5	Ajmer	Moderate	125	PM _{2.5}	1
6	Alwar	Moderate	106	PM _{2.5}	1
7	Amaravati	Satisfactory	79	PM ₁₀	1
8	Ambala	Moderate	150	PM _{2.5}	1
9	Amritsar	Poor	236	PM _{2.5}	1
10	Anantapur	Satisfactory	68	03	1
11	Ankleshwar	Moderate	165	PM _{2.5}	1
12	Araria	Very Poor	333	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	57	PM _{2.5}	1
14	Arrah	Very Poor	344	PM _{2.5}	1
15	Asansol	Very Poor	338	PM _{2.5}	1
16	Aurangabad (Bihar)	Very Poor	368	PM _{2.5}	1
17	Aurangabad (Maharashtra)	Satisfactory	87	PM ₁₀	1
18	Baddi	Very Poor	366	PM _{2.5}	1
19	Bagalkot	Satisfactory	52	O ₃	1
20	Baghpat	Poor	237	PM _{2.5}	1
21	Bahadurgarh	Poor	262	PM _{2.5}	1
22	Ballabgarh	Poor	256	PM _{2.5}	1
23	Bareilly	Satisfactory	90	PM ₁₀	2
24	Baripada	Very Poor	310	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	83	PM _{2.5}	1
26	Bengaluru	Satisfactory	86	PM _{2.5} , PM ₁₀	8
27	Bhagalpur	Severe	420	PM _{2.5}	2
28	Bhiwadi	Poor	261	PM _{2.5}	1
29	Bhiwani	Moderate	109	со	1
30	Bhopal	Poor	210	PM _{2.5}	2
31	Bidar	Satisfactory	83	СО	1
32	Bileipada	Very Poor	355	PM _{2.5}	1
33	Brajrajnagar	Satisfactory	92	PM ₁₀	1
34	Bulandshahr	Moderate	153	PM _{2.5}	1
35	Byrnihat	Very Poor	368	PM _{2.5}	1
36	Chamarajanagar	Good	42	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Very Poor	302	PM _{2.5}	2
38	Chandrapur	Moderate	130	O ₃	2
39	Charkhi Dadri	Moderate	196	PM _{2.5}	1
40	Chennai	Satisfactory	76	PM _{2.5}	7
41	Chhapra	Very Poor	365	PM _{2.5}	1
42	Chikkaballapur	Moderate	113	PM ₁₀	1
43	Chikkamagaluru	Good	45	со	1
44	Chittoor	Good	42	03	1
45	Coimbatore	Satisfactory	79	PM _{2.5}	1
46	Damoh	Satisfactory	52	PM _{2.5}	1
47	Darbhanga	Severe	407	PM _{2.5}	1
48	Davanagere	Satisfactory	81	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Moderate	196	PM _{2.5}	1
50	Delhi	Very Poor	357	PM _{2.5}	38
51	Dewas	Moderate	152	PM ₁₀	1
52	Dharuhera	Very Poor	337	PM _{2.5}	1
53	Dindigul	Poor	224	NO ₂	1
54	Durgapur	Moderate	152	PM ₁₀	1
55	Faridabad	Very Poor	325	PM _{2.5}	3
56	Fatehabad	Moderate	164	PM _{2.5}	1
57	Firozabad	Satisfactory	62	PM ₁₀	2
58	Gadag	Satisfactory	64	O ₃	1
59	Gandhinagar	Satisfactory	97	PM ₁₀	1
60	Gangtok	Satisfactory	92	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gaya	Very Poor	305	PM _{2.5}	3
62	Ghaziabad	Poor	294	PM _{2.5}	4
63	Gorakhpur	Moderate	107	PM ₁₀	1
64	Greater Noida	Very Poor	310	PM _{2.5}	2
65	Gummidipoondi	Moderate	124	PM _{2.5}	1
66	Gurugram	Poor	266	PM _{2.5}	4
67	Guwahati	Poor	266	PM _{2.5}	3
68	Gwalior	Poor	272	PM _{2.5}	3
69	Hajipur	Moderate	186	PM _{2.5}	1
70	Haldia	Moderate	126	PM ₁₀	1
71	Hapur	Moderate	101	PM _{2.5}	1
72	Hassan	Satisfactory	63	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haveri	Moderate	102	PM _{2.5}	1
74	Hosur	Satisfactory	86	PM ₁₀	1
75	Howrah	Poor	210	PM _{2.5}	3
76	Hubballi	Moderate	110	PM _{2.5}	2
77	Hyderabad	Satisfactory	88	PM ₁₀ , PM _{2.5}	12
78	Imphal	Moderate	158	PM _{2.5} , SO ₂	2
79	Indore	Moderate	121	PM ₁₀	1
80	Jabalpur	Poor	270	PM _{2.5}	1
81	Jaipur	Moderate	117	PM ₁₀	3
82	Jalandhar	Moderate	172	PM _{2.5}	1
83	Jhansi	Moderate	155	PM ₁₀	1
84	Jind	Moderate	166	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Moderate	160	PM _{2.5}	1
86	Kaithal	Moderate	136	PM _{2.5}	1
87	Kalaburgi	Satisfactory	100	PM _{2.5}	1
88	Kalyan	Moderate	158	PM ₁₀	1
89	Kannur	Satisfactory	74	PM _{2.5}	1
90	Kanpur	Moderate	167	PM _{2.5} , PM ₁₀	4
91	Karnal	Poor	225	PM _{2.5}	1
92	Katihar	Severe	403	PM _{2.5}	1
93	Katni	Poor	278	PM _{2.5}	1
94	Keonjhar	Poor	298	PM _{2.5}	1
95	Khanna	Moderate	164	PM _{2.5}	1
96	Khurja	Moderate	146	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kishanganj	Very Poor	354	PM _{2.5}	1
98	Kochi	Satisfactory	93	PM _{2.5}	1
99	Kohima	Satisfactory	66	PM ₁₀	1
100	Kolkata	Poor	221	PM _{2.5}	7
101	Kollam	Satisfactory	88	PM ₁₀	1
102	Koppal	Satisfactory	74	со	1
103	Kota	Moderate	163	PM _{2.5}	1
104	Kurukshetra	Moderate	172	PM _{2.5}	1
105	Lucknow	Moderate	196	PM _{2.5}	6
106	Ludhiana	Poor	287	PM _{2.5}	1
107	Madikeri	Good	44	03	1
108	Maihar	Satisfactory	85	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandi Gobindgarh	Moderate	140	PM _{2.5}	1
110	Mandideep	Moderate	139	PM _{2.5}	1
111	Mandikhera	Moderate	112	PM ₁₀	1
112	Manesar	Very Poor	331	PM _{2.5}	1
113	Mangalore	Satisfactory	73	PM ₁₀	1
114	Meerut	Moderate	186	PM _{2.5} , PM ₁₀	3
115	Moradabad	Moderate	159	PM _{2.5}	6
116	Motihari	Poor	214	PM ₁₀	1
117	Mumbai	Moderate	188	PM _{2.5} , PM ₁₀	17
118	Muzaffarnagar	Very Poor	367	PM _{2.5}	1
119	Muzaffarpur	Very Poor	356	PM _{2.5}	2
120	Mysuru	Satisfactory	58	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Moderate	136	PM _{2.5}	1
122	Nandesari	Good	18	PM _{2.5}	1
123	Narnaul	Moderate	161	PM _{2.5}	1
124	Nashik	Moderate	105	PM _{2.5}	1
125	Navi Mumbai	Poor	261	PM _{2.5}	3
126	Nayagarh	Poor	245	PM _{2.5}	1
127	Noida	Poor	299	PM _{2.5}	4
128	Ooty	Satisfactory	53	PM _{2.5}	1
129	Pali	Moderate	110	PM ₁₀	1
130	Palwal	Satisfactory	64	PM ₁₀	1
131	Panchkula	Poor	219	PM _{2.5}	1
132	Panipat	Moderate	133	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patiala	Moderate	120	PM _{2.5}	1
134	Patna	Very Poor	343	PM ₁₀ , PM _{2.5}	6
135	Pithampur	Moderate	184	PM _{2.5}	1
136	Prayagraj	Moderate	165	PM _{2.5}	3
137	Puducherry	Good	50	PM ₁₀	1
138	Purnia	Very Poor	389	PM _{2.5}	1
139	Rairangpur	Poor	282	PM _{2.5}	1
140	Rajamahendravaram	Satisfactory	76	PM ₁₀	1
141	Rajgir	Severe	408	PM _{2.5}	1
142	Ramanagara	Satisfactory	75	PM _{2.5}	1
143	Ramanathapuram	Good	45	PM ₁₀	1
144	Ratlam	Moderate	124	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Moderate	188	PM _{2.5}	1
146	Rourkela	Poor	288	PM _{2.5}	1
147	Rupnagar	Moderate	150	PM _{2.5}	1
148	Sagar	Moderate	109	PM _{2.5} , CO	2
149	Salem	Satisfactory	71	SO ₂	1
150	Samastipur	Very Poor	378	PM _{2.5}	1
151	Sasaram	Very Poor	354	PM _{2.5}	1
152	Satna	Satisfactory	66	PM ₁₀	1
153	Shillong	Satisfactory	69	PM _{2.5}	1
154	Shivamogga	Good	48	PM ₁₀	1
155	Siliguri	Moderate	186	PM _{2.5}	1
156	Singrauli	Very Poor	365	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Moderate	185	PM _{2.5}	1
158	Sivasagar	Good	42	PM _{2.5}	1
159	Solapur	Satisfactory	84	PM ₁₀	1
160	Sonipat	Moderate	172	PM ₁₀	1
161	Suakati	Poor	255	PM _{2.5}	1
162	Surat	Poor	237	PM _{2.5}	1
163	Talcher	Satisfactory	81	PM _{2.5}	1
164	Tensa	Poor	240	PM _{2.5}	1
165	Thane	Moderate	143	PM ₁₀	1
166	Thiruvananthapuram	Satisfactory	76	PM _{2.5}	1
167	Thrissur	Satisfactory	91	PM ₁₀	1
168	Tirupati	Satisfactory	71	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Tirupur	Good	39	PM ₁₀	1
170	Udaipur	Poor	203	PM _{2.5}	1
171	Vapi	Poor	266	PM _{2.5}	1
172	Varanasi	Satisfactory	70	PM ₁₀ , PM _{2.5}	4
173	Vatva	Moderate	180	PM _{2.5}	1
174	Vijayapura	Satisfactory	53	PM ₁₀	1
175	Visakhapatnam	Moderate	105	PM _{2.5}	1
176	Yamunanagar	Poor	240	PM _{2.5}	1
177	vellore	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Begusarai, Belgaum, Notes: Bettiah, Bhilai, Bihar Sharif, Bilaspur, Buxar, Chengalpattu, Dharwad, Eloor, Ernakulam, Hisar, Jorapokhar, Kanchipuram, Kolar, Korba, Kozhikode, Manguraha, Munger, Naharlagun, Nalbari, Pune, Raichur, Raipur, Saharsa, Siwan, Srinagar, Thoothukudi, Tumakuru, Udupi, Ujjain, Vrindavan, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.