# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 1 | Agra | Moderate | 171 | $PM_{2.5}$ | 1 |
| 2 | Ajmer | Moderate | 102 | $PM_{10}$ | 1 |
| 3 | Alwar | Satisfactory | 79 | $PM_{10}$ | 1 |
| 4 | Amaravati | Moderate | 161 | $PM_{2.5}$ | 1 |
| 5 | Ambala | Very Poor | 308 | $PM_{2.5}$ | 1 |
| 6 | Amritsar | Moderate | 136 | $PM_{2.5}$ | 1 |
| 7 | Asanol | Poor | 213 | $PM_{2.5}$ | 1 |
| 8 | Aurangabad | Satisfactory | 93 | $PM_{10}$ | 1 |
| 9 | Baghpat | Very Poor | 400 | $PM_{2.5}$ | 1 |
| 10 | Bahadurgarh | Poor | 261 | $PM_{2.5}$ | 1 |
| 11 | Ballabgarh | Very Poor | 372 | $PM_{2.5}$ | 1 |
| 12 | Bengaluru | Satisfactory | 86 | $PM_{2.5}$, $PM_{10}$, $O_3$ | 9 |

## Possible Health Impacts

| Good | Minimal Impact |
|------|----------------|
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 13 | Bhiwadi | Very Poor | 323 | $PM_{2.5}$ | 1 |
| 14 | Bhiwani | Poor | 293 | $PM_{2.5}$ | 1 |
| 15 | Bhopal | Moderate | 138 | $PM_{10}$ | 1 |
| 16 | Brajrajnagar | Moderate | 101 | $PM_{10}$ | 1 |
| 17 | Bulandshahr | Severe | 404 | $PM_{2.5}$ | 1 |
| 18 | Chandigarh | Poor | 201 | $PM_{2.5}$ | 1 |
| 19 | Chandrapur | Moderate | 115 | $PM_{2.5}$ | 1 |
| 20 | Chennai | Moderate | 109 | $PM_{2.5}$ | 3 |
| 21 | Chikkaballapur | Satisfactory | 76 | $PM_{2.5}$ | 1 |
| 22 | Coimbatore | Satisfactory | 72 | $PM_{2.5}$ | 1 |
| 23 | Damoh | Moderate | 102 | $PM_{2.5}$ | 1 |
| 24 | Delhi | Very Poor | 382 | $PM_{2.5}$ | 35 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 25 | Dewas | Satisfactory | 100 | $O_3$ | 1 |
| 26 | Dharuhera | Very Poor | 347 | $PM_{2.5}$ | 1 |
| 27 | Eloor | Good | 45 | $PM_{10}$ | 1 |
| 28 | Fatehabad | Moderate | 155 | $PM_{10}$ | 1 |
| 29 | GandhiNagar | Satisfactory | 67 | $PM_{10}$ | 1 |
| 30 | Gaya | Very Poor | 303 | $PM_{2.5}$ | 1 |
| 31 | Ghaziabad | Severe | 432 | $PM_{2.5}$ | 4 |
| 32 | Greater_Noida | Severe | 417 | $PM_{2.5}$ | 2 |
| 33 | Gurugram | Very Poor | 328 | $PM_{2.5}$ | 2 |
| 34 | Guwahati | Moderate | 157 | $PM_{2.5}$ | 1 |
| 35 | Hapur | Very Poor | 332 | $PM_{10}$ | 1 |
| 36 | Hisar | Very Poor | 319 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

## *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 37 | Howrah | Poor | 262 | $PM_{2.5}$ | 3 |
| 38 | Hubballi | Moderate | 104 | $PM_{10}$ | 1 |
| 39 | Hyderabad | Moderate | 175 | $PM_{2.5}$ | 6 |
| 40 | Indore | Satisfactory | 99 | $PM_{10}$ | 1 |
| 41 | Jabalpur | Moderate | 165 | $PM_{2.5}$ | 1 |
| 42 | Jaipur | Moderate | 120 | $PM_{2.5}, O_3$ | 3 |
| 43 | Jalandhar | Poor | 208 | $PM_{2.5}$ | 1 |
| 44 | Jind | Very Poor | 318 | $PM_{2.5}$ | 1 |
| 45 | Jodhpur | Moderate | 192 | $PM_{2.5}$ | 1 |
| 46 | Jorapokhar | Moderate | 177 | $PM_{2.5}$ | 1 |
| 47 | Kaithal | Poor | 232 | $PM_{2.5}$ | 1 |
| 48 | Kalaburagi | Moderate | 151 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 49 | Kalyan | Moderate | 117 | $PM_{10}$ | 1 |
| 50 | Kanpur | Very Poor | 356 | $PM_{2.5}$ | 1 |
| 51 | Karnal | Very Poor | 360 | $PM_{2.5}$ | 1 |
| 52 | Katni | Poor | 224 | $PM_{2.5}$ | 1 |
| 53 | Khanna | Moderate | 160 | $PM_{10}$ | 1 |
| 54 | Kolkata | Moderate | 194 | $PM_{2.5}$, $PM_{10}$ | 6 |
| 55 | Kota | Moderate | 136 | $PM_{2.5}$ | 1 |
| 56 | Kurukshetra | Very Poor | 348 | $PM_{2.5}$ | 1 |
| 57 | Lucknow | Very Poor | 329 | $PM_{2.5}$ | 4 |
| 58 | Ludhiana | Poor | 278 | $PM_{2.5}$ | 1 |
| 59 | Mandi Gobindgarh | Moderate | 161 | $PM_{2.5}$ | 1 |
| 60 | Mandideep | Poor | 220 | $PM_{10}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

## *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 61 | Mandikhera | Poor | 255 | $PM_{2.5}$ | 1 |
| 62 | Manesar | Poor | 293 | $PM_{2.5}$ | 1 |
| 63 | Meerut | Very Poor | 359 | $PM_{2.5}$ | 3 |
| 64 | Moradabad | Very Poor | 381 | $PM_{2.5}$ | 1 |
| 65 | Mumbai | Moderate | 112 | $PM_{10}$, $PM_{2.5}$ | 9 |
| 66 | Muzaffarpur | Very Poor | 357 | $PM_{2.5}$ | 1 |
| 67 | Mysuru | Satisfactory | 64 | $PM_{10}$ | 1 |
| 68 | Nagpur | Satisfactory | 69 | $PM_{10}$ | 1 |
| 69 | Narnaul | Moderate | 190 | $PM_{2.5}$ | 1 |
| 70 | Nashik | Satisfactory | 88 | $PM_{10}$ | 1 |
| 71 | Navi Mumbai | Moderate | 141 | $PM_{2.5}$, $PM_{10}$, CO | 3 |
| 72 | Noida | Severe | 414 | $PM_{2.5}$ | 4 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

### *(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 73 | Pali | Satisfactory | 88 | $PM_{2.5}$ | 1 |
| 74 | Palwal | Very Poor | 368 | $PM_{2.5}$ | 1 |
| 75 | Panchkula | Moderate | 139 | $O_3$ | 1 |
| 76 | Panipat | Very Poor | 382 | $PM_{10}$ | 1 |
| 77 | Patiala | Poor | 265 | $PM_{2.5}$ | 1 |
| 78 | Patna | Very Poor | 395 | $PM_{2.5}$ | 1 |
| 79 | Pithampur | Moderate | 113 | $PM_{10}$ | 1 |
| 80 | Pune | Moderate | 151 | $PM_{2.5}$ | 1 |
| 81 | Rajamahendravaram | Moderate | 128 | $PM_{2.5}$ | 1 |
| 82 | Ramanagara | Satisfactory | 70 | $PM_{10}$ | 1 |
| 83 | Rohtak | Poor | 296 | $PM_{2.5}$ | 1 |
| 84 | Rupnagar | Moderate | 169 | $PM_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|--|--|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 85 | Satna | Moderate | 104 | $PM_{10}$ | 1 |
| 86 | Siliguri | Moderate | 120 | $PM_{10}$ | 1 |
| 87 | Singrauli | Moderate | 153 | $PM_{10}$ | 1 |
| 88 | Sirsa | Moderate | 199 | $PM_{2.5}$ | 1 |
| 89 | Solapur | Moderate | 129 | $PM_{10}$ | 1 |
| 90 | Sonipat | Satisfactory | 94 | CO | 1 |
| 91 | Talcher | Poor | 207 | $PM_{10}$ | 1 |
| 92 | Thane | Satisfactory | 83 | $PM_{10}$ | 1 |
| 93 | Thiruvananthapuram | Satisfactory | 65 | $PM_{2.5}$ | 1 |
| 94 | Tirupati | Satisfactory | 81 | $PM_{2.5}$ | 1 |
| 95 | Udaipur | Moderate | 111 | $PM_{10}$ | 1 |
| 96 | Ujjain | Moderate | 101 | $O_3$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

# Air Quality Index on Dec 05, 2019 @ 4 PM

*(Average of past 24 hours)*

| S.No | City | Air Quality | Index Value | Prominent Pollutant | Based on Number of Monitoring Stations |
|------|------|-------------|-------------|---------------------|----------------------------------------|
| 97 | Varanasi | Very Poor | 315 | PM$_{2.5}$ | 1 |
| 98 | Vatva | Moderate | 123 | PM$_{2.5}$ | 1 |
| 99 | Visakhapatnam | Moderate | 152 | PM$_{2.5}$ | 1 |
| 100 | Yadgir | Moderate | 130 | PM$_{2.5}$ | 1 |
| 101 | Yamunanagar | Very Poor | 325 | PM$_{2.5}$ | 1 |

## Possible Health Impacts

| | |
|---|---|
| Good | Minimal Impact |
| Satisfactory | Minor breathing discomfort to sensitive people |
| Moderate | Breathing discomfort to the people with lungs, asthma and heart diseases |
| Poor | Breathing discomfort to most people on prolonged exposure |
| Very Poor | Respiratory illness on prolonged exposure |
| Severe | Affects healthy people and seriously impacts those with existing diseases |

## Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar, Bathinda, Faridabad, Haldia, Maihar, Muzaffarnagar, Ratlam, Shillong, Vapi, Vijayawada as data was not available.

# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.