



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	145	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	208	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	117	PM <sub>10</sub>	1
4	Alwar	Satisfactory	81	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	62	PM <sub>10</sub>	1
6	Ambala	Moderate	192	PM <sub>2.5</sub>	1
7	Amritsar	Moderate	126	PM <sub>10</sub>	1
8	Ankleshwar	Moderate	117	PM <sub>10</sub>	1
9	Asanol	Poor	228	PM <sub>2.5</sub>	1
10	Bagalkot	Moderate	108	PM <sub>10</sub>	1
11	Bahadurgarh	Moderate	173	PM <sub>2.5</sub>	1
12	Ballabgarh	Poor	223	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	163	PM <sub>2.5</sub>	1
14	Bengaluru	Satisfactory	91	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	6
15	Bhiwadi	Poor	232	PM <sub>2.5</sub>	1
16	Bhiwani	Moderate	143	O <sub>3</sub>	1
17	Bhopal	Moderate	120	PM <sub>10</sub>	1
18	Brajrajnagar	Moderate	139	PM <sub>10</sub>	1
19	Bulandshahr	Poor	258	PM <sub>2.5</sub>	1
20	Chandigarh	Satisfactory	96	PM <sub>10</sub>	1
21	Chandrapur	Satisfactory	70	PM <sub>10</sub>	1
22	Chennai	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
23	Chikkaballapur	Moderate	119	PM <sub>10</sub>	1
24	Coimbatore	Satisfactory	74	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Poor	252	PM <sub>2.5</sub> , PM <sub>10</sub>	35
26	Dewas	Satisfactory	55	PM <sub>10</sub>	1
27	Dharuhera	Moderate	178	PM <sub>10</sub>	1
28	Eloor	Satisfactory	92	PM <sub>10</sub>	1
29	Ernakulam	Satisfactory	88	PM <sub>2.5</sub>	1
30	Faridabad	Moderate	138	PM <sub>2.5</sub>	1
31	Fatehabad	Moderate	114	PM <sub>10</sub>	1
32	GandhiNagar	Satisfactory	99	PM <sub>10</sub>	1
33	Gaya	Moderate	182	PM <sub>2.5</sub>	1
34	Ghaziabad	Poor	259	PM <sub>2.5</sub>	4
35	Greater_Noida	Poor	224	PM <sub>10</sub> , PM <sub>2.5</sub>	2
36	Gurugram	Moderate	125	PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Very Poor	368	PM <sub>2.5</sub>	1
38	Gwalior	Moderate	192	PM <sub>2.5</sub>	1
39	Hapur	Satisfactory	98	PM <sub>10</sub>	1
40	Hisar	Moderate	134	NO <sub>2</sub>	1
41	Howrah	Poor	221	PM <sub>2.5</sub>	3
42	Hyderabad	Moderate	113	PM <sub>2.5</sub> , PM <sub>10</sub>	6
43	Indore	Satisfactory	96	PM <sub>10</sub>	1
44	Jabalpur	Moderate	144	PM <sub>10</sub>	1
45	Jaipur	Moderate	133	PM <sub>2.5</sub> , PM <sub>10</sub>	3
46	Jalandhar	Moderate	119	PM <sub>2.5</sub>	1
47	Jind	Moderate	131	PM <sub>2.5</sub>	1
48	Jodhpur	Moderate	164	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jorapokhar	Moderate	198	PM <sub>2.5</sub>	1
50	Kaithal	Satisfactory	98	PM <sub>10</sub>	1
51	Kalaburgi	Moderate	112	PM <sub>10</sub>	1
52	Kalyan	Poor	243	PM <sub>2.5</sub>	1
53	Kannur	Moderate	159	PM <sub>2.5</sub>	1
54	Kanpur	Moderate	168	PM <sub>2.5</sub>	1
55	Karnal	Moderate	144	PM <sub>2.5</sub>	1
56	Katni	Poor	223	PM <sub>10</sub>	1
57	Khanna	Satisfactory	94	PM <sub>10</sub>	1
58	Kochi	Moderate	137	PM <sub>2.5</sub>	1
59	Kolkata	Moderate	194	PM <sub>2.5</sub>	6
60	Kozhikode	Moderate	104	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Moderate	115	PM <sub>10</sub>	1
62	Lucknow	Poor	212	PM <sub>2.5</sub>	4
63	Ludhiana	Satisfactory	99	PM <sub>10</sub>	1
64	Maihar	Satisfactory	51	PM <sub>10</sub>	1
65	Mandi Gobindgarh	Poor	201	PM <sub>10</sub>	1
66	Mandideep	Moderate	135	PM <sub>10</sub>	1
67	Mandikhera	Satisfactory	98	PM <sub>10</sub>	1
68	Manesar	Moderate	115	PM <sub>10</sub>	1
69	Meerut	Poor	221	PM <sub>2.5</sub>	3
70	Mumbai	Poor	202	PM <sub>10</sub> , PM <sub>2.5</sub>	10
71	Muzaffarnagar	Moderate	174	PM <sub>2.5</sub>	1
72	Muzaffarpur	Very Poor	311	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Narnaul	Moderate	146	PM <sub>2.5</sub>	1
74	Nashik	Moderate	160	PM <sub>2.5</sub>	1
75	Navi Mumbai	Poor	214	PM <sub>2.5</sub> , CO	3
76	Noida	Poor	232	PM <sub>2.5</sub> , PM <sub>10</sub>	4
77	Pali	Moderate	111	PM <sub>10</sub>	1
78	Palwal	Moderate	170	PM <sub>2.5</sub>	1
79	Panchkula	Moderate	106	CO	1
80	Panipat	Moderate	170	PM <sub>10</sub>	1
81	Patiala	Satisfactory	94	PM <sub>10</sub>	1
82	Patna	Moderate	182	PM <sub>2.5</sub> , PM <sub>10</sub>	3
83	Pithampur	Satisfactory	98	PM <sub>10</sub>	1
84	Pune	Poor	204	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.



## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Rajamahendravaram	Satisfactory	81	PM <sub>10</sub>	1
86	Ramanagara	Satisfactory	95	PM <sub>10</sub>	1
87	Ratlam	Moderate	127	PM <sub>2.5</sub>	1
88	Rohtak	Moderate	162	PM <sub>2.5</sub>	1
89	Rupnagar	Moderate	124	PM <sub>10</sub>	1
90	Sagar	Moderate	110	PM <sub>10</sub>	1
91	Satna	Moderate	174	PM <sub>10</sub>	1
92	Shillong	Moderate	166	PM <sub>2.5</sub>	1
93	Siliguri	Very Poor	330	PM <sub>2.5</sub>	1
94	Singrauli	Moderate	178	PM <sub>10</sub>	1
95	Sirsa	Moderate	116	PM <sub>10</sub>	1
96	Solapur	Moderate	128	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.





## Air Quality Index on Feb 18, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Sonipat	Moderate	160	PM <sub>10</sub>	1
98	Talcher	Poor	259	PM <sub>2.5</sub>	1
99	Thane	Moderate	156	PM <sub>10</sub>	1
100	Thiruvananthapuram	Satisfactory	86	O <sub>3</sub> , PM <sub>2.5</sub>	2
101	Tirupati	Satisfactory	68	PM <sub>10</sub>	1
102	Udaipur	Satisfactory	88	PM <sub>10</sub>	1
103	Ujjain	Moderate	137	PM <sub>2.5</sub>	1
104	Varanasi	Moderate	179	PM <sub>2.5</sub>	1
105	Vatva	Poor	226	PM <sub>2.5</sub>	1
106	Vijayapura	Moderate	129	PM <sub>2.5</sub>	1
107	Visakhapatnam	Moderate	111	PM <sub>10</sub>	1
108	Yamunanagar	Moderate	149	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes

\* AQI is not calculated for today's bulletin for Aurangabad, Chikkamagaluru, Damoh, Haldia, Hubballi, Kota, Moradabad, Mysuru, Nagpur, Vapi, Yadgir as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (<http://cpcb.nic.in>) may be referred.