

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	249	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	64	PM <sub>10</sub>	6
3	Ahmedabad	Moderate	142	PM <sub>2.5</sub> , PM <sub>10</sub>	7
4	Aizawl	Satisfactory	80	PM <sub>10</sub>	1
5	Ajmer	Moderate	113	03	1
6	Alwar	Satisfactory	75	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	61	со	1
8	Ambala	Satisfactory	58	PM <sub>10</sub>	1
9	Amritsar	Moderate	124	PM <sub>2.5</sub>	1
10	Anantapur	Good	44	PM <sub>2.5</sub>	1
11	Ankleshwar	Moderate	123	со	1
12	Araria	Poor	224	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Satisfactory	56	NO <sub>2</sub>	1
14	Arrah	Moderate	144	PM <sub>10</sub>	1
15	Asansol	Moderate	162	PM <sub>2.5</sub>	1
16	Aurangabad (Bihar)	Moderate	151	PM <sub>10</sub>	1
17	Aurangabad (Maharashtra)	Satisfactory	62	PM <sub>10</sub>	1
18	Baddi	Moderate	158	O <sub>3</sub>	1
19	Bagalkot	Good	42	PM <sub>10</sub>	1
20	Baghpat	Moderate	146	PM <sub>10</sub>	1
21	Bahadurgarh	Satisfactory	96	PM <sub>10</sub>	1
22	Ballabgarh	Satisfactory	80	PM <sub>10</sub>	1
23	Banswara	Moderate	128	03	1
24	Bareilly	Satisfactory	87	PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Moderate	102	PM <sub>10</sub>	1
26	Barmer	Moderate	117	PM <sub>10</sub>	1
27	Bathinda	Satisfactory	51	со	1
28	Belgaum	Good	50	PM <sub>2.5</sub>	1
29	Bengaluru	Satisfactory	79	PM <sub>2.5</sub> , PM <sub>10</sub>	10
30	Bettiah	Moderate	194	PM <sub>10</sub>	1
31	Bhagalpur	Poor	225	PM <sub>10</sub>	2
32	Bharatpur	Moderate	193	PM <sub>10</sub>	1
33	Bhilai	Good	46	PM <sub>10</sub>	3
34	Bhiwadi	Poor	204	PM <sub>10</sub>	1
35	Bhiwani	Moderate	111	PM <sub>10</sub>	1
36	Bhopal	Satisfactory	100	O <sub>3</sub> , PM <sub>10</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bikaner	Moderate	188	PM <sub>10</sub>	1
38	Bilaspur	Satisfactory	54	PM <sub>10</sub>	1
39	Bileipada	Poor	209	PM <sub>10</sub>	1
40	Brajrajnagar	Satisfactory	92	со	1
41	Bulandshahr	Moderate	123	PM <sub>2.5</sub>	1
42	Byrnihat	Poor	271	PM <sub>2.5</sub>	1
43	Chamarajanagar	Good	40	PM <sub>10</sub>	1
44	Chandigarh	Satisfactory	93	PM <sub>10</sub>	3
45	Charkhi Dadri	Poor	208	PM <sub>2.5</sub>	1
46	Chennai	Satisfactory	54	CO, O <sub>3</sub>	6
47	Chhal	Satisfactory	95	PM <sub>10</sub>	1
48	Chikkaballapur	Satisfactory	87	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittorgarh	Moderate	195	PM <sub>2.5</sub>	1
50	Churu	Satisfactory	98	O <sub>3</sub>	1
51	Coimbatore	Moderate	181	PM <sub>10</sub>	1
52	Cuddalore	Satisfactory	62	NO <sub>2</sub>	2
53	Damoh	Good	26	со	1
54	Dausa	Moderate	170	PM <sub>10</sub>	1
55	Davanagere	Satisfactory	65	PM <sub>10</sub>	1
56	Dehradun	Satisfactory	78	O <sub>3</sub>	1
57	Delhi	Moderate	172	PM <sub>2.5</sub> , PM <sub>10</sub>	37
58	Dewas	Satisfactory	89	PM <sub>10</sub>	1
59	Dhanbad	Moderate	193	PM <sub>2.5</sub>	1
60	Dharuhera	Poor	226	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dharwad	Satisfactory	78	PM <sub>10</sub>	1
62	Dholpur	Moderate	117	PM <sub>2.5</sub>	1
63	Dindigul	Good	41	SO <sub>2</sub>	1
64	Durgapur	Moderate	140	PM <sub>2.5</sub>	1
65	Faridabad	Moderate	105	PM <sub>10</sub> , PM <sub>2.5</sub>	4
66	Firozabad	Moderate	122	O <sub>3</sub> , PM <sub>10</sub>	2
67	Gadag	Good	37	O <sub>3</sub>	1
68	Gandhinagar	Moderate	164	PM <sub>2.5</sub> , PM <sub>10</sub>	3
69	Gangtok	Satisfactory	60	O <sub>3</sub>	1
70	Gaya	Moderate	127	O <sub>3</sub> , PM <sub>2.5</sub>	3
71	Ghaziabad	Moderate	156	PM <sub>10</sub>	4
72	Gorakhpur	Satisfactory	84	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

- \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available.

  # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Greater Noida	Poor	236	O <sub>3</sub>	2
74	Gummidipoondi	Satisfactory	80	PM <sub>10</sub>	1
75	Gurugram	Moderate	164	PM <sub>2.5</sub>	3
76	Guwahati	Moderate	102	PM <sub>10</sub>	3
77	Gwalior	Moderate	174	O <sub>3</sub> , PM <sub>2.5</sub>	3
78	Hajipur	Moderate	184	PM <sub>10</sub>	1
79	Haldia	Satisfactory	76	PM <sub>10</sub>	1
80	Hanumangarh	Moderate	184	PM <sub>10</sub>	1
81	Hapur	Satisfactory	72	O <sub>3</sub>	1
82	Hassan	Satisfactory	81	PM <sub>10</sub>	1
83	Hosur	Moderate	129	со	1
84	Howrah	Moderate	130	NO <sub>2</sub> , PM <sub>2.5</sub>	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Satisfactory	78	PM <sub>10</sub>	2
86	Hyderabad	Satisfactory	89	PM <sub>10</sub>	14
87	Imphal	Moderate	114	PM <sub>10</sub> , SO <sub>2</sub>	2
88	Indore	Satisfactory	71	PM <sub>10</sub>	2
89	Jabalpur	Satisfactory	79	PM <sub>10</sub>	1
90	Jaipur	Moderate	133	O <sub>3</sub> , PM <sub>10</sub>	5
91	Jalandhar	Moderate	107	PM <sub>10</sub>	1
92	Jhalawar	Moderate	110	PM <sub>10</sub>	1
93	Jhansi	Satisfactory	95	PM <sub>10</sub>	1
94	Jhunjhunu	Poor	262	O <sub>3</sub>	1
95	Jind	Moderate	103	со	1
96	Jodhpur	Moderate	139	O <sub>3</sub> , PM <sub>10</sub>	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jorapokhar	Poor	221	PM <sub>10</sub>	1
98	Kaithal	Satisfactory	84	PM <sub>10</sub>	1
99	Kalaburgi	Satisfactory	75	PM <sub>10</sub>	1
100	Kalyan	Moderate	152	PM <sub>10</sub>	1
101	Kanchipuram	Good	42	PM <sub>10</sub>	1
102	Kannur	Satisfactory	74	PM <sub>10</sub>	1
103	Kanpur	Moderate	103	PM <sub>10</sub> , PM <sub>2.5</sub>	3
104	Karnal	Good	33	PM <sub>2.5</sub>	1
105	Katihar	Poor	294	PM <sub>2.5</sub>	1
106	Katni	Moderate	120	PM <sub>10</sub>	1
107	Keonjhar	Moderate	112	PM <sub>10</sub>	1
108	Khanna	Moderate	109	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khurja	Satisfactory	80	PM <sub>2.5</sub>	1
110	Kishanganj	Moderate	161	PM <sub>10</sub>	1
111	Kochi	Satisfactory	56	SO <sub>2</sub>	1
112	Kohima	Satisfactory	90	PM <sub>10</sub>	1
113	Kolar	Satisfactory	81	PM <sub>10</sub>	1
114	Kolkata	Moderate	134	03	7
115	Koppal	Moderate	103	O <sub>3</sub>	1
116	Korba	Satisfactory	100	PM <sub>2.5</sub>	2
117	Kota	Moderate	129	O <sub>3</sub> , PM <sub>2.5</sub>	3
118	Kurukshetra	Satisfactory	100	PM <sub>10</sub>	1
119	Lucknow	Moderate	110	PM <sub>2.5</sub>	6
120	Ludhiana	Satisfactory	84	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Madikeri	Good	44	PM <sub>10</sub>	1
122	Maihar	Good	45	со	1
123	Mandi Gobindgarh	Poor	212	PM <sub>2.5</sub>	1
124	Mandideep	Satisfactory	85	PM <sub>10</sub>	1
125	Mandikhera	Moderate	113	PM <sub>10</sub>	1
126	Manesar	Moderate	193	PM <sub>2.5</sub>	1
127	Mangalore	Satisfactory	86	PM <sub>10</sub>	1
128	Manguraha	Poor	217	PM <sub>2.5</sub>	1
129	Meerut	Moderate	124	PM <sub>10</sub>	3
130	Milupara	Satisfactory	71	PM <sub>10</sub>	1
131	Moradabad	Moderate	102	PM <sub>2.5</sub> , PM <sub>10</sub>	6
132	Mumbai	Moderate	182	O <sub>3</sub> , PM <sub>10</sub>	19

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Munger	Poor	295	PM <sub>10</sub>	1
134	Muzaffarnagar	Moderate	169	03	1
135	Muzaffarpur	Moderate	181	PM <sub>2.5</sub>	3
136	Mysuru	Satisfactory	65	03	1
137	Nagaon	Moderate	125	PM <sub>10</sub>	1
138	Nagpur	Satisfactory	63	PM <sub>2.5</sub>	1
139	Naharlagun	Good	43	PM <sub>2.5</sub>	1
140	Nalbari	Moderate	139	PM <sub>10</sub>	1
141	Nandesari	Good	43	СО	1
142	Narnaul	Moderate	173	PM <sub>2.5</sub>	1
143	Nashik	Satisfactory	59	PM <sub>10</sub>	1
144	Navi Mumbai	Moderate	175	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Poor	224	PM <sub>2.5</sub>	1
146	Noida	Moderate	156	NO <sub>2</sub> , PM <sub>10</sub>	4
147	Ooty	Satisfactory	61	PM <sub>2.5</sub>	1
148	Pali	Satisfactory	81	PM <sub>10</sub>	1
149	Palkalaiperur	Good	50	SO <sub>2</sub>	1
150	Palwal	Satisfactory	93	PM <sub>10</sub>	1
151	Panchkula	Moderate	124	со	1
152	Panipat	Satisfactory	91	PM <sub>10</sub>	1
153	Patiala	Satisfactory	72	PM <sub>10</sub>	1
154	Patna	Poor	216	PM <sub>10</sub> , PM <sub>2.5</sub>	6
155	Pithampur	Moderate	103	PM <sub>10</sub>	1
156	Pratapgarh	Satisfactory	87	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	88	PM <sub>10</sub>	3
158	Puducherry	Good	30	PM <sub>10</sub>	1
159	Pune	Moderate	101	NO <sub>2</sub> , PM <sub>10</sub>	3
160	Purnia	Moderate	153	PM <sub>2.5</sub>	1
161	Raichur	Satisfactory	93	PM <sub>10</sub>	1
162	Raipur	Satisfactory	63	NO <sub>2</sub>	3
163	Rairangpur	Moderate	174	PM <sub>2.5</sub>	1
164	Rajamahendravaram	Good	33	PM <sub>10</sub>	1
165	Ramanagara	Satisfactory	84	PM <sub>10</sub>	1
166	Ramanathapuram	Good	40	PM <sub>10</sub>	1
167	Ratlam	Satisfactory	100	PM <sub>10</sub>	1
168	Rishikesh	Good	48	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Satisfactory	73	PM <sub>2.5</sub>	1
170	Rourkela	Moderate	188	PM <sub>10</sub>	3
171	Rupnagar	Moderate	102	PM <sub>10</sub>	1
172	Sagar	Satisfactory	84	O <sub>3</sub>	1
173	Saharsa	Poor	208	PM <sub>10</sub>	1
174	Salem	Satisfactory	88	SO <sub>2</sub>	1
175	Samastipur	Poor	269	PM <sub>10</sub>	1
176	Satna	Poor	204	PM <sub>10</sub>	1
177	Sawai Madhopur	Moderate	125	PM <sub>10</sub>	1
178	Shillong	Moderate	112	PM <sub>2.5</sub>	1
179	Shivamogga	Satisfactory	55	O <sub>3</sub>	1
180	Sikar	Moderate	131	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Silchar	Good	42	PM <sub>10</sub>	1
182	Siliguri	Satisfactory	96	PM <sub>10</sub>	1
183	Singrauli	Moderate	175	PM <sub>2.5</sub>	1
184	Sirsa	Satisfactory	79	03	1
185	Sivasagar	Satisfactory	51	PM <sub>10</sub>	1
186	Siwan	Moderate	191	PM <sub>10</sub>	1
187	Solapur	Moderate	105	PM <sub>10</sub>	1
188	Sonipat	Moderate	125	PM <sub>10</sub>	1
189	Sri Ganganagar	Poor	215	PM <sub>10</sub>	1
190	Srinagar	Satisfactory	92	PM <sub>10</sub>	1
191	Suakati	Moderate	165	PM <sub>2.5</sub>	1
192	Surat	Satisfactory	90	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Talcher	Satisfactory	76	PM <sub>2.5</sub>	1
194	Tensa	Moderate	105	PM <sub>10</sub>	1
195	Thiruvananthapuram	Good	36	PM <sub>10</sub>	2
196	Thoothukudi	Satisfactory	74	03	1
197	Tirupati	Satisfactory	55	PM <sub>10</sub>	2
198	Tirupur	Satisfactory	54	PM <sub>10</sub>	1
199	Tonk	Moderate	134	PM <sub>10</sub>	1
200	Tumakuru	Moderate	125	со	1
201	Tumidih	Moderate	142	PM <sub>10</sub>	1
202	Udaipur	Moderate	113	PM <sub>10</sub>	1
203	Udupi	Satisfactory	73	03	1
204	Ujjain	Satisfactory	94	PM <sub>10</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vapi	Moderate	152	PM <sub>2.5</sub>	1
206	Varanasi	Satisfactory	90	PM <sub>10</sub> , PM <sub>2.5</sub>	4
207	Vatva	Poor	232	PM <sub>2.5</sub>	1
208	Vijayapura	Good	42	PM <sub>10</sub>	1
209	Vijayawada	Satisfactory	53	O <sub>3</sub>	1
210	Visakhapatnam	Satisfactory	92	PM <sub>10</sub>	1
211	Vrindavan	Moderate	174	PM <sub>10</sub>	1
212	Yadgir	Satisfactory	63	PM <sub>10</sub>	1
213	Yamunanagar	Moderate	123	PM <sub>2.5</sub>	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: \* AQI is not calculated for today's bulletin for Begusarai, Bidar, Bihar Sharif, Buxar, Chandrapur, Chengalpattu, Chhapra, Chikkamagaluru, Chittoor, Darbhanga, Eloor, Ernakulam, Fatehabad, Haveri, Hisar, Kadapa, Karauli, Kashipur, Kollam, Kozhikode, Kunjemura, Motihari, Rajgir, Rajsamand, Sasaram, Sirohi, Thane, Thrissur, vellore as data was not available. # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.