

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	80	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	85	PM <sub>2.5</sub> , O <sub>3</sub>	5
3	Ahmedabad	Satisfactory	88	PM <sub>10</sub>	7
4	Aizawl	Good	19	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	80	PM <sub>10</sub>	1
6	Akola	Satisfactory	92	PM <sub>10</sub>	1
7	Alwar	Satisfactory	70	PM <sub>10</sub>	1
8	Amaravati	Good	45	PM <sub>10</sub>	1
9	Ambala	Satisfactory	71	O <sub>3</sub>	1
10	Amravati	Satisfactory	86	PM <sub>10</sub>	2
11	Amritsar	Satisfactory	55	PM <sub>2.5</sub>	1
12	Anantapur	Satisfactory	84	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ankleshwar	Moderate	117	O <sub>3</sub>	1
14	Araria	Satisfactory	53	PM <sub>10</sub>	1
15	Ariyalur	Good	45	PM <sub>10</sub>	1
16	Arrah	Satisfactory	88	PM <sub>10</sub>	1
17	Asansol	Satisfactory	76	PM <sub>10</sub>	1
18	Aurangabad (Maharashtra)	Satisfactory	96	PM <sub>10</sub>	3
19	Baddi	Moderate	139	PM <sub>10</sub>	1
20	Badlapur	Satisfactory	93	PM <sub>10</sub>	1
21	Bagalkot	Good	46	PM <sub>10</sub>	1
22	Baghpat	Moderate	166	O <sub>3</sub>	1
23	Bahadurgarh	Satisfactory	99	PM <sub>10</sub>	1
24	Ballabgarh	Satisfactory	69	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not coloulated for today's bulletin for Abmedaggar, Auronaphad

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Banswara	Moderate	107	PM <sub>10</sub>	1
26	Baran	Satisfactory	80	PM <sub>10</sub>	1
27	Bareilly	Good	40	03	1
28	Baripada	Satisfactory	81	PM <sub>10</sub>	1
29	Barmer	Satisfactory	83	PM <sub>10</sub>	1
30	Bathinda	Satisfactory	61	PM <sub>10</sub>	1
31	Begusarai	Moderate	152	PM <sub>10</sub>	1
32	Belapur	Satisfactory	73	PM <sub>10</sub>	1
33	Belgaum	Satisfactory	54	PM <sub>10</sub>	1
34	Bengaluru	Satisfactory	57	PM <sub>10</sub>	12
35	Bettiah	Moderate	132	PM <sub>10</sub>	1
36	Bhagalpur	Satisfactory	79	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bharatpur	Satisfactory	88	PM <sub>10</sub>	1
38	Bhilai	Good	40	PM <sub>10</sub> , NO <sub>2</sub>	3
39	Bhilwara	Moderate	111	PM <sub>10</sub>	1
40	Bhiwadi	Moderate	103	PM <sub>10</sub>	1
41	Bhiwandi	Satisfactory	65	PM <sub>10</sub>	1
42	Bhiwani	Moderate	115	PM <sub>2.5</sub>	1
43	Bhopal	Satisfactory	53	PM <sub>10</sub>	3
44	Bihar Sharif	Satisfactory	61	O <sub>3</sub>	1
45	Bikaner	Moderate	104	PM <sub>10</sub>	1
46	Bilaspur	Satisfactory	78	со	1
47	Bileipada	Moderate	104	PM <sub>10</sub>	1
48	Brajrajnagar	Good	41	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Bulandshahr	Moderate	104	PM <sub>10</sub>	1
50	Bundi	Moderate	138	PM <sub>10</sub>	1
51	Byrnihat	Poor	201	PM <sub>10</sub>	1
52	Chamarajanagar	Good	35	PM <sub>10</sub>	1
53	Chandigarh	Moderate	130	PM <sub>10</sub>	3
54	Chandrapur	Moderate	105	PM <sub>10</sub>	1
55	Charkhi Dadri	Satisfactory	74	PM <sub>10</sub>	1
56	Chennai	Satisfactory	76	PM <sub>2.5</sub>	7
57	Chhapra	Moderate	197	PM <sub>10</sub>	1
58	Chikkaballapur	Good	43	PM <sub>10</sub>	1
59	Chikkamagaluru	Satisfactory	70	PM <sub>10</sub>	1
60	Chittoor	Good	38	O <sub>3</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not coloulated for today's bulletin for Abmedaggar, Auronaphad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Chittorgarh	Satisfactory	88	PM <sub>10</sub>	1
62	Churu	Moderate	122	PM <sub>10</sub>	1
63	Cuddalore	Moderate	166	NO <sub>2</sub>	1
64	Damoh	Good	23	PM <sub>10</sub>	1
65	Dausa	Moderate	141	PM <sub>10</sub>	1
66	Davanagere	Satisfactory	52	PM <sub>10</sub>	1
67	Dehradun	Satisfactory	61	СО	1
68	Delhi	Moderate	110	PM <sub>2.5</sub> , PM <sub>10</sub>	37
69	Dewas	Satisfactory	96	PM <sub>10</sub>	1
70	Dharuhera	Satisfactory	75	PM <sub>10</sub>	1
71	Dharwad	Moderate	102	PM <sub>10</sub>	1
72	Dhule	Moderate	119	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Durgapur	Satisfactory	77	PM <sub>10</sub>	1
74	Faridabad	Moderate	173	PM <sub>10</sub>	3
75	Firozabad	Satisfactory	74	PM <sub>2.5</sub> , O <sub>3</sub>	2
76	Gadag	Satisfactory	54	PM <sub>10</sub>	1
77	Gandhinagar	Satisfactory	90	PM <sub>2.5</sub> , PM <sub>10</sub>	2
78	Gangtok	Good	49	SO <sub>2</sub>	1
79	Gaya	Satisfactory	86	PM <sub>2.5</sub>	3
80	Ghaziabad	Moderate	109	PM <sub>10</sub>	4
81	Gorakhpur	Satisfactory	81	PM <sub>10</sub>	1
82	Greater Noida	Moderate	166	O <sub>3</sub>	2
83	Gummidipoondi	Satisfactory	59	PM <sub>10</sub>	1
84	Gurugram	Moderate	134	PM <sub>10</sub> , PM <sub>2.5</sub>	4

Notes:

## Possible Health Impacts

### Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Good	33	SO <sub>2</sub> , PM <sub>2.5</sub>	3
86	Gwalior	Moderate	147	PM <sub>2.5</sub>	4
87	Hajipur	Satisfactory	100	PM <sub>10</sub>	1
88	Haldia	Satisfactory	58	03	1
89	Hanumangarh	Moderate	148	PM <sub>10</sub>	1
90	Hapur	Good	43	со	1
91	Haveri	Satisfactory	57	PM <sub>10</sub>	1
92	Hosur	Satisfactory	68	PM <sub>10</sub>	1
93	Howrah	Good	50	NO <sub>2</sub>	3
94	Hubballi	Moderate	134	CO, PM <sub>10</sub>	2
95	Hyderabad	Satisfactory	68	PM <sub>10</sub>	13
96	Indore	Satisfactory	90	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jabalpur	Satisfactory	91	PM <sub>10</sub>	1
98	Jaipur	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	6
99	Jaisalmer	Satisfactory	86	PM <sub>10</sub>	1
100	Jalandhar	Moderate	117	PM <sub>10</sub>	1
101	Jalgaon	Moderate	112	PM <sub>10</sub>	1
102	Jalna	Satisfactory	90	PM <sub>10</sub>	1
103	Jhansi	Satisfactory	90	PM <sub>10</sub>	1
104	Jhunjhunu	Satisfactory	89	PM <sub>10</sub>	1
105	Jodhpur	Moderate	110	PM <sub>10</sub>	5
106	Kadapa	Satisfactory	51	PM <sub>2.5</sub>	1
107	Kalyan	Moderate	172	O <sub>3</sub>	1
108	Kannur	Satisfactory	77	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not calculated for today's bulletin for Ahmednagar, Aurangabad

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kanpur	Satisfactory	60	O <sub>3</sub> , CO	3
110	Karauli	Satisfactory	68	PM <sub>10</sub>	1
111	Karnal	Satisfactory	90	PM <sub>10</sub>	1
112	Katihar	Satisfactory	75	PM <sub>10</sub>	1
113	Katni	Satisfactory	96	PM <sub>10</sub>	1
114	Keonjhar	Satisfactory	67	PM <sub>10</sub>	1
115	Khanna	Satisfactory	86	PM <sub>10</sub>	1
116	Khurja	Moderate	137	PM <sub>2.5</sub>	1
117	Kishanganj	Good	50	PM <sub>10</sub>	1
118	Kochi	Satisfactory	76	со	1
119	Kohima	Satisfactory	53	PM <sub>10</sub>	1
120	Kolhapur	Satisfactory	68	PM <sub>10</sub>	2

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	42	O <sub>3</sub> , PM <sub>10</sub>	7
122	Kollam	Satisfactory	55	PM <sub>2.5</sub>	1
123	Koppal	Good	42	O <sub>3</sub>	1
124	Korba	Satisfactory	56	PM <sub>10</sub>	2
125	Kota	Moderate	112	PM <sub>10</sub> , PM <sub>2.5</sub>	3
126	Kurukshetra	Satisfactory	82	PM <sub>10</sub>	1
127	Latur	Satisfactory	75	PM <sub>10</sub>	1
128	Lucknow	Good	47	O <sub>3</sub> , CO	6
129	Ludhiana	Moderate	167	PM <sub>10</sub>	1
130	Madikeri	Good	26	PM <sub>10</sub>	1
131	Maihar	Good	43	со	1
132	Mandi Gobindgarh	Satisfactory	69	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandideep	Satisfactory	93	03	1
134	Mandikhera	Good	25	SO <sub>2</sub>	1
135	Manesar	Satisfactory	94	PM <sub>10</sub>	1
136	Mangalore	Satisfactory	61	PM <sub>10</sub>	1
137	Meerut	Moderate	106	PM <sub>10</sub>	3
138	Moradabad	Moderate	112	PM <sub>2.5</sub>	6
139	Motihari	Satisfactory	60	PM <sub>10</sub>	1
140	Mumbai	Satisfactory	97	PM <sub>10</sub>	20
141	Muzaffarnagar	Moderate	115	PM <sub>2.5</sub>	1
142	Muzaffarpur	Moderate	156	O <sub>3</sub> , CO	2
143	Mysuru	Satisfactory	54	03	1
144	Nagaur	Moderate	106	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

### \* AOL is not coloulated for today's bulletin for Abmedaggar, Auronaphad

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagpur	Satisfactory	87	PM <sub>10</sub>	4
146	Naharlagun	Good	20	PM <sub>2.5</sub>	1
147	Nalbari	Good	24	PM <sub>2.5</sub>	1
148	Nanded	Satisfactory	69	PM <sub>10</sub>	1
149	Narnaul	Satisfactory	72	PM <sub>2.5</sub>	1
150	Nashik	Satisfactory	58	PM <sub>10</sub>	2
151	Navi Mumbai	Moderate	151	PM <sub>10</sub>	3
152	Nayagarh	Satisfactory	92	PM <sub>10</sub>	1
153	Noida	Moderate	110	PM <sub>10</sub>	4
154	Ooty	Good	50	SO <sub>2</sub>	1
155	Pali	Moderate	160	PM <sub>10</sub>	1
156	Palwal	Moderate	103	03	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Moderate	143	PM <sub>2.5</sub>	1
158	Parbhani	Satisfactory	96	O <sub>3</sub>	1
159	Patiala	Satisfactory	73	PM <sub>10</sub>	1
160	Patna	Moderate	124	PM <sub>2.5</sub>	6
161	Pimpri Chinchwad	Satisfactory	87	PM <sub>10</sub>	2
162	Pithampur	Satisfactory	94	PM <sub>10</sub>	1
163	Pratapgarh	Satisfactory	98	PM <sub>10</sub>	1
164	Prayagraj	Good	43	PM <sub>10</sub>	3
165	Puducherry	Good	50	03	1
166	Pune	Moderate	124	NO <sub>2</sub> , PM <sub>10</sub>	6
167	Purnia	Satisfactory	73	со	1
168	Raichur	Good	23	СО	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Raipur	Satisfactory	55	PM <sub>10</sub> , NO <sub>2</sub>	4
170	Rairangpur	Satisfactory	51	PM <sub>2.5</sub>	1
171	Rajamahendravaram	Good	47	PM <sub>10</sub>	1
172	Rajgir	Satisfactory	57	PM <sub>10</sub>	1
173	Rajsamand	Moderate	112	PM <sub>10</sub>	1
174	Ramanagara	Satisfactory	68	03	1
175	Ramanathapuram	Good	50	PM <sub>10</sub>	1
176	Ratlam	Satisfactory	85	PM <sub>10</sub>	1
177	Rishikesh	Satisfactory	53	PM <sub>10</sub>	1
178	Rohtak	Satisfactory	58	PM <sub>2.5</sub>	1
179	Rourkela	Moderate	105	PM <sub>10</sub>	2
180	Rupnagar	Moderate	102	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Satisfactory	71	PM <sub>10</sub>	1
182	Saharsa	Satisfactory	95	PM <sub>2.5</sub>	1
183	Salem	Satisfactory	98	SO <sub>2</sub>	1
184	Samastipur	Satisfactory	94	PM <sub>10</sub>	1
185	Sangli	Satisfactory	67	PM <sub>10</sub>	1
186	Satna	Satisfactory	67	PM <sub>10</sub>	1
187	Sawai Madhopur	Moderate	153	PM <sub>10</sub>	1
188	Shillong	Moderate	126	PM <sub>10</sub>	1
189	Shivamogga	Satisfactory	52	PM <sub>10</sub>	1
190	Sikar	Satisfactory	95	PM <sub>10</sub>	1
191	Silchar	Good	21	со	1
192	Siliguri	Good	35	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	62	PM <sub>10</sub>	1
194	Sivasagar	Good	22	PM <sub>10</sub>	1
195	Siwan	Poor	222	PM <sub>10</sub>	1
196	Solapur	Moderate	110	PM <sub>10</sub>	3
197	Sri Ganganagar	Satisfactory	64	03	1
198	Srinagar	Satisfactory	86	PM <sub>10</sub>	1
199	Suakati	Satisfactory	75	PM <sub>10</sub>	1
200	Talcher	Satisfactory	80	PM <sub>2.5</sub>	1
201	Tensa	Satisfactory	64	PM <sub>10</sub>	1
202	Thane	Moderate	107	PM <sub>10</sub>	1
203	Thiruvananthapuram	Good	38	PM <sub>10</sub>	2
204	Thoothukudi	Satisfactory	71	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Satisfactory	64	PM <sub>10</sub>	1
206	Tirupati	Satisfactory	58	PM <sub>10</sub>	2
207	Tirupur	Good	41	со	1
208	Tonk	Moderate	135	PM <sub>10</sub>	1
209	Tumakuru	Satisfactory	71	PM <sub>10</sub>	1
210	Udaipur	Satisfactory	99	PM <sub>10</sub>	1
211	Ujjain	Satisfactory	83	PM <sub>2.5</sub>	1
212	Vapi	Satisfactory	58	со	1
213	Varanasi	Good	46	SO <sub>2</sub> , PM <sub>10</sub>	4
214	Vatva	Moderate	101	PM <sub>10</sub>	1
215	Vijayapura	Good	49	PM <sub>10</sub>	1
216	Visakhapatnam	Satisfactory	95	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vrindavan	Poor	245	PM <sub>10</sub>	1
218	Yadgir	Satisfactory	68	PM <sub>10</sub>	1
219	Yamunanagar	Moderate	112	PM <sub>10</sub>	1

Notes:

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.