

# (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	149	PM <sub>2.5</sub>	1
2	Ahmedabad	Moderate	197	PM <sub>2.5</sub>	1
3	Ajmer	Moderate	161	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	94	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	56	PM <sub>10</sub>	1
6	Ambala	Very Poor	309	PM <sub>2.5</sub>	1
7	Amritsar	Poor	268	PM <sub>2.5</sub>	1
8	Asanol	Moderate	183	PM <sub>2.5</sub>	1
9	Aurangabad	Satisfactory	92	PM <sub>2.5</sub>	1
10	Baghpat	Very Poor	348	PM <sub>2.5</sub>	1
11	Bahadurgarh	Poor	272	PM <sub>2.5</sub>	1
12	Ballabgarh	Very Poor	356	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Poor	230	PM <sub>10</sub>	1
14	Bengaluru	Satisfactory	59	CO, O <sub>3</sub> , PM <sub>10</sub>	6
15	Bhiwadi	Very Poor	349	PM <sub>2.5</sub>	1
16	Bhiwani	Poor	299	PM <sub>2.5</sub>	1
17	Bhopal	Poor	271	PM <sub>2.5</sub>	1
18	Brajrajnagar	Moderate	149	PM <sub>2.5</sub>	1
19	Bulandshahr	Very Poor	343	PM <sub>2.5</sub>	1
20	Chandigarh	Poor	216	PM <sub>2.5</sub>	1
21	Chandrapur	Moderate	148	PM <sub>2.5</sub> , PM <sub>10</sub>	2
22	Chennai	Satisfactory	56	PM <sub>2.5</sub>	2
23	Chikkaballapur	Satisfactory	60	СО	1
24	Delhi	Very Poor	369	PM <sub>2.5</sub>	35

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	192	PM <sub>2.5</sub>	1
26	Dharuhera	Very Poor	327	PM <sub>2.5</sub>	1
27	Eloor	Good	37	СО	1
28	Faridabad	Very Poor	363	PM <sub>2.5</sub>	1
29	Fatehabad	Moderate	155	PM <sub>10</sub>	1
30	GandhiNagar	Satisfactory	92	PM <sub>2.5</sub>	1
31	Gaya	Poor	271	PM <sub>2.5</sub>	1
32	Ghaziabad	Severe	421	PM <sub>2.5</sub>	4
33	Greater_Noida	Very Poor	395	PM <sub>2.5</sub>	1
34	Gurugram	Very Poor	331	PM <sub>2.5</sub>	1
35	Guwahati	Poor	216	PM <sub>2.5</sub>	1
36	Hapur	Poor	282	PM <sub>10</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing diseases		

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Moderate	186	PM <sub>2.5</sub>	3
38	Hubballi	Satisfactory	67	PM <sub>10</sub>	1
39	Hyderabad	Moderate	118	PM <sub>2.5</sub> , PM <sub>10</sub>	6
40	Indore	Poor	247	PM <sub>2.5</sub>	1
41	Jabalpur	Poor	297	PM <sub>2.5</sub>	1
42	Jaipur	Moderate	154	PM <sub>2.5</sub> , PM <sub>10</sub>	3
43	Jalandhar	Poor	217	PM <sub>2.5</sub>	1
44	Jind	Poor	290	PM <sub>2.5</sub>	1
45	Jodhpur	Poor	212	PM <sub>2.5</sub>	1
46	Jorapokhar	Poor	214	PM <sub>2.5</sub>	1
47	Kaithal	Poor	212	PM <sub>2.5</sub>	1
48	Kalaburagi	Satisfactory	89	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kalyan	Moderate	153	PM <sub>10</sub>	1
50	Kanpur	Very Poor	323	PM <sub>2.5</sub>	1
51	Karnal	Very Poor	324	PM <sub>2.5</sub>	1
52	Katni	Very Poor	308	PM <sub>2.5</sub>	1
53	Khanna	Poor	233	PM <sub>2.5</sub>	1
54	Kolkata	Moderate	135	PM <sub>2.5</sub> , PM <sub>10</sub>	5
55	Kota	Poor	237	PM <sub>2.5</sub>	1
56	Kurukshetra	Very Poor	352	PM <sub>2.5</sub>	1
57	Lucknow	Poor	293	PM <sub>2.5</sub>	4
58	Ludhiana	Poor	241	PM <sub>2.5</sub>	1
59	Maihar	Satisfactory	67	PM <sub>10</sub>	1
60	Mandi Gobindgarh	Very Poor	362	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Poor	216	PM <sub>10</sub>	1
62	Mandikhera	Poor	255	PM <sub>2.5</sub>	1
63	Manesar	Poor	272	PM <sub>2.5</sub>	1
64	Meerut	Very Poor	314	PM <sub>2.5</sub>	2
65	Moradabad	Very Poor	334	PM <sub>2.5</sub>	1
66	Mumbai	Moderate	174	O <sub>3</sub> , PM <sub>2.5</sub>	9
67	Muzaffarpur	Very Poor	346	PM <sub>2.5</sub>	1
68	Mysuru	Satisfactory	58	PM <sub>10</sub>	1
69	Narnaul	Poor	283	PM <sub>2.5</sub>	1
70	Nashik	Moderate	101	PM <sub>10</sub>	1
71	Navi Mumbai	Moderate	124	PM <sub>2.5</sub> , CO	2
72	Noida	Very Poor	395	PM <sub>2.5</sub>	4

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Pali	Moderate	137	PM <sub>2.5</sub>	1
74	Panchkula	Moderate	114	PM <sub>2.5</sub>	1
75	Panipat	Very Poor	387	PM <sub>10</sub>	1
76	Patiala	Poor	265	PM <sub>2.5</sub>	1
77	Patna	Very Poor	356	PM <sub>2.5</sub>	1
78	Pithampur	Poor	231	PM <sub>2.5</sub>	1
79	Pune	Moderate	169	PM <sub>2.5</sub>	1
80	Rajamahendravaram	Satisfactory	60	O <sub>3</sub>	1
81	Ramanagara	Satisfactory	55	PM <sub>10</sub>	1
82	Rohtak	Very Poor	310	PM <sub>2.5</sub>	1
83	Rupnagar	Moderate	129	PM <sub>2.5</sub>	1
84	Satna	Moderate	136	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Siliguri	Moderate	179	PM <sub>10</sub>	1
86	Sirsa	Moderate	181	PM <sub>2.5</sub>	1
87	Solapur	Moderate	113	PM <sub>10</sub>	1
88	Sonipat	Moderate	111	со	1
89	Talcher	Poor	234	PM <sub>10</sub>	1
90	Thane	Satisfactory	85	PM <sub>10</sub>	1
91	Thiruvananthapuram	Satisfactory	62	O <sub>3</sub>	1
92	Tirupati	Good	29	PM <sub>10</sub>	1
93	Udaipur	Moderate	154	PM <sub>2.5</sub>	1
94	Ujjain	Poor	230	PM <sub>2.5</sub>	1
95	Vapi	Poor	289	PM <sub>2.5</sub>	1
96	Varanasi	Very Poor	335	PM <sub>2.5</sub>	1

# Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Vatva	Poor	256	PM <sub>2.5</sub>	1
98	Visakhapatnam	Satisfactory	87	PM <sub>10</sub>	1
99	Yadgir	Satisfactory	64	O <sub>3</sub>	1
100	Yamunanagar	Very Poor	312	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Ankleshwar, Coimbatore, Damoh, Haldia, Hisar, Muzaffarnagar, Nagpur, Palwal, Ratlam, Shillong, Singrauli, Vijayawada as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.