

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	326	PM <sub>2.5</sub>	1
2	Agra	Poor	259	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	159	PM <sub>2.5</sub>	1
4	Ajmer	Satisfactory	93	PM <sub>10</sub>	1
5	Alwar	Satisfactory	83	PM <sub>2.5</sub>	1
6	Amaravati	Satisfactory	85	PM <sub>2.5</sub>	1
7	Ambala	Moderate	112	PM <sub>2.5</sub>	1
8	Amritsar	Satisfactory	61	PM <sub>10</sub>	1
9	Ankleshwar	Poor	244	PM <sub>2.5</sub>	1
10	Asansol	Poor	284	PM <sub>2.5</sub>	1
11	Aurangabad	Satisfactory	76	PM <sub>10</sub>	1
12	Bagalkot	Good	31	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	244	PM <sub>2.5</sub>	1
14	Bahadurgarh	Moderate	175	PM <sub>2.5</sub>	1
15	Ballabgarh	Moderate	132	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	106	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	81	PM <sub>2.5</sub> , PM <sub>10</sub>	10
18	Bhiwadi	Very Poor	319	PM <sub>2.5</sub>	1
19	Bhiwani	Moderate	105	PM <sub>10</sub>	1
20	Bhopal	Moderate	110	PM <sub>2.5</sub>	1
21	Bidar	Good	41	PM <sub>2.5</sub>	1
22	Brajrajnagar	Poor	229	PM <sub>2.5</sub>	1
23	Bulandshahr	Very Poor	312	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	44	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Satisfactory	84	PM <sub>10</sub>	1
26	Chandrapur	Satisfactory	100	PM <sub>10</sub>	2
27	Charkhi Dadri	Moderate	133	PM <sub>10</sub>	1
28	Chennai	Satisfactory	94	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	7
29	Chikkaballapur	Good	50	PM <sub>10</sub>	1
30	Chikkamagaluru	Good	46	03	1
31	Coimbatore	Satisfactory	55	PM <sub>2.5</sub>	1
32	Damoh	Moderate	165	PM <sub>2.5</sub>	1
33	Delhi	Poor	245	PM <sub>2.5</sub>	36
34	Dewas	Moderate	112	PM <sub>2.5</sub>	1
35	Dharuhera	Poor	258	PM <sub>2.5</sub>	1
36	Durgapur	Very Poor	313	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	93	PM <sub>10</sub>	1
38	Ernakulam	Satisfactory	54	со	1
39	Faridabad	Poor	251	PM <sub>2.5</sub> , PM <sub>10</sub>	2
40	Fatehabad	Poor	234	PM <sub>2.5</sub>	1
41	Gadag	Good	32	PM <sub>10</sub>	1
42	Gaya	Moderate	104	CO, PM <sub>2.5</sub>	2
43	Ghaziabad	Poor	280	PM <sub>2.5</sub>	4
44	Greater Noida	Very Poor	311	PM <sub>2.5</sub>	2
45	Gummidipoondi	Moderate	128	PM <sub>2.5</sub>	1
46	Gurugram	Poor	215	PM <sub>2.5</sub>	4
47	Guwahati	Very Poor	317	PM <sub>2.5</sub>	2
48	Gwalior	Very Poor	317	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Moderate	178	PM <sub>10</sub>	1
50	Haldia	Moderate	117	PM <sub>10</sub>	1
51	Hapur	Satisfactory	76	PM <sub>10</sub>	1
52	Hisar	Poor	240	PM <sub>2.5</sub>	1
53	Howrah	Poor	236	PM <sub>2.5</sub>	3
54	Hubballi	Satisfactory	63	PM <sub>10</sub>	1
55	Hyderabad	Satisfactory	85	PM <sub>10</sub> , PM <sub>2.5</sub>	4
56	Indore	Moderate	128	PM <sub>2.5</sub>	1
57	Jabalpur	Moderate	152	PM <sub>2.5</sub>	1
58	Jaipur	Moderate	145	PM <sub>2.5</sub>	3
59	Jalandhar	Satisfactory	78	PM <sub>10</sub>	1
60	Jind	Poor	201	PM <sub>2.5</sub>	1

### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jodhpur	Moderate	131	PM <sub>2.5</sub>	1
62	Jorapokhar	Satisfactory	83	PM <sub>10</sub>	1
63	Kaithal	Moderate	112	PM <sub>10</sub>	1
64	Kalaburgi	Satisfactory	57	PM <sub>10</sub>	1
65	Kalyan	Poor	266	PM <sub>2.5</sub>	1
66	Kannur	Good	35	PM <sub>10</sub>	1
67	Kanpur	Poor	216	PM <sub>2.5</sub>	2
68	Karnal	Moderate	124	PM <sub>2.5</sub>	1
69	Katni	Poor	217	PM <sub>2.5</sub>	1
70	Khanna	Moderate	104	PM <sub>10</sub>	1
71	Kohima	Moderate	116	PM <sub>2.5</sub>	1
72	Kolkata	Poor	212	PM <sub>2.5</sub>	7

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	59	PM <sub>10</sub>	1
74	Kota	Poor	269	PM <sub>2.5</sub>	1
75	Kozhikode	Good	39	со	1
76	Kurukshetra	Poor	213	PM <sub>2.5</sub>	1
77	Lucknow	Poor	258	PM <sub>2.5</sub>	4
78	Ludhiana	Good	43	PM <sub>10</sub>	1
79	Mandi Gobindgarh	Moderate	175	PM <sub>2.5</sub>	1
80	Mandideep	Satisfactory	72	PM <sub>10</sub>	1
81	Mandikhera	Satisfactory	89	PM <sub>10</sub>	1
82	Manesar	Moderate	135	PM <sub>2.5</sub>	1
83	Manglore	Good	39	PM <sub>2.5</sub>	1
84	Medikeri	Satisfactory	67	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Moderate	150	PM <sub>2.5</sub> , PM <sub>10</sub>	2
86	Moradabad	Poor	250	PM <sub>2.5</sub>	1
87	Mumbai	Poor	244	PM <sub>2.5</sub>	18
88	Muzaffarnagar	Poor	207	PM <sub>2.5</sub>	1
89	Muzaffarpur	Poor	274	PM <sub>2.5</sub>	2
90	Nandesari	Satisfactory	63	PM <sub>2.5</sub>	1
91	Nashik	Moderate	105	PM <sub>2.5</sub>	1
92	Navi Mumbai	Poor	275	PM <sub>2.5</sub>	3
93	Noida	Poor	239	PM <sub>2.5</sub> , PM <sub>10</sub>	4
94	Pali	Moderate	112	PM <sub>2.5</sub>	1
95	Palwal	Moderate	115	со	1
96	Panchkula	Moderate	132	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Moderate	101	PM <sub>2.5</sub>	1
98	Patna	Poor	225	PM <sub>2.5</sub> , PM <sub>10</sub>	5
99	Pithampur	Poor	214	PM <sub>2.5</sub>	1
100	Pune	Satisfactory	72	PM <sub>2.5</sub>	3
101	Raichur	Satisfactory	90	PM <sub>10</sub>	1
102	Rajamahendravaram	Moderate	122	PM <sub>10</sub>	1
103	Ratlam	Satisfactory	93	PM <sub>2.5</sub>	1
104	Rohtak	Poor	201	PM <sub>2.5</sub>	1
105	Rupnagar	Satisfactory	72	PM <sub>2.5</sub>	1
106	Sagar	Good	34	PM <sub>2.5</sub>	1
107	Satna	Satisfactory	88	PM <sub>10</sub>	1
108	Shivamogga	Satisfactory	62	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Very Poor	345	PM <sub>2.5</sub>	1
110	Singrauli	Poor	280	PM <sub>2.5</sub>	1
111	Sonipat	Moderate	111	PM <sub>10</sub>	1
112	Talcher	Moderate	144	PM <sub>10</sub>	1
113	Thane	Moderate	172	PM <sub>10</sub>	1
114	Thiruvananthapuram	Good	46	CO, PM <sub>10</sub>	2
115	Thoothukudi	Good	44	O <sub>3</sub>	1
116	Thrissur	Satisfactory	57	PM <sub>2.5</sub>	1
117	Tirupati	Good	46	PM <sub>10</sub>	1
118	Udaipur	Moderate	139	PM <sub>2.5</sub>	1
119	Ujjain	Moderate	133	PM <sub>2.5</sub>	1
120	Vapi	Poor	274	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Moderate	150	O <sub>3</sub>	1
122	Vatva	Moderate	154	PM <sub>10</sub>	1
123	Vijayapura	Good	48	со	1
124	Visakhapatnam	Moderate	140	PM <sub>10</sub>	1
125	Yadgir	Satisfactory	54	O <sub>3</sub>	1
126	Yamunanagar	Moderate	174	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Gandhinagar, Kochi, Kollam, Maihar, Mysuru, Nagpur, Narnaul, Panipat, Ramanagara, Shillong, Sirsa, Solapur as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.