

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Good	50	PM ₁₀	6
2	Ahmedabad	Satisfactory	100	CO, PM ₁₀	6
3	Aizawl	Good	13	PM ₁₀	1
4	Ajmer	Moderate	116	PM ₁₀	1
5	Akola	Satisfactory	68	PM ₁₀	1
6	Alwar	Satisfactory	58	PM ₁₀	1
7	Amaravati	Good	32	PM ₁₀	1
8	Amravati	Good	50	PM ₁₀	2
9	Amritsar	Satisfactory	55	03	1
10	Ankleshwar	Satisfactory	63	PM ₁₀	1
11	Ariyalur	Good	28	NO ₂	1
12	Arrah	Poor	233	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	36	PM ₁₀	1
14	Aurangabad (Bihar)	Good	40	03	1
15	Aurangabad (Maharashtra)	Satisfactory	53	PM ₁₀	2
16	Baddi	Satisfactory	72	PM ₁₀	1
17	Badlapur	Good	32	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Good	37	PM ₁₀	1
20	Ballabgarh	Satisfactory	53	PM ₁₀	1
21	Banswara	Moderate	111	PM ₁₀	1
22	Baran	Moderate	117	PM ₁₀	1
23	Bareilly	Good	26	СО	1
24	Baripada	Moderate	130	со	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Moderate	108	PM ₁₀	1
26	Belapur	Good	38	PM ₁₀	1
27	Belgaum	Good	46	со	1
28	Bengaluru	Satisfactory	61	CO, PM ₁₀	10
29	Bettiah	Satisfactory	71	со	1
30	Bhagalpur	Satisfactory	82	со	2
31	Bharatpur	Satisfactory	57	03	1
32	Bhilai	Good	31	O ₃ , PM ₁₀	2
33	Bhilwara	Moderate	106	PM _{2.5}	1
34	Bhiwadi	Satisfactory	98	PM ₁₀	1
35	Bhiwandi	Satisfactory	67	PM ₁₀	1
36	Bhiwani	Satisfactory	54	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	70	PM ₁₀	3
38	Bihar Sharif	Good	50	03	1
39	Bikaner	Moderate	122	PM ₁₀	1
40	Bilaspur	Satisfactory	88	PM ₁₀	1
41	Bileipada	Moderate	101	PM ₁₀	1
42	Bulandshahr	Good	40	PM ₁₀	1
43	Bundi	Moderate	137	PM ₁₀	1
44	Byrnihat	Satisfactory	76	PM _{2.5}	1
45	Chamarajanagar	Good	39	PM ₁₀	1
46	Chandigarh	Good	48	O ₃ , PM ₁₀	3
47	Chandrapur	Satisfactory	57	PM ₁₀	1
48	Charkhi Dadri	Satisfactory	57	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	78	NO ₂ , CO	8
50	Chhal	Good	33	PM ₁₀	1
51	Chhapra	Moderate	104	со	1
52	Chikkaballapur	Good	30	03	1
53	Chittoor	Good	41	03	1
54	Churu	Satisfactory	68	03	1
55	Coimbatore	Good	46	PM ₁₀	1
56	Cuddalore	Satisfactory	94	NO ₂	2
57	Damoh	Good	21	со	1
58	Dausa	Satisfactory	86	PM ₁₀	1
59	Davanagere	Good	18	PM _{2.5}	1
60	Delhi	Satisfactory	73	CO, PM ₁₀	33

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	195	co	1
62	Dharuhera	Satisfactory	55	PM _{2.5}	1
63	Dharwad	Good	30	PM ₁₀	1
64	Dhule	Satisfactory	62	PM ₁₀	1
65	Dindigul	Good	41	SO ₂	1
66	Faridabad	Satisfactory	72	O ₃ , PM _{2.5}	3
67	Fatehabad	Moderate	168	O ₃	1
68	Firozabad	Good	34	PM ₁₀ , PM _{2.5}	2
69	Gandhinagar	Moderate	123	PM _{2.5} , PM ₁₀	3
70	Gangtok	Satisfactory	51	SO ₂	1
71	Gaya	Satisfactory	73	PM _{2.5}	3
72	Ghaziabad	Satisfactory	59	PM _{2.5} , CO	4

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Notes:

Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gorakhpur	Good	50	PM ₁₀	1
74	Greater Noida	Satisfactory	78	PM ₁₀	2
75	Gurugram	Satisfactory	75	со	4
76	Guwahati	Satisfactory	80	PM ₁₀ , SO ₂	3
77	Gwalior	Satisfactory	52	O ₃ , PM _{2.5}	4
78	Hajipur	Good	42	PM ₁₀	1
79	Haldia	Good	33	O ₃	1
80	Hanumangarh	Satisfactory	93	PM ₁₀	1
81	Hassan	Good	41	PM ₁₀	1
82	Hosur	Good	34	PM ₁₀	1
83	Howrah	Good	48	NO ₂ , PM ₁₀	2
84	Hubballi	Good	33	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Gadag, Gummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hyderabad	Satisfactory	58	PM ₁₀	13
86	Indore	Satisfactory	82	PM ₁₀	1
87	Jabalpur	Good	50	O ₃ , PM ₁₀	3
88	Jaipur	Satisfactory	90	PM ₁₀	5
89	Jaisalmer	Moderate	137	PM ₁₀	1
90	Jalandhar	Satisfactory	70	PM ₁₀	1
91	Jalgaon	Satisfactory	76	PM ₁₀	1
92	Jhalawar	Good	50	PM ₁₀	1
93	Jhansi	Satisfactory	53	PM _{2.5}	1
94	Jhunjhunu	Moderate	160	O ₃	1
95	Jind	Satisfactory	60	СО	1
96	Jodhpur	Moderate	150	PM ₁₀	5

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Gadag, Gummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kadapa	Good	37	PM _{2.5}	1
98	Kaithal	Satisfactory	67	PM _{2.5}	1
99	Kalyan	Satisfactory	74	СО	1
100	Kanpur	Satisfactory	64	со	3
101	Karauli	Satisfactory	66	03	1
102	Karnal	Good	33	PM _{2.5}	1
103	Kashipur	Good	31	PM ₁₀	1
104	Katihar	Satisfactory	76	СО	1
105	Katni	Satisfactory	59	PM ₁₀	1
106	Keonjhar	Satisfactory	61	PM ₁₀	1
107	Khanna	Good	40	PM ₁₀	1
108	Khurja	Good	39	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Satisfactory	76	СО	1
110	Kohima	Good	47	SO ₂	1
111	Kolar	Good	33	PM ₁₀	1
112	Kolhapur	Good	36	PM ₁₀	2
113	Kolkata	Good	38	O ₃ , PM ₁₀	7
114	Kollam	Satisfactory	56	PM ₁₀	1
115	Koppal	Good	24	SO ₂	1
116	Korba	Good	42	PM ₁₀	2
117	Kota	Satisfactory	96	PM ₁₀	3
118	Kunjemura	Satisfactory	63	PM ₁₀	1
119	Latur	Good	46	PM ₁₀	1
120	Lucknow	Good	48	PM _{2.5} , PM ₁₀	6

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ludhiana	Satisfactory	65	PM ₁₀	1
122	Madikeri	Good	20	PM _{2.5}	1
123	Mahad	Good	19	PM ₁₀	1
124	Maihar	Good	35	PM ₁₀	1
125	Mandi Gobindgarh	Moderate	111	PM _{2.5}	1
126	Mandideep	Satisfactory	89	03	1
127	Mandikhera	Good	50	PM ₁₀	1
128	Manesar	Satisfactory	73	PM ₁₀	1
129	Mangalore	Good	49	со	1
130	Manguraha	Satisfactory	51	PM ₁₀	1
131	Meerut	Satisfactory	51	со	3
132	Moradabad	Satisfactory	61	PM ₁₀	6

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Gadag, Cummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Motihari	Good	48	СО	1
134	Mumbai	Satisfactory	87	PM _{2.5} , CO	19
135	Muzaffarpur	Moderate	139	03	3
136	Mysuru	Satisfactory	59	03	1
137	Nagaon	Satisfactory	85	PM ₁₀	1
138	Nagaur	Satisfactory	90	PM ₁₀	1
139	Nagpur	Good	49	PM ₁₀ , PM _{2.5}	4
140	Nalbari	Good	24	PM ₁₀	1
141	Nanded	Good	43	PM ₁₀	1
142	Nashik	Good	36	PM ₁₀	4
143	Navi Mumbai	Satisfactory	61	NO ₂ , CO	5
144	Nayagarh	Satisfactory	65	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Gadag, Gummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Noida	Moderate	150	PM ₁₀	3
146	Ooty	Good	50	SO ₂	1
147	Pali	Poor	232	PM ₁₀	1
148	Palkalaiperur	Moderate	103	со	1
149	Palwal	Good	42	03	1
150	Panchkula	Moderate	106	PM _{2.5}	1
151	Parbhani	Good	44	O ₃	1
152	Patiala	Good	38	O ₃	1
153	Patna	Satisfactory	95	PM _{2.5}	6
154	Pimpri Chinchwad	Good	48	PM ₁₀	3
155	Pithampur	Satisfactory	94	PM ₁₀	1
156	Pratapgarh	Moderate	120	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Gadag, Cummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	59	PM ₁₀	3
158	Puducherry	Satisfactory	52	СО	1
159	Pune	Moderate	119	NO ₂	5
160	Purnia	Satisfactory	81	со	1
161	Raichur	Good	45	SO ₂	1
162	Raipur	Good	39	CO, NO ₂	3
163	Rairangpur	Satisfactory	55	PM ₁₀	1
164	Rajamahendravaram	Good	39	PM ₁₀	1
165	Rajgir	Satisfactory	100	PM ₁₀	1
166	Rajsamand	Satisfactory	78	PM ₁₀	1
167	Ramanathapuram	Good	30	PM ₁₀	1
168	Ratlam	Moderate	105	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Good	39	O ₃	1
170	Rourkela	Satisfactory	65	PM ₁₀	2
171	Rupnagar	Satisfactory	56	PM ₁₀	1
172	Sagar	Satisfactory	52	03	1
173	Saharsa	Good	44	со	1
174	Samastipur	Satisfactory	100	со	1
175	Sangli	Good	28	03	1
176	Satna	Satisfactory	82	PM ₁₀	1
177	Sawai Madhopur	Satisfactory	95	PM _{2.5}	1
178	Sikar	Satisfactory	66	O ₃	1
179	Silchar	Good	33	со	1
180	Siliguri	Good	34	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Singrauli	Satisfactory	57	NO ₂	1
182	Sirohi	Moderate	101	PM ₁₀	1
183	Sivasagar	Good	27	SO ₂	1
184	Siwan	Satisfactory	89	PM ₁₀	1
185	Solapur	Satisfactory	62	PM ₁₀	3
186	Sonipat	Satisfactory	74	PM ₁₀	1
187	Sri Ganganagar	Poor	234	PM ₁₀	1
188	Srinagar	Satisfactory	88	PM ₁₀	1
189	Suakati	Satisfactory	65	PM ₁₀	1
190	Surat	Good	39	PM _{2.5}	1
191	Thane	Good	41	PM ₁₀	1
192	Thiruvananthapuram	Good	16	со	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipoo

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thrissur	Good	48	PM _{2.5}	1
194	Tirupati	Good	40	NO ₂	2
195	Tirupur	Good	45	со	1
196	Tonk	Satisfactory	94	PM ₁₀	1
197	Tumakuru	Moderate	150	со	1
198	Udaipur	Moderate	106	PM ₁₀	1
199	Vapi	Satisfactory	67	со	1
200	Varanasi	Good	38	со	4
201	Vijayapura	Good	46	PM ₁₀	1
202	Visakhapatnam	Satisfactory	97	PM ₁₀	1
203	Vrindavan	Good	27	SO ₂	1
204	Yadgir	Good	22	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Agartala, Ahmednagar, Ambala, Anantapur, Araria, Bahadurgarh, Bathinda, Begusarai, Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chikkamagaluru, Chittorgarh, Darbhanga,

Dehradun, Dewas, Dholpur, Durgapur, Eloor, Ernakulam, Cadag, Gummidipod

Hapur, Haveri, Hisar, Imphal, Jalna, Jorapokhar, Kalaburgi, Kanchipuram, Kannur, Kishanganj, Kozhikode, Kurukshetra, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Panipat, Ramanagara, Rishikesh, Salem, Sasaram, Shillong, Shivamogga, Sirsa, Talcher, Tensa, Thoothukudi, Tumidih, Udupi, Ujjain, Vatva, Vijayawada, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	